

Trimmed UTM WGS84 Zone 51 grid

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
DDDH240	0	22.0	-60.2
DDDH240	10	22.0	-60.2
DDDH240	20	22.0	-60.2
DDDH240	30	21.9	-60.2
DDDH240	40	21.9	-60.2
DDDH240	50	21.9	-60.3
DDDH240	60	21.8	-60.2
DDDH240	70	21.7	-60.2
DDDH240	80	21.5	-60.2
DDDH240	90	21.8	-60.0
DDDH240	100	21.7	-59.9
DDDH240	110	21.5	-59.9
DDDH240	120	21.3	-59.9
DDDH240	130	21.2	-59.9
DDDH240	140	21.1	-59.9
DDDH240	150	21.2	-59.8
DDDH240	160	21.4	-59.6
DDDH240	170	21.3	-59.5
DDDH240	180	21.4	-59.4
DDDH240	190	21.4	-59.3
DDDH240	200	21.2	-59.2
DDDH240	210	21.3	-59.1
DDDH240	220	21.3	-59.0
DDDH240	230	21.1	-58.9
DDDH240	250	20.8	-58.8
DDDH240	260	20.8	-58.8
DDDH240	270	20.9	-58.7
DDDH240	280	20.9	-58.6
DDDH240	290	20.8	-58.4
DDDH240	300	20.9	-58.2
DDDH240	310	20.9	-58.1
DDDH240	320	20.9	-57.8
DDDH240	330	20.9	-57.6
DDDH240	340	21.0	-57.4
DDDH240	350	21.0	-57.2
DDDH240	360	21.1	-56.9
DDDH240	370	21.1	-56.7
DDDH240	380	21.0	-56.7
DDDH240	390	21.0	-56.6
DDDH240	400	21.1	-56.5
DDDH240	410	21.1	-56.5
DDDH240	420	21.1	-56.3
DDDH240	430	21.1	-56.2
DDDH240	440	21.1	-56.0
DDDH240	450	21.0	-55.9
DDDH240	460	21.1	-55.9
DDDH240	470	21.2	-55.7
DDDH240	480	21.0	-55.7

Trimmed UTM WGS84 Zone 51 grid

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
DDDH240	490	21.0	-55.7
DDDH240	500	21.0	-55.9
DDDH240	510	21.0	-55.7
DDDH240	520	20.9	-55.6
DDDH240	530	20.8	-55.5
DDDH240	540	20.9	-55.3
DDDH240	550	21.1	-55.1
DDDH240	560	21.1	-54.9
DDDH240	570	21.0	-54.6
DDDH240	580	21.1	-54.4
DDDH240	590	21.0	-54.3
DDDH240	600	21.1	-54.0
DDDH240	610	21.1	-53.8
DDDH240	620	21.2	-53.6
DDDH240	630	21.1	-53.6
DDDH240	640	21.1	-53.5
DDDH240	650	21.2	-53.2
DDDH240	660	21.3	-52.9
DDDH240	670	21.4	-53.0
DDDH240	680	21.2	-52.8
DDDH240	690	20.9	-53.0
DDDH240	700	20.9	-53.0
DDDH240	710	21.0	-53.3
DDDH240	720	21.1	-52.9
DDDH240	730	21.1	-52.9
DDDH240	740	21.1	-52.9
DDDH242	0	60.0	-59.9
DDDH242	10	60.1	-59.6
DDDH242	20	60.2	-59.2
DDDH242	30	60.4	-59.1
DDDH242	40	60.6	-58.8
DDDH242	50	60.4	-58.6
DDDH242	60	60.4	-58.3
DDDH242	70	60.4	-58.0
DDDH242	80	60.6	-57.7
DDDH242	90	60.6	-57.3
DDDH242	100	60.6	-57.1
DDDH242	110	60.6	-56.9
DDDH242	120	60.7	-56.7
DDDH242	130	60.8	-56.4
DDDH242	140	61.0	-56.1
DDDH242	150	61.1	-55.9
DDDH242	160	61.1	-55.6
DDDH242	170	61.2	-55.5
DDDH242	180	61.3	-55.3
DDDH242	190	61.4	-55.0
DDDH242	200	61.4	-54.8
DDDH242	210	61.5	-54.5

Trimmed UTM WGS84 Zone 51 grid

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
DDDH242	220	61.5	-54.2
DDDH242	230	61.6	-54.0
DDDH242	240	61.6	-53.6
DDDH242	250	61.8	-53.4
DDDH242	260	61.9	-53.0
DDDH242	270	62.0	-52.7
DDDH242	280	62.1	-52.3
DDDH242	290	62.1	-52.1
DDDH242	300	62.1	-51.8
DDDH242	310	62.4	-51.6
DDDH242	320	62.4	-51.3
DDDH242	330	62.7	-50.9
DDDH242	340	62.7	-50.6
DDDH242	350	62.9	-50.2
DDDH242	360	63.1	-49.9
DDDH242	370	63.0	-50.0
DDDH242	380	62.9	-50.2
DDDH242	390	62.8	-50.5
DDDH242	400	62.9	-50.7
DDDH242	410	62.9	-51.0
DDDH242	420	63.0	-51.1
DDDH242	430	62.9	-51.3
DDDH242	440	62.5	-51.5
DDDH242	450	62.2	-51.7
DDDH242	460	62.0	-52.0
DDDH242	470	61.9	-52.1
DDDH242	480	61.9	-52.2
DDDH242	490	61.9	-52.4
DDDH242	500	61.8	-52.6
DDDH242	510	61.7	-52.8
DDDH242	520	61.4	-53.0
DDDH242	530	61.1	-53.3
DDDH242	540	60.9	-53.5
DDDH242	550	60.7	-53.7
DDDH242	560	60.7	-54.0
DDDH242	570	60.5	-54.2
DDDH242	580	60.2	-54.6
DDDH242	590	59.9	-54.6
DDDH242	600	59.6	-54.8
DDDH242	610	59.3	-55.1
DDDH242	620	59.2	-55.3
DDDH242	630	59.1	-55.3
DDDH242	640	59.1	-55.4
DDDH242	650	58.7	-55.7
DDDH242	660	58.4	-56.0
DDDH242	670	58.2	-56.2
DDDH242	680	58.2	-56.5
DDDH242	690	58.2	-56.7

Trimmed UTM WGS84 Zone 51 grid

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
DDDH242	700	58.1	-57.0
DDDH242	710	57.5	-57.4
DDDH242	720	57.1	-57.9
DDDH242	730	56.8	-58.2
DDDH242	740	57.0	-58.4
DDDH246	0	44.5	-32.0
DDDH246	130	44.5	-33.0
DDDH246	160	44.5	-34.1
DDDH246	190	44.5	-35.0
DDDH246	220	44.5	-35.9
DDDH246	250	44.5	-36.8
DDDH246	282	44.5	-37.4
DDDH247	0	44.5	-24.0
DDDH249	0	45.0	-39.0
DDDH250	0	45.0	-31.0
DDDH251	0	45.0	-22.0
DDDH252	12	42.4	-25.9
DDDH252	30	42.4	-25.3
DDDH252	90	42.4	-23.7
DDDH252	204.2	42.4	-25.1
DDDH253	6	41.5	-13.2
DDDH253	30	41.5	-13.2
DDDH253	60	41.5	-13.7
DDDH253	90	41.5	-14.0
DDDH253	120	41.1	-14.4
DDDH253	150	41.4	-14.8
DDDH253	180	42.1	-14.5
DDDH253	210	42.3	-13.8
DDDH255	6	40.7	-2.2
DDDH255	30	40.7	-2.6
DDDH255	60	40.7	-3.1
DDDH255	90	40.7	-3.7
DDDH255	120	40.7	-3.4
DDDH255	150	40.7	-3.3
DDDH255	180	40.7	-2.6
DDDH255	203	40.7	-1.9
RDUG005	0	45.0	-2.0
RDUG005	195	44.9	-2.2
RDUG006	12	44.9	-14.1
RDUG006	36	44.8	-14.1
RDUG006	66	44.8	-14.3
RDUG006	96	43.8	-14.9
RDUG006	126	42.8	-15.2
RDUG006	156	44.4	-15.5
RDUG006	186	43.9	-15.8
RDUG006	216	44.9	-16.3