

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0577	0	148	-50
DDH0577	4.27	148	-50.5
DDH0577	10.36	148	-49.6
DDH0577	16.46	147.9	-49.4
DDH0577	22.56	147.9	-50.7
DDH0577	28.65	147.9	-51
DDH0577	34.75	147.9	-51.3
DDH0577	40.84	147.8	-51.2
DDH0577	46.94	147.8	-51.4
DDH0577	53.04	147.8	-51.4
DDH0577	59.13	147.8	-51.5
DDH0577	65.23	147.7	-51.3
DDH0577	71.32	147.7	-51
DDH0577	77.42	147.7	-50.3
DDH0577	83.52	147.7	-50
DDH0577	89.61	148.1	-49.8
DDH0577	95.71	148.1	-49.5
DDH0577	101.8	149.4	-49.4
DDH0577	107.9	148.5	-49.3
DDH0577	114	148.7	-48.9
DDH0577	120.09	149.2	-48.7
DDH0577	126.19	149.8	-48.4
DDH0577	132.28	150.1	-48.2
DDH0577	138.38	150.6	-48.1
DDH0577	144.48	150.9	-48
DDH0577	150.57	150.7	-47.7
DDH0577	156.67	150.9	-47.7
DDH0577	162.76	150	-47.5
DDH0577	168.86	150.9	-46.9
DDH0577	174.96	150.4	-46.1
DDH0577	181.05	146.6	-45.4
DDH0577	187.15	149	-45
DDH0577	193.24	148.1	-44.6
DDH0577	199.34	150.4	-44.2
DDH0577	205.44	149.4	-43.8
DDH0577	211.53	151.2	-43.5
DDH0577	217.63	151.4	-43.3
DDH0577	223.72	151.2	-43.1
DDH0577	229.82	151	-42.7
DDH0577	235.92	152.1	-42.2
DDH0577	242.01	152	-42.2
DDH0577	248.11	151.6	-41.9
DDH0577	254.2	152.4	-41.4
DDH0577	260.3	154	-41.1
DDH0577	266.4	154.3	-41.1
DDH0577	272.49	154.4	-40.8
DDH0577	278.59	154.2	-40.6
DDH0577	284.68	147.4	-40.5
DDH0577	290.78	150	-40.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0577	296.88	153.1	-40.4
DDH0577	302.97	151.9	-40.1
DDH0577	309.07	150.9	-40
DDH0577	315.16	152.5	-40
DDH0577	321.26	151.8	-39.6
DDH0577	327.36	153.1	-39.2
DDH0577	333.45	149.4	-38.9
DDH0577	339.55	152.7	-38.7
DDH0577	345.64	153	-39.1
DDH0577	351.74	152.8	-39
DDH0577	357.84	153	-39.5
DDH0577	363.93	152.6	-40.1
DDH0577	370.03	152.2	-40.2
DDH0577	376.12	152.4	-40.5
DDH0577	382.22	152.2	-40.9
DDH0577	388.32	151.6	-41.5
DDH0577	394.41	151.6	-42
DDH0577	400.51	151.5	-41.9
DDH0577	406.6	151.3	-41.6
DDH0577	412.7	151.4	-41.5
DDH0577	418.8	151	-42.2
DDH0577	424.89	150.3	-42.8
DDH0577	430.99	150	-42.9
DDH0577	437.08	149.5	-43.1
DDH0577	443.18	149.5	-43
DDH0577	449.28	149.1	-42.7
DDH0577	455.37	148.6	-42.3
DDH0577	461.47	148.6	-42
DDH0577	467.56	148.2	-41.9
DDH0577	473.66	148.6	-41.9
DDH0577	479.76	148.3	-41.6
DDH0577	485.85	148.4	-41.5
DDH0577	491.95	148.6	-41.5
DDH0577	498.04	148.6	-41.5
DDH0577	504.14	148.5	-41.4
DDH0577	510.24	148.6	-41.5
DDH0577	516.33	148.8	-41.1
DDH0577	522.43	149.1	-41.2
DDH0577	528.52	149.2	-41.1
DDH0577	534.62	149.3	-40.9
DDH0577	540.72	149.2	-40.5
DDH0577	546.81	149.1	-40.3
DDH0577	552.91	148.8	-40.4
DDH0577	559	149	-40.4
DDH0577	565.1	149.4	-40.3
DDH0577	571.2	148.9	-40.3
DDH0577	577.29	149.3	-40.4
DDH0577	583.39	149.6	-40.7
DDH0579	0	148	-55

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0579	0.61	148	-55.2
DDH0579	6.71	148	-55.3
DDH0579	12.8	148.1	-55.1
DDH0579	18.9	148.3	-55.6
DDH0579	24.99	148.4	-56.1
DDH0579	31.09	148.7	-56
DDH0579	37.19	148.9	-55.8
DDH0579	43.28	149	-56.2
DDH0579	49.38	149.1	-56.4
DDH0579	55.47	149.3	-57.1
DDH0579	61.57	149.6	-57
DDH0579	67.67	149.9	-57.3
DDH0579	73.76	150.2	-57.6
DDH0579	79.86	150.4	-57.4
DDH0579	85.95	150.6	-57.4
DDH0579	92.05	150.9	-57.2
DDH0579	98.15	151.1	-56.6
DDH0579	104.24	151.5	-56.1
DDH0579	110.34	151.8	-55.7
DDH0579	116.43	151.9	-55.1
DDH0579	122.53	152.2	-54.8
DDH0579	128.63	152.5	-54.3
DDH0579	134.72	152.4	-53.8
DDH0579	140.82	152.4	-53.4
DDH0579	146.91	152.9	-53
DDH0579	153.01	151.6	-52.6
DDH0579	159.11	153.6	-52.3
DDH0579	165.2	152.7	-52.1
DDH0579	171.3	154.3	-51.8
DDH0579	177.39	155	-51.2
DDH0579	183.49	154.1	-50.7
DDH0579	189.59	154.4	-50.1
DDH0579	195.68	154.4	-49.5
DDH0579	201.78	154.6	-49
DDH0579	207.87	154.5	-48.2
DDH0579	213.97	154.6	-47.6
DDH0579	220.07	154.6	-47.3
DDH0579	226.16	154.7	-46.8
DDH0579	232.26	154.7	-46
DDH0579	238.35	154.8	-45.3
DDH0579	244.45	154.6	-44.4
DDH0579	250.55	155.6	-44.5
DDH0579	256.64	154.9	-44.3
DDH0579	262.74	154.5	-44.3
DDH0579	268.83	155	-44.2
DDH0579	274.93	154.9	-44.3
DDH0579	281.03	154.7	-44.2
DDH0579	287.12	154.7	-44.1
DDH0579	293.22	154.9	-43.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0579	299.31	155	-43.7
DDH0579	305.41	154.7	-43.5
DDH0579	311.51	154.3	-43.1
DDH0579	317.6	154.6	-42.7
DDH0579	323.7	154.7	-42.3
DDH0579	329.79	154.8	-42.2
DDH0579	335.89	154.9	-42.2
DDH0579	341.99	155	-42.1
DDH0579	348.08	155.2	-41.9
DDH0579	354.18	155.3	-41.8
DDH0579	360.27	155.5	-41.8
DDH0579	366.37	155.7	-41.7
DDH0579	372.47	156.1	-41.6
DDH0579	378.56	156.3	-41.7
DDH0579	384.66	156.5	-41.6
DDH0579	390.75	156.6	-41.7
DDH0579	396.85	156.9	-41.7
DDH0579	402.95	156.8	-41.7
DDH0579	409.04	156.7	-41.8
DDH0579	415.14	156.7	-41.8
DDH0579	421.23	156.5	-41.9
DDH0579	427.33	156.5	-42
DDH0579	433.43	156.5	-42.1
DDH0579	439.52	156.5	-42.2
DDH0579	445.62	156.6	-42.3
DDH0579	451.71	156.8	-42.5
DDH0579	457.81	156.9	-42.5
DDH0579	463.91	157.3	-42.6
DDH0579	470	157.1	-42.6
DDH0579	476.1	157.2	-42.6
DDH0579	482.19	157.1	-42.9
DDH0579	488.29	156.4	-42.9
DDH0579	494.39	156.8	-43
DDH0579	500.48	156.5	-43
DDH0580	0	148	-50
DDH0580	0.61	147.7	-49.6
DDH0580	6.71	147.3	-52.1
DDH0580	12.8	147	-51.3
DDH0580	18.9	146.6	-50.5
DDH0580	24.99	146	-50.7
DDH0580	31.09	145.5	-52
DDH0580	37.19	144.9	-51.9
DDH0580	43.28	144.4	-51.7
DDH0580	49.38	143.8	-51.8
DDH0580	55.47	143.3	-51.9
DDH0580	61.57	142.9	-51.9
DDH0580	67.67	142.5	-51.8
DDH0580	73.76	142.2	-51.8
DDH0580	79.86	142.8	-52

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0580	85.95	142.5	-51.6
DDH0580	92.05	142.6	-51.5
DDH0580	98.15	142.2	-51.8
DDH0580	104.24	142	-51.9
DDH0580	110.34	142.6	-51.8
DDH0580	116.43	143.4	-51.7
DDH0580	122.53	142.2	-51.9
DDH0580	128.63	141.8	-52
DDH0580	134.72	142.8	-52.1
DDH0580	140.82	143.2	-52.1
DDH0580	146.91	143.6	-52.2
DDH0580	153.01	144.1	-52.3
DDH0580	159.11	143	-52.4
DDH0580	165.2	143	-52.5
DDH0580	171.3	143.5	-52.6
DDH0580	177.39	143.3	-52.7
DDH0580	183.49	143.1	-52.7
DDH0580	189.59	142.9	-52.7
DDH0580	195.68	142.9	-52.7
DDH0580	201.78	143	-53
DDH0580	207.87	143.1	-53
DDH0580	213.97	142.7	-53.1
DDH0580	220.07	145.1	-53.1
DDH0580	226.16	144	-53.1
DDH0580	232.26	141.9	-53
DDH0580	238.35	141.9	-52.9
DDH0580	244.45	141.9	-52.8
DDH0580	250.55	142.4	-52.6
DDH0580	256.64	141.8	-52.6
DDH0580	262.74	142.5	-52.3
DDH0580	268.83	143.8	-52.2
DDH0580	274.93	144	-51.8
DDH0580	281.03	144.3	-51.4
DDH0580	287.12	144.5	-50.9
DDH0580	293.22	144.8	-50.6
DDH0580	299.31	144.8	-50
DDH0580	305.41	145.3	-49.3
DDH0580	311.51	145.4	-48.8
DDH0580	317.6	145.7	-48.1
DDH0580	323.7	145.6	-47.8
DDH0580	329.79	145.5	-47.6
DDH0580	335.89	146.4	-47.1
DDH0580	341.99	146.7	-46.6
DDH0580	348.08	147.6	-46.5
DDH0580	354.18	148.1	-46.4
DDH0580	360.27	147.7	-46.6
DDH0580	366.37	147.6	-46.6
DDH0580	372.47	147.9	-46.7
DDH0580	378.56	148.2	-46.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0580	384.66	148.5	-47
DDH0580	390.75	147.8	-47
DDH0580	396.85	148.7	-47.1
DDH0580	402.95	148.4	-46.9
DDH0580	409.04	148.6	-46.7
DDH0580	415.14	149.4	-46.8
DDH0580	421.23	148.2	-46.9
DDH0580	427.33	149.4	-46.7
DDH0580	433.43	149.4	-46.9
DDH0580	439.52	149.4	-47
DDH0580	445.62	149.4	-47
DDH0580	451.71	149.2	-46.9
DDH0580	457.81	149.8	-47
DDH0580	463.91	150	-47
DDH0580	470	150.1	-47
DDH0580	476.1	150.2	-46.9
DDH0580	482.19	150.5	-46.9
DDH0580	488.29	150.5	-46.9
DDH0580	494.39	150.8	-46.8
DDH0580	500.48	151.1	-46.8
DDH0580	506.58	150.8	-46.6
DDH0580	512.67	150.9	-46.4
DDH0580	518.77	151.5	-46.4
DDH0580	524.87	151.5	-46.4
DDH0580	530.96	151.6	-46.3
DDH0580	537.06	151.6	-46.2
DDH0580	543.15	152.1	-46.2
DDH0580	549.25	152.1	-46.1
DDH0580	555.35	152.7	-46.1
DDH0580	561.44	152.8	-46.1
DDH0580	567.54	152.5	-45.9
DDH0581	0	158	-50
DDH0581	4.57	158.1	-49.9
DDH0581	10.67	158.2	-49.9
DDH0581	16.76	158.3	-50.2
DDH0581	22.86	158.4	-50.1
DDH0581	28.96	158.5	-50.3
DDH0581	35.05	158.6	-50.3
DDH0581	41.15	158.7	-50.5
DDH0581	47.24	158.8	-50.5
DDH0581	53.34	158.9	-50.9
DDH0581	59.44	159	-51.1
DDH0581	65.53	159.1	-51.4
DDH0581	71.63	159.2	-51.4
DDH0581	77.72	159.3	-51.4
DDH0581	83.82	159.4	-51.4
DDH0581	89.92	159.4	-51.6
DDH0581	96.01	159.5	-51.4
DDH0581	102.11	159.5	-51

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0581	108.2	160	-50.4
DDH0581	114.3	159.6	-49.8
DDH0581	120.4	159.5	-48.9
DDH0581	126.49	159.1	-48.4
DDH0581	132.59	158.9	-47.6
DDH0581	138.68	159.2	-46.9
DDH0581	144.78	159	-46.3
DDH0581	150.88	159.4	-45.8
DDH0581	156.97	159.2	-45.5
DDH0581	163.07	158.8	-45.2
DDH0581	169.16	159.1	-44.7
DDH0581	175.26	159	-44.2
DDH0581	181.36	159.5	-43.9
DDH0581	187.45	158.9	-43.8
DDH0581	193.55	158.5	-43.4
DDH0581	199.64	159	-43.2
DDH0581	205.74	159.1	-43
DDH0581	211.84	158.7	-42.7
DDH0581	217.93	158.5	-42.4
DDH0581	224.03	158.2	-42.2
DDH0581	230.12	158.3	-41.9
DDH0581	236.22	158.3	-41.6
DDH0581	242.32	158.4	-41.4
DDH0581	248.41	158.3	-41.2
DDH0581	254.51	158.3	-41.2
DDH0581	260.6	158.2	-41.2
DDH0581	266.7	157.9	-41.2
DDH0581	272.8	157.9	-41.1
DDH0581	278.89	158.3	-41
DDH0581	284.99	157.9	-41.1
DDH0581	291.08	157.5	-41.1
DDH0581	297.18	157.6	-40.9
DDH0581	303.28	157.6	-40.5
DDH0581	309.37	157.6	-40.4
DDH0581	315.47	157.7	-40.4
DDH0581	321.56	157.9	-40.2
DDH0581	327.66	157.9	-40.1
DDH0581	333.76	157.9	-40
DDH0581	339.85	157.9	-39.8
DDH0581	345.95	158	-39.7
DDH0581	352.04	158.1	-39.8
DDH0581	358.14	158.2	-39.7
DDH0581	364.24	158.3	-39.8
DDH0581	370.33	158.3	-39.9
DDH0581	376.43	158.5	-40
DDH0581	382.52	158.4	-40.1
DDH0581	388.62	158.6	-40.2
DDH0581	394.72	158.8	-40.3
DDH0581	400.81	159.1	-40.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0581	406.91	159.1	-40.4
DDH0581	413	159.3	-40.4
DDH0581	419.1	159.1	-40.5
DDH0581	425.2	159.3	-40.5
DDH0581	431.29	159.6	-40.6
DDH0581	437.39	159.7	-40.8
DDH0581	443.48	159.5	-40.8
DDH0581	449.58	159.3	-40.8
DDH0581	455.68	159.3	-40.9
DDH0581	461.77	159.1	-41
DDH0581	467.87	159.2	-41.2
DDH0581	473.96	159.3	-41.4
DDH0581	480.06	159.1	-41.6
DDH0581	486.16	158.7	-41.7
DDH0581	492.25	158.5	-41.9
DDH0581	498.35	158.7	-42
DDH0581	504.44	158.6	-42.2
DDH0581	510.54	158.6	-42.3
DDH0581	516.64	158.7	-42.4
DDH0581	522.73	158.8	-42.5
DDH0581	528.83	159	-42.4
DDH0581	534.92	159	-42.4
DDH0581	541.02	159.2	-42.4
DDH0581	547.12	159.1	-42.4
DDH0581	553.21	159.1	-42.4
DDH0581	559.31	159	-42.5
DDH0581	565.4	159.1	-42.5
DDH0581	571.5	159.1	-42.6
DDH0581	577.6	159.1	-42.8
DDH0581	583.69	159.2	-42.9
DDH0581	589.79	159.7	-43.1
DDH0581	595.88	160.1	-43.3
DDH0583	0	148	-50
DDH0583	0.91	148.2	-49.4
DDH0583	7.01	148.4	-49.4
DDH0583	13.11	148.7	-49.7
DDH0583	19.2	149.1	-50.5
DDH0583	25.3	149.4	-50.1
DDH0583	31.39	149.7	-50.2
DDH0583	37.49	149.9	-50.4
DDH0583	43.59	150.2	-50.5
DDH0583	49.68	150.6	-50.3
DDH0583	55.78	150.8	-50.4
DDH0583	61.87	151	-50.2
DDH0583	67.97	151.4	-50.5
DDH0583	74.07	151.8	-50.6
DDH0583	80.16	152.2	-50.5
DDH0583	86.26	152.6	-50.6
DDH0583	92.35	152.9	-50.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0583	98.45	153.1	-50.4
DDH0583	104.55	153.5	-50.3
DDH0583	110.64	153.4	-50.7
DDH0583	116.74	153.8	-50.3
DDH0583	122.83	153	-50.3
DDH0583	128.93	153.4	-50.3
DDH0583	135.03	153.6	-50.2
DDH0583	141.12	152.7	-49.9
DDH0583	147.22	152.4	-49.4
DDH0583	153.31	153	-49
DDH0583	159.41	152.3	-48.6
DDH0583	165.51	152	-48.4
DDH0583	171.6	151.9	-47.9
DDH0583	177.7	151.7	-47.5
DDH0583	183.79	150.9	-47.2
DDH0583	189.89	151.8	-46.9
DDH0583	195.99	150.4	-46.6
DDH0583	202.08	150.4	-46.3
DDH0583	208.18	150.9	-45.9
DDH0583	214.27	150.7	-45.4
DDH0583	220.37	150.1	-45
DDH0583	226.47	150	-42.9
DDH0583	232.56	151.3	-42.2
DDH0583	238.66	151.2	-41.7
DDH0583	244.75	151.1	-41.6
DDH0583	250.85	150.8	-41.5
DDH0583	256.95	150.9	-41.6
DDH0583	263.04	151.7	-41.8
DDH0583	269.14	151.6	-41.7
DDH0583	275.23	151.9	-41.5
DDH0583	281.33	151.9	-41
DDH0583	287.43	151.7	-40.7
DDH0583	293.52	151.5	-40.5
DDH0583	299.62	152.1	-40.7
DDH0583	305.71	151	-40.5
DDH0583	311.81	145.9	-40.5
DDH0583	317.91	151.4	-40.2
DDH0583	324	149.9	-39.9
DDH0583	330.1	150.8	-40.1
DDH0583	336.19	150.1	-40.5
DDH0583	342.29	151	-40.9
DDH0583	348.39	151	-41.3
DDH0583	354.48	150.9	-41.6
DDH0583	360.58	151	-42.1
DDH0583	366.67	150.8	-42.3
DDH0583	372.77	150.7	-42.7
DDH0583	378.87	150.7	-43
DDH0583	384.96	150.7	-43.2
DDH0583	391.06	149.9	-43.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0583	397.15	150	-43.7
DDH0583	403.25	149.7	-43.8
DDH0583	409.35	149.5	-44
DDH0583	415.44	150.1	-43.9
DDH0583	421.54	149.7	-43.9
DDH0583	427.63	149.2	-43.9
DDH0583	433.73	149.4	-43.8
DDH0583	439.83	149.3	-43.8
DDH0583	445.92	149.3	-43.7
DDH0583	452.02	149.8	-43.6
DDH0583	458.11	149.9	-43.6
DDH0583	464.21	149.8	-43.3
DDH0583	470.31	149.9	-43.3
DDH0583	476.4	150	-42.8
DDH0583	482.5	150	-42.9
DDH0583	488.59	149.8	-42.5
DDH0583	494.69	150.2	-42.2
DDH0583	500.79	150.2	-42.1
DDH0583	506.88	150.8	-42.2
DDH0583	512.98	151.1	-42.2
DDH0583	519.07	151	-42.2
DDH0583	525.17	151.5	-42
DDH0583	531.27	151.6	-41.9
DDH0583	537.36	152	-41.8
DDH0583	543.46	152.1	-41.8
DDH0584	0	148	-50
DDH0584	0.61	147.7	-50
DDH0584	6.71	147.4	-50.1
DDH0584	12.8	147.1	-49.6
DDH0584	18.9	146.5	-49.6
DDH0584	24.99	146.1	-49.9
DDH0584	31.09	145.7	-50
DDH0584	37.19	145.3	-50.3
DDH0584	43.28	145.1	-50.3
DDH0584	49.38	144.8	-50.6
DDH0584	55.47	144.5	-50.7
DDH0584	61.57	144.2	-50.9
DDH0584	67.67	143.9	-51.1
DDH0584	73.76	143.6	-51.1
DDH0584	79.86	143.2	-51.2
DDH0584	85.95	143	-50.9
DDH0584	92.05	142.9	-51
DDH0584	98.15	144.1	-50.8
DDH0584	104.24	143.9	-50.8
DDH0584	110.34	143.5	-50.6
DDH0584	116.43	143.9	-50.6
DDH0584	122.53	144.8	-50.7
DDH0584	128.63	145.3	-50.7
DDH0584	134.72	145.4	-50.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0584	140.82	146	-50.7
DDH0584	146.91	146.2	-50.7
DDH0584	153.01	146.1	-50.7
DDH0584	159.11	146.1	-50.7
DDH0584	165.2	146.8	-50.6
DDH0584	171.3	147.5	-50.5
DDH0584	177.39	147.5	-50.1
DDH0584	183.49	147.6	-50.1
DDH0584	189.59	147.8	-49.9
DDH0584	195.68	149.2	-49.9
DDH0584	201.78	148.8	-49.8
DDH0584	207.87	148.7	-49.5
DDH0584	213.97	150.1	-49.4
DDH0584	220.07	150.4	-49.1
DDH0584	226.16	150.5	-49
DDH0584	232.26	150.8	-48.7
DDH0584	238.35	151	-48.4
DDH0584	244.45	151.4	-47.8
DDH0584	250.55	151.2	-47.3
DDH0584	256.64	151.1	-46.6
DDH0584	262.74	150.7	-45.6
DDH0584	268.83	149.5	-44.7
DDH0584	274.93	149.3	-43.7
DDH0584	281.03	149.8	-43.6
DDH0584	287.12	149	-43.2
DDH0584	293.22	149	-42.9
DDH0584	299.31	149.3	-42.5
DDH0584	305.41	148.8	-42
DDH0584	311.51	149.9	-41.6
DDH0584	317.6	149.7	-40.8
DDH0584	323.7	149.5	-40
DDH0584	329.79	148.6	-39.6
DDH0584	335.89	148.7	-39.2
DDH0584	341.99	148.7	-39.3
DDH0584	348.08	148.8	-39.3
DDH0584	354.18	151.4	-39
DDH0584	360.27	148.3	-38.9
DDH0584	366.37	148.3	-39.3
DDH0584	372.47	147.5	-39.7
DDH0584	378.56	146.9	-40.1
DDH0584	384.66	147.7	-40.7
DDH0584	390.75	147.6	-40.6
DDH0584	396.85	147.3	-40.7
DDH0584	402.95	146.9	-40.4
DDH0584	409.04	146.9	-40.8
DDH0584	415.14	147	-40.9
DDH0584	421.23	146.5	-41.4
DDH0584	427.33	146.8	-41.7
DDH0584	433.43	146.9	-41.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0584	439.52	146.4	-41.2
DDH0584	445.62	146.3	-40.8
DDH0584	451.71	146.9	-40.7
DDH0584	457.81	146.6	-41.1
DDH0584	463.91	146.6	-41.6
DDH0584	470	147	-41
DDH0584	476.1	147.1	-40.8
DDH0584	482.19	149.2	-40.7
DDH0584	488.29	148.9	-40
DDH0584	494.39	149.4	-39.5
DDH0584	500.48	150.1	-39.2
DDH0584	506.58	150.3	-39.1
DDH0584	512.67	150	-39
DDH0584	518.77	150.2	-39.1
DDH0584	524.87	150.9	-39.1
DDH0584	530.96	150.7	-39.1
DDH0584	537.06	150.6	-39.1
DDH0584	543.15	151.2	-39
DDH0584	549.25	151.3	-39.2
DDH0584	555.35	151.4	-39.3
DDH0584	561.44	150.8	-39.4
DDH0584	567.54	150.5	-39.4
DDH0584	573.63	150.5	-39.7
DDH0585	0	140	-50
DDH0585	3.96	140	-49.7
DDH0585	10.06	139.9	-50.2
DDH0585	16.15	139.8	-50.3
DDH0585	22.25	139.8	-50.4
DDH0585	28.35	139.7	-50.5
DDH0585	34.44	139.6	-50.7
DDH0585	40.54	139.6	-50.7
DDH0585	46.63	139.5	-50.9
DDH0585	52.73	139.4	-50.9
DDH0585	58.83	139.3	-51
DDH0585	64.92	139.2	-51
DDH0585	71.02	139.1	-51.2
DDH0585	77.11	139	-50.8
DDH0585	83.21	139	-50.6
DDH0585	89.31	139.5	-50.2
DDH0585	95.4	139.4	-49.9
DDH0585	101.5	139.6	-49.5
DDH0585	107.59	139.5	-49.1
DDH0585	113.69	139.5	-48.8
DDH0585	119.79	140.2	-48.7
DDH0585	125.88	140.7	-48.5
DDH0585	131.98	140.7	-48.4
DDH0585	138.07	140.4	-48.2
DDH0585	144.17	140.3	-48
DDH0585	150.27	141.1	-47.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0585	156.36	141	-47.7
DDH0585	162.46	141.2	-47.5
DDH0585	168.55	141.4	-47.3
DDH0585	174.65	142	-47.3
DDH0585	180.75	142.2	-47.3
DDH0585	186.84	142.4	-47.2
DDH0585	192.94	142.5	-47.2
DDH0585	199.03	142.5	-47.3
DDH0585	205.13	142.1	-47.2
DDH0585	211.23	142.8	-47.2
DDH0585	217.32	142.2	-47.1
DDH0585	223.42	144.1	-46.8
DDH0585	229.51	143.3	-46.8
DDH0585	235.61	143.1	-46.9
DDH0585	241.71	142.6	-46.9
DDH0585	247.8	142.3	-46.8
DDH0585	253.9	142.8	-46.9
DDH0585	259.99	143.2	-46.9
DDH0585	266.09	143	-46.9
DDH0585	272.19	141.4	-47
DDH0585	278.28	143.8	-47
DDH0585	284.38	143.6	-47
DDH0585	290.47	143.3	-46.9
DDH0585	296.57	144.1	-46.9
DDH0585	302.67	144.3	-46.9
DDH0585	308.76	143.7	-46.8
DDH0585	314.86	144.8	-46.9
DDH0585	320.95	144.4	-46.9
DDH0585	327.05	144.7	-47
DDH0585	333.15	144.4	-47
DDH0585	339.24	144	-46.8
DDH0585	345.34	144.3	-46.7
DDH0585	351.43	144.7	-46.7
DDH0585	357.53	145.3	-46.8
DDH0585	363.63	145.1	-46.7
DDH0585	369.72	145.3	-46.6
DDH0585	375.82	146.1	-46.6
DDH0585	381.91	145.8	-46.6
DDH0585	388.01	145.7	-46.5
DDH0585	394.11	146.3	-46.5
DDH0585	400.2	146.4	-46.4
DDH0585	406.3	146.1	-46.4
DDH0585	412.39	145.9	-46.3
DDH0585	418.49	146	-46.2
DDH0585	424.59	146	-46.2
DDH0585	430.68	146.7	-46.1
DDH0585	436.78	147	-46
DDH0585	442.87	146.5	-45.9
DDH0585	448.97	146.4	-45.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0585	455.07	147.5	-45.8
DDH0585	461.16	147.6	-45.7
DDH0585	467.26	147.7	-45.6
DDH0585	473.35	148.1	-45.6
DDH0585	479.45	147.8	-45.4
DDH0585	485.55	148.9	-45.4
DDH0585	491.64	149.1	-45.2
DDH0585	497.74	148.9	-45
DDH0585	503.83	149.1	-44.8
DDH0585	509.93	149.3	-44.8
DDH0585	516.03	148.6	-44.6
DDH0585	522.12	148.9	-44.6
DDH0585	528.22	148.7	-44.6
DDH0585	534.31	148.6	-44.7
DDH0585	540.41	148.5	-44.6
DDH0585	546.51	148.4	-44.4
DDH0585	552.6	148.5	-44.2
DDH0585	558.7	149.6	-44.1
DDH0585	564.79	148.9	-44.1
DDH0585	570.89	148.9	-44.1
DDH0585	576.99	148.9	-44.2
DDH0585	583.08	148.8	-44.3
DDH0586	0	148	-64
DDH0586	2.44	148	-62.7
DDH0586	8.53	148	-62.5
DDH0586	14.63	148.1	-62.6
DDH0586	20.73	148.1	-62.2
DDH0586	26.82	148.2	-62.2
DDH0586	32.92	148.2	-62.2
DDH0586	39.01	148.3	-61.9
DDH0586	45.11	148.3	-61.3
DDH0586	51.21	148.4	-60.4
DDH0586	57.3	148.4	-59.7
DDH0586	63.4	148.5	-59.2
DDH0586	69.49	149.1	-58.4
DDH0586	75.59	149.8	-57.5
DDH0586	81.69	148.7	-57.2
DDH0586	87.78	148.3	-57.1
DDH0586	93.88	148.6	-56.7
DDH0586	99.97	149.6	-55.8
DDH0586	106.07	149.8	-55.3
DDH0586	112.17	150.1	-54.6
DDH0586	118.26	149.6	-53.7
DDH0586	124.36	149.1	-53.1
DDH0586	130.45	148.8	-52.9
DDH0586	136.55	148.6	-52.4
DDH0586	142.65	149.3	-51.7
DDH0586	148.74	149.5	-51.1
DDH0586	154.84	149.7	-50.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0586	160.93	149.3	-50.1
DDH0586	167.03	149.4	-49.9
DDH0586	173.13	149.3	-50
DDH0586	179.22	150	-49.7
DDH0586	185.32	150.8	-49.3
DDH0586	191.41	151.7	-48.8
DDH0586	197.51	151.6	-48.4
DDH0586	203.61	152.8	-47.6
DDH0586	209.7	153.2	-47.1
DDH0586	215.8	153.3	-46.6
DDH0586	221.89	152.7	-46.4
DDH0586	227.99	153.8	-45.7
DDH0586	234.09	154	-44.7
DDH0586	240.18	153.7	-44.1
DDH0586	246.28	155	-43.2
DDH0586	252.37	155.2	-42.5
DDH0586	258.47	155.7	-42.2
DDH0586	264.57	155.1	-42
DDH0586	270.66	155.6	-42
DDH0586	276.76	155.6	-41.9
DDH0586	282.85	155.8	-41.8
DDH0586	288.95	156.2	-41.5
DDH0586	295.05	156.3	-41.6
DDH0586	301.14	156.1	-41.5
DDH0586	307.24	156.6	-41.6
DDH0586	313.33	157	-41.6
DDH0586	319.43	157	-41.6
DDH0586	325.53	156.9	-41.6
DDH0586	331.62	157.8	-41.6
DDH0586	337.72	157.3	-41.7
DDH0586	343.81	158.5	-41.8
DDH0586	349.91	158.1	-41.7
DDH0586	356.01	158.8	-41.6
DDH0586	362.1	158.3	-41.8
DDH0586	368.2	159.1	-42
DDH0586	374.29	157.3	-42.1
DDH0586	380.39	158.7	-42.2
DDH0586	386.49	158.5	-42.6
DDH0586	392.58	157.8	-42.7
DDH0586	398.68	158.4	-42.9
DDH0586	404.77	157.9	-43.1
DDH0586	410.87	158.6	-43.2
DDH0586	416.97	159.1	-43.3
DDH0586	423.06	159	-43.5
DDH0586	429.16	158.2	-43.7
DDH0586	435.25	159.1	-43.9
DDH0586	441.35	158.9	-44
DDH0586	447.45	159.3	-44
DDH0586	453.54	159.4	-44.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0586	459.64	159.1	-44.1
DDH0586	465.73	158.9	-44.2
DDH0586	471.83	158.2	-44.2
DDH0586	477.93	159.1	-44.2
DDH0586	484.02	158	-44.2
DDH0586	490.12	157.4	-44.3
DDH0586	496.21	158.1	-44.6
DDH0586	502.31	157.5	-45
DDH0586	508.41	156.9	-45.2
DDH0586	514.5	156.9	-45.1
DDH0586	520.6	156.4	-45.2
DDH0586	526.69	156.7	-45.2
DDH0586	532.79	156	-45.4
DDH0586	538.89	156.6	-45.4
DDH0586	544.98	156.1	-45.4
DDH0586	551.08	155.8	-45.6
DDH0587	0	152	-48
DDH0587	0.3	152	-47.6
DDH0587	6.4	152	-47.2
DDH0587	12.5	152.1	-48.3
DDH0587	18.59	152.1	-48.4
DDH0587	24.69	152.2	-48.6
DDH0587	30.78	152.2	-48.7
DDH0587	36.88	152.3	-48.9
DDH0587	42.98	152.3	-49.1
DDH0587	49.07	152.4	-49.4
DDH0587	55.17	152.4	-49.5
DDH0587	61.26	152.5	-49.6
DDH0587	67.36	152.5	-49.7
DDH0587	73.46	152.6	-49.7
DDH0587	79.55	152.6	-49.9
DDH0587	85.65	152.7	-50
DDH0587	91.74	152.7	-50
DDH0587	97.84	152.8	-50.1
DDH0587	103.94	152.8	-50.1
DDH0587	110.03	151.6	-50.2
DDH0587	116.13	152.1	-50.4
DDH0587	122.22	151.1	-50.4
DDH0587	128.32	152	-50.5
DDH0587	134.42	151.7	-50.6
DDH0587	140.51	151.4	-50.7
DDH0587	146.61	151.2	-50.7
DDH0587	152.7	150.4	-50.8
DDH0587	158.8	150.6	-50.8
DDH0587	164.9	149	-50.9
DDH0587	183.18	148.7	-51.2
DDH0587	189.28	149	-51.3
DDH0587	195.38	148.4	-51.4
DDH0587	201.47	148	-51.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0587	207.57	148.2	-51.5
DDH0587	213.66	148.4	-51.4
DDH0587	219.76	147.6	-51.2
DDH0587	225.86	148.2	-51.1
DDH0587	231.95	148.3	-50.8
DDH0587	238.05	148.4	-50.6
DDH0587	244.14	148.5	-50.4
DDH0587	250.24	148.3	-50
DDH0587	256.34	148.8	-50
DDH0587	262.43	148.6	-49.7
DDH0587	268.53	148.7	-49.6
DDH0587	274.62	149.3	-49.5
DDH0587	280.72	149.2	-49.2
DDH0587	286.82	149.2	-49.1
DDH0587	292.91	150.1	-49
DDH0587	299.01	149.8	-48.9
DDH0587	305.1	150.4	-48.9
DDH0587	311.2	149.5	-48.8
DDH0587	317.3	149.9	-48.8
DDH0587	323.39	149.7	-48.8
DDH0587	329.49	150.3	-48.8
DDH0587	335.58	150.2	-48.7
DDH0587	341.68	149.8	-48.7
DDH0587	347.78	150.2	-48.7
DDH0587	353.87	150.3	-48.6
DDH0587	359.97	150.5	-48.6
DDH0587	366.06	150.6	-48.6
DDH0587	372.16	150.3	-48.7
DDH0587	378.26	150.6	-48.7
DDH0587	384.35	150.9	-48.7
DDH0587	390.45	151.3	-48.7
DDH0587	396.54	151.3	-48.7
DDH0587	402.64	151.4	-48.7
DDH0587	408.74	151.6	-48.7
DDH0587	414.83	151.6	-48.7
DDH0587	420.93	151.5	-48.6
DDH0587	427.02	151.2	-48.6
DDH0588	0	328	-65
DDH0588	1.22	327.6	-64
DDH0588	7.32	327.2	-64.4
DDH0588	13.41	326.8	-64.4
DDH0588	19.51	326.4	-64.2
DDH0588	25.6	326	-63.8
DDH0588	31.7	325.6	-63.7
DDH0588	37.8	325.2	-63.8
DDH0588	43.89	324.8	-63.8
DDH0588	49.99	324.4	-63.9
DDH0588	56.08	324	-64
DDH0588	62.18	323.7	-64.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0588	68.28	323.5	-64.3
DDH0588	74.37	323.3	-64.4
DDH0588	80.47	323.3	-64.5
DDH0588	86.56	322.9	-64.5
DDH0588	92.66	319.9	-65.8
DDH0588	98.76	322.7	-64.5
DDH0588	104.85	322.1	-67.6
DDH0588	110.95	321.4	-65.1
DDH0588	117.04	321.2	-65.2
DDH0588	123.14	320.8	-65.3
DDH0588	129.24	319.8	-65.8
DDH0588	135.33	318.9	-66
DDH0588	141.43	317.8	-66.3
DDH0588	147.52	317	-67.1
DDH0588	153.62	316	-67.5
DDH0588	159.72	314.6	-67.9
DDH0588	165.81	314.1	-68.3
DDH0588	171.91	312.8	-68.6
DDH0588	178	311.3	-69
DDH0588	184.1	309.3	-69.6
DDH0588	190.2	308.1	-69.9
DDH0588	196.29	306	-70.6
DDH0588	202.39	304	-71.1
DDH0588	208.48	302.7	-71.5
DDH0588	214.58	301	-71.9
DDH0588	220.68	299.3	-72.4
DDH0588	226.77	298.1	-72.6
DDH0588	232.87	295.9	-73
DDH0588	238.96	294.4	-73.1
DDH0588	245.06	292.1	-73.4
DDH0588	251.16	289.3	-73.7
DDH0588	257.25	286.3	-74
DDH0588	263.35	284.2	-74.1
DDH0588	269.44	282	-74.4
DDH0588	275.54	279.1	-74.9
DDH0588	281.64	276.6	-75.1
DDH0588	287.73	272.7	-75.4
DDH0588	293.83	267.8	-75.8
DDH0588	299.92	264.2	-76
DDH0588	306.02	260.9	-76.1
DDH0588	312.12	257.2	-76.2
DDH0588	318.21	253.7	-76.1
DDH0588	324.31	249.5	-75.9
DDH0588	330.4	244.2	-75.6
DDH0588	336.5	237.7	-75.3
DDH0588	342.6	229.7	-74.8
DDH0588	348.69	222.2	-73.9
DDH0588	354.79	216.4	-72.7
DDH0588	360.88	211.1	-71.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0588	366.98	207.9	-70.8
DDH0588	373.08	206.1	-70.6
DDH0588	379.17	205	-70.5
DDH0589	0	128	-61
DDH0589	4.27	128.2	-59.7
DDH0589	10.36	128.4	-59.8
DDH0589	16.46	128.6	-60.4
DDH0589	22.56	128.8	-59.5
DDH0589	28.65	129	-59.3
DDH0589	34.75	129.2	-59
DDH0589	40.84	129.4	-57.7
DDH0589	46.94	129.6	-57.3
DDH0589	53.04	129.8	-56.6
DDH0589	59.13	130	-55.9
DDH0589	65.23	130.2	-54.9
DDH0589	71.32	130.5	-53.9
DDH0589	77.42	130.9	-53.4
DDH0589	83.52	131.3	-52.9
DDH0589	89.61	131.8	-52.7
DDH0589	95.71	132.1	-52.7
DDH0589	101.8	132.1	-52
DDH0589	107.9	133.5	-51.5
DDH0589	114	133.5	-51.1
DDH0589	120.09	134.2	-50.6
DDH0589	126.19	134.4	-49.8
DDH0589	132.28	135	-49.6
DDH0589	138.38	135.6	-49.1
DDH0589	144.48	136	-48.6
DDH0589	150.57	136	-48.4
DDH0589	156.67	135.7	-48.1
DDH0589	162.76	135.7	-47.7
DDH0589	168.86	136.2	-47.5
DDH0589	174.96	136.7	-47.4
DDH0589	181.05	136.3	-47.3
DDH0589	187.15	136.8	-47.3
DDH0589	193.24	137.2	-47
DDH0589	199.34	137.8	-46.6
DDH0589	205.44	137.9	-46.4
DDH0589	211.53	137.6	-46.4
DDH0589	217.63	139	-46.2
DDH0589	223.72	139	-46.1
DDH0589	229.82	140.1	-45.8
DDH0589	235.92	139.8	-45.5
DDH0589	242.01	140.4	-45.1
DDH0589	248.11	140.8	-44.8
DDH0589	254.2	141.4	-44.4
DDH0589	260.3	140.5	-43.9
DDH0589	266.4	141	-43.8
DDH0589	272.49	142	-43.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0589	278.59	142.2	-43.3
DDH0589	284.68	142.7	-43
DDH0589	290.78	143	-42.6
DDH0589	296.88	143.4	-42.5
DDH0589	302.97	143.6	-42.2
DDH0589	309.07	143.8	-42.1
DDH0589	315.16	144.3	-41.9
DDH0589	321.26	144.3	-41.6
DDH0589	327.36	145	-41.5
DDH0589	333.45	145.6	-41.1
DDH0589	339.55	145.5	-40.9
DDH0589	345.64	146	-40.8
DDH0589	351.74	146.4	-40.6
DDH0589	357.84	147.1	-40.5
DDH0589	363.93	147.2	-40.3
DDH0589	370.03	147.6	-40
DDH0589	376.12	147.9	-39.9
DDH0589	382.22	147.5	-39.6
DDH0589	388.32	148.2	-39.5
DDH0589	394.41	148.4	-39.3
DDH0589	400.51	148.4	-39
DDH0589	406.6	149	-38.8
DDH0589	412.7	148.8	-38.7
DDH0589	418.8	148.6	-38.5
DDH0589	424.89	149.2	-38.3
DDH0589	430.99	149.2	-38.2
DDH0589	437.08	149.4	-38
DDH0589	443.18	149.8	-38.3
DDH0589	449.28	149.7	-38.1
DDH0589	455.37	149.9	-38.1
DDH0589	461.47	150.5	-38.1
DDH0589	467.56	150.9	-38.1
DDH0589	473.66	150.9	-38
DDH0589	479.76	151.4	-38.1
DDH0589	485.85	151.6	-38.1
DDH0589	491.95	151.4	-38.3
DDH0589	498.04	152	-38.4
DDH0589	504.14	151.3	-38.6
DDH0589	510.24	152.1	-38.5
DDH0589	516.33	152.5	-38.3
DDH0589	522.43	152.3	-38.1
DDH0589	528.52	153.2	-38
DDH0589	534.62	153.4	-37.8
DDH0589	540.72	153	-37.6
DDH0589	546.81	154	-37.3
DDH0589	552.91	154	-37.4
DDH0589	559	154.5	-37.5
DDH0589	565.1	154.4	-37.6
DDH0589	571.2	154.9	-37.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0590	0	328	-50
DDH0590	7.32	327.9	-49.9
DDH0590	13.41	327.8	-48
DDH0590	19.51	327.7	-49
DDH0590	25.6	327.6	-49.8
DDH0590	31.7	327.5	-49.7
DDH0590	37.8	327.4	-49.7
DDH0590	43.89	327.3	-49.5
DDH0590	49.99	327.2	-49.3
DDH0590	56.08	327.1	-49.5
DDH0590	62.18	326.9	-49.8
DDH0590	68.28	326.7	-49.4
DDH0590	74.37	326.3	-49.9
DDH0590	80.47	325.9	-49.8
DDH0590	86.56	326.3	-49.8
DDH0590	92.66	326.9	-49.8
DDH0590	98.76	326	-50
DDH0590	104.85	326.6	-50
DDH0590	110.95	325.9	-50.1
DDH0590	117.04	326.3	-50
DDH0590	123.14	325.6	-50.1
DDH0590	129.24	325.6	-50
DDH0590	135.33	326	-49.9
DDH0590	141.43	325.8	-50
DDH0590	147.52	324.9	-50
DDH0590	153.62	325.1	-49.9
DDH0590	159.72	324.8	-49.9
DDH0590	165.81	324.7	-49.8
DDH0590	171.91	323.7	-49.9
DDH0590	178	323.6	-50
DDH0590	184.1	322.5	-50.2
DDH0590	190.2	322.9	-50.2
DDH0590	196.29	322.9	-50
DDH0590	202.39	321.9	-50.1
DDH0590	208.48	321.9	-50.2
DDH0590	214.58	322.4	-50.3
DDH0590	220.68	321.8	-50.3
DDH0590	226.77	321.4	-50.5
DDH0590	232.87	320.7	-50.8
DDH0590	238.96	321.2	-50.6
DDH0590	245.06	320.3	-50.7
DDH0590	251.16	319.6	-50.7
DDH0590	257.25	318.2	-50.9
DDH0590	263.35	317.8	-51
DDH0590	269.44	317.5	-51.2
DDH0590	275.54	316.9	-51.4
DDH0590	281.64	316.8	-51.6
DDH0590	287.73	316.2	-51.8
DDH0590	293.83	316	-51.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0590	299.92	315.2	-52.2
DDH0590	306.02	315.6	-52.3
DDH0590	312.12	315.4	-52.4
DDH0590	318.21	314.3	-52.5
DDH0590	324.31	314.6	-52.6
DDH0590	330.4	314.1	-52.7
DDH0590	336.5	314.1	-52.7
DDH0590	342.6	313.2	-52.7
DDH0590	348.69	313.2	-52.6
DDH0590	354.79	312.4	-52.5
DDH0590	360.88	311	-52.4
DDH0590	363.93	311.5	-52.3
DDH0590	366.98	310.7	-52.3
DDH0590	370.03	310.8	-52.3
DDH0590	373.08	309.8	-52.3
DDH0590	376.12	310.2	-52.3
DDH0590	379.17	310.2	-52.2
DDH0590	382.22	309.6	-52.3
DDH0590	385.27	308.9	-52.1
DDH0590	388.32	309	-52
DDH0590	391.36	307.9	-52
DDH0590	394.41	307.9	-52
DDH0590	397.46	306.8	-51.9
DDH0590	400.51	306.5	-52
DDH0590	403.56	305	-51.7
DDH0590	406.6	305.5	-51.7
DDH0590	409.65	304.2	-51.7
DDH0590	412.7	304.5	-51.6
DDH0590	418.8	303.2	-51.5
DDH0590	424.89	302.2	-51.7
DDH0590	430.99	301.6	-51.7
DDH0590	437.08	301.4	-51.4
DDH0590	443.18	300.8	-51.3
DDH0590	449.28	300.3	-51
DDH0590	455.37	299.2	-50.9
DDH0590	461.47	298.3	-51.1
DDH0590	467.56	297.4	-50.9
DDH0590	473.66	296.8	-50.8
DDH0590	479.76	296.4	-50.4
DDH0590	485.85	295.6	-50.2
DDH0590	491.95	294.9	-50
DDH0590	498.04	295	-49.8
DDH0590	504.14	295.1	-49.4
DDH0590	510.24	294.8	-49.3
DDH0590	516.33	294.1	-49.3
DDH0590	522.43	292.6	-49.1
DDH0590	528.52	292.2	-48.7
DDH0590	534.62	292.2	-48.4
DDH0590	540.72	291.5	-48.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0590	546.81	291.3	-47.7
DDH0590	552.91	290.7	-47.6
DDH0590	559	290.5	-47.3
DDH0590	565.1	289.8	-47
DDH0590	571.2	289	-46.7
DDH0590	577.29	288.1	-46.6
DDH0592	0	147	-53
DDH0592	3.66	146	-53
DDH0592	9.75	146	-53
DDH0592	15.85	146	-53
DDH0592	21.95	145	-53.5
DDH0592	28.04	145	-53.4
DDH0592	34.14	145	-53.7
DDH0592	40.23	144	-53.8
DDH0592	46.33	144	-54.1
DDH0592	52.43	144	-54.2
DDH0592	58.52	143	-54.4
DDH0592	64.62	143	-54.5
DDH0592	70.71	143	-54.6
DDH0592	76.81	143	-54.9
DDH0592	82.91	143	-54.5
DDH0592	89	143.4	-54.3
DDH0592	95.1	143.7	-54.4
DDH0592	101.19	143.9	-54.3
DDH0592	107.29	143.8	-54.4
DDH0592	113.39	144.3	-54.3
DDH0592	119.48	144.8	-54.2
DDH0592	125.58	145.2	-54.1
DDH0592	131.67	147	-53.9
DDH0592	137.77	147.9	-53.9
DDH0592	143.87	147.8	-53.8
DDH0592	149.96	148.3	-53.6
DDH0592	156.06	147.8	-53.6
DDH0592	162.15	148.4	-53.6
DDH0592	168.25	149.1	-53.6
DDH0592	174.35	149.9	-53.5
DDH0592	180.44	150.4	-53.5
DDH0592	186.54	150.1	-53.2
DDH0592	192.63	150.2	-53.2
DDH0592	198.73	150.5	-53.1
DDH0592	204.83	150.8	-53.1
DDH0592	210.92	151.5	-52.8
DDH0592	217.02	151.3	-52.6
DDH0592	223.11	151.2	-52.4
DDH0592	229.21	151.4	-52.2
DDH0592	235.31	151.8	-52
DDH0592	241.4	152.6	-51.8
DDH0592	247.5	152.6	-51.5
DDH0592	253.59	152.3	-51.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0592	259.69	152.9	-51
DDH0592	265.79	153.3	-50.4
DDH0592	271.88	152.7	-49.7
DDH0592	277.98	152.2	-49.2
DDH0592	284.07	152.4	-48.7
DDH0592	290.17	152.3	-48.2
DDH0592	296.27	151.3	-47.7
DDH0592	302.36	151.3	-47.2
DDH0592	308.46	152	-46.9
DDH0592	314.55	151	-46.4
DDH0592	320.65	150.7	-45.9
DDH0592	326.75	150.6	-45.3
DDH0592	332.84	151.4	-44.7
DDH0592	338.94	150.1	-44.1
DDH0592	345.03	150.7	-43.5
DDH0592	351.13	149.4	-43.2
DDH0592	357.23	149.8	-43
DDH0592	363.32	150	-42.9
DDH0592	369.42	149.9	-42.7
DDH0592	375.51	150	-42.8
DDH0592	381.61	150.3	-42.8
DDH0592	387.71	150.7	-42.7
DDH0592	393.8	151.6	-42.5
DDH0592	399.9	150.6	-42.2
DDH0592	405.99	150.6	-42.2
DDH0592	412.09	151.5	-42.6
DDH0592	418.19	150.8	-43
DDH0592	424.28	151.1	-42.9
DDH0592	430.38	151.7	-42.8
DDH0592	436.47	151.3	-42.6
DDH0592	442.57	151.7	-42.3
DDH0592	448.67	153.2	-42.4
DDH0592	454.76	151.8	-42.6
DDH0592	460.86	151.6	-42.4
DDH0592	466.95	151.2	-42
DDH0592	473.05	151	-41.7
DDH0592	479.15	151.9	-41.6
DDH0592	485.24	152.8	-41.9
DDH0592	491.34	152.7	-41.9
DDH0592	497.43	153.1	-42.1
DDH0592	503.53	153	-42.3
DDH0592	509.63	154.1	-42.3
DDH0592	515.72	154	-41.9
DDH0592	521.82	154.8	-41.8
DDH0592	527.91	154	-41.7
DDH0592	534.01	153.9	-41.6
DDH0592	540.11	155.1	-41.7
DDH0592	546.2	154	-41.8
DDH0592	552.3	155	-41.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0592	558.39	154.1	-42.1
DDH0592	564.49	154.2	-42.9
DDH0592	570.59	154.1	-43.5
DDH0592	576.68	153.6	-43.9
DDH0593	0	152	-56
DDH0593	0.61	151.8	-54.6
DDH0593	6.71	151.6	-54.6
DDH0593	12.8	151.4	-53.7
DDH0593	18.9	151.2	-54.1
DDH0593	24.99	151	-54.1
DDH0593	31.09	150.8	-54
DDH0593	37.19	150.6	-54
DDH0593	43.28	150.4	-54.1
DDH0593	49.38	150.2	-54.3
DDH0593	55.47	150	-54.5
DDH0593	61.57	149.8	-54.5
DDH0593	67.67	149.6	-54.4
DDH0593	73.76	149.4	-54.4
DDH0593	79.86	149.2	-54.2
DDH0593	85.95	148.6	-54
DDH0593	92.05	149.7	-54.2
DDH0593	98.15	149.2	-54.4
DDH0593	104.24	148.7	-54.6
DDH0593	110.34	150.9	-54.7
DDH0593	116.43	152.5	-54.7
DDH0593	122.53	150.3	-54.7
DDH0593	128.63	152.5	-54.7
DDH0593	134.72	152	-54.8
DDH0593	140.82	150.5	-54.8
DDH0593	146.91	151.3	-54.9
DDH0593	153.01	150.1	-55
DDH0593	159.11	150.3	-55.1
DDH0593	165.2	149.3	-55.1
DDH0593	171.3	148.2	-55.1
DDH0593	177.39	147.9	-55.1
DDH0593	183.49	147.9	-55.1
DDH0593	189.59	147.4	-55.1
DDH0593	195.68	147.2	-55.1
DDH0593	201.78	146.6	-55.1
DDH0593	207.87	146	-55.3
DDH0593	213.97	145.4	-55.3
DDH0593	220.07	145.1	-55.3
DDH0593	226.16	145.1	-55
DDH0593	232.26	145	-54.6
DDH0593	238.35	146.2	-54.3
DDH0593	244.45	146.2	-53.8
DDH0593	250.55	146.3	-53.5
DDH0593	256.64	146.1	-53.1
DDH0593	262.74	146.2	-52.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0593	268.83	146.5	-52.3
DDH0593	274.93	146.8	-52.2
DDH0593	281.03	147.1	-51.8
DDH0593	287.12	147.6	-51.4
DDH0593	293.22	147.8	-51
DDH0593	299.31	148.3	-50.5
DDH0593	305.41	148.5	-51.3
DDH0593	311.51	147.9	-49.7
DDH0593	317.6	147.3	-49.4
DDH0593	323.7	147.3	-49
DDH0593	329.79	147.7	-48.6
DDH0593	335.89	147.9	-48.3
DDH0593	341.99	148.2	-48.1
DDH0593	348.08	148.6	-47.9
DDH0593	354.18	148.9	-47.8
DDH0593	360.27	148.9	-47.7
DDH0593	366.37	149.1	-47.7
DDH0593	372.47	149.1	-47.7
DDH0593	378.56	149.3	-47.7
DDH0593	384.66	149.5	-47.7
DDH0593	390.75	148.9	-47.7
DDH0593	396.85	148.8	-47.6
DDH0593	402.95	149.3	-47.5
DDH0593	409.04	149.7	-47.6
DDH0593	415.14	149.9	-47.5
DDH0593	421.23	150.3	-47.4
DDH0593	427.33	150.5	-47.4
DDH0593	433.43	150.4	-47.4
DDH0593	439.52	150.3	-47.3
DDH0593	445.62	150.1	-47.1
DDH0593	451.71	150.8	-46.9
DDH0593	457.81	150.8	-46.8
DDH0593	463.91	151.3	-46.6
DDH0595	0	148	-46
DDH0595	0.61	147.6	-45.5
DDH0595	6.71	147.3	-45.6
DDH0595	12.8	147	-44.9
DDH0595	18.9	146.7	-45.5
DDH0595	24.99	146.4	-45.8
DDH0595	31.09	146.1	-46.2
DDH0595	37.19	145.7	-46.5
DDH0595	43.28	145.3	-46.5
DDH0595	49.38	145	-46.6
DDH0595	55.47	144.6	-46.9
DDH0595	61.57	144.3	-47.2
DDH0595	67.67	144	-47
DDH0595	73.76	143.8	-47.2
DDH0595	79.86	143.5	-47.5
DDH0595	85.95	143.2	-47.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0595	92.05	142.9	-47.5
DDH0595	98.15	144.2	-47.5
DDH0595	104.24	144.3	-47.6
DDH0595	110.34	144.6	-47.5
DDH0595	116.43	144.7	-47.3
DDH0595	122.53	145.4	-47.3
DDH0595	128.63	145.7	-47.4
DDH0595	134.72	146.4	-47.4
DDH0595	140.82	146.9	-47.2
DDH0595	146.91	147.3	-47.2
DDH0595	153.01	147.4	-47
DDH0595	159.11	147.3	-46.9
DDH0595	165.2	147.6	-46.7
DDH0595	171.3	147.6	-46.4
DDH0595	177.39	147.4	-46.1
DDH0595	183.49	148.2	-45.8
DDH0595	189.59	149	-45.5
DDH0595	195.68	149	-45.2
DDH0595	201.78	148.8	-44.8
DDH0595	207.87	148.7	-44.4
DDH0595	213.97	148.5	-44.1
DDH0595	220.07	148.5	-43.9
DDH0595	226.16	149.5	-43.7
DDH0595	232.26	147.7	-43.4
DDH0595	238.35	147.8	-43.1
DDH0595	244.45	147.3	-42.9
DDH0595	250.55	145.9	-42.7
DDH0595	256.64	147.5	-42.4
DDH0595	262.74	147.5	-42.3
DDH0595	268.83	147.7	-42.2
DDH0595	274.93	147.9	-42.2
DDH0595	281.03	148.1	-42
DDH0595	287.12	147.7	-41.7
DDH0595	293.22	147.9	-41.6
DDH0595	299.31	147.8	-41.5
DDH0595	305.41	147.6	-41.3
DDH0595	311.51	147.2	-41.2
DDH0595	317.6	147.2	-41.1
DDH0595	323.7	147.3	-41
DDH0595	329.79	147.4	-41
DDH0595	335.89	146.9	-40.7
DDH0595	341.99	146.9	-40.7
DDH0595	348.08	147.4	-40.8
DDH0595	354.18	146.9	-40.9
DDH0595	360.27	147.2	-41.1
DDH0595	366.37	147	-41.3
DDH0595	372.47	146.9	-41.2
DDH0595	378.56	147.1	-41.3
DDH0595	384.66	147.4	-41.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0595	390.75	147.6	-41.5
DDH0595	396.85	147.4	-41.6
DDH0595	402.95	148	-41.5
DDH0595	409.04	148	-41.3
DDH0595	415.14	148.4	-41.3
DDH0595	421.23	147.8	-40.9
DDH0595	427.33	147.6	-40.7
DDH0595	433.43	147.8	-40.5
DDH0595	439.52	147.8	-40.6
DDH0595	445.62	147.7	-40.7
DDH0595	451.71	147.6	-40.6
DDH0595	457.81	147.2	-40.7
DDH0595	463.91	147.1	-40.3
DDH0595	470	147.4	-40.3
DDH0595	476.1	147.7	-40.1
DDH0595	482.19	147.9	-39.8
DDH0595	488.29	148	-39.8
DDH0595	494.39	147.8	-39.6
DDH0595	500.48	147.8	-39.4