

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0591	0	178	-59
DDH0591	4.57	178.1	-58.6
DDH0591	10.67	178.2	-58.6
DDH0591	16.76	178.3	-58.4
DDH0591	22.86	178.4	-58.7
DDH0591	28.96	178.5	-58.9
DDH0591	35.05	178.6	-58.8
DDH0591	41.15	178.7	-58.7
DDH0591	47.24	178.8	-58.7
DDH0591	53.34	178.8	-58.5
DDH0591	59.44	178.8	-58.5
DDH0591	65.53	178.1	-58.3
DDH0591	71.63	177.7	-58.2
DDH0591	77.72	178.2	-58.1
DDH0591	83.82	177.3	-57.8
DDH0591	89.92	177	-57.3
DDH0591	96.01	176.5	-56.9
DDH0591	102.11	176.5	-56.3
DDH0591	108.2	175.9	-56.1
DDH0591	114.3	175.2	-55.8
DDH0591	120.4	175.1	-55.6
DDH0591	126.49	174.4	-55.3
DDH0591	132.59	173.6	-54.8
DDH0591	138.68	172.8	-54.6
DDH0591	144.78	172.7	-54.5
DDH0591	150.88	172.3	-54.4
DDH0591	156.97	172.7	-54.3
DDH0591	163.07	171.9	-54.3
DDH0591	169.16	172.1	-54.1
DDH0591	175.26	171.8	-54
DDH0591	181.36	171.7	-53.7
DDH0591	187.45	171.4	-53.6
DDH0591	193.55	171.2	-54
DDH0591	199.64	171.5	-54.4
DDH0591	205.74	171.2	-54.5
DDH0591	211.84	170.7	-54.6
DDH0591	217.93	170.2	-54.4
DDH0591	224.03	170.2	-54.4
DDH0591	230.12	169.7	-54.3
DDH0591	236.22	169.5	-54.3
DDH0591	242.32	169.8	-54.3
DDH0591	248.41	169.4	-54.1
DDH0591	254.51	169.2	-54.1
DDH0591	260.6	168.9	-54.1
DDH0591	266.7	168	-54.1
DDH0591	272.8	168.2	-54
DDH0591	278.89	168.4	-54
DDH0591	284.99	167	-53.9
DDH0591	291.08	166.5	-53.7

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0591	297.18	166.3	-53.3
DDH0591	303.28	166.3	-53
DDH0591	309.37	165.6	-52.8
DDH0591	315.47	165.7	-52.5
DDH0591	321.56	165.2	-52.5
DDH0591	327.66	164.2	-52.5
DDH0591	333.76	163.9	-52.6
DDH0591	339.85	164	-52.5
DDH0591	345.95	163.9	-52.5
DDH0591	352.04	164.3	-52.6
DDH0591	358.14	164.3	-52.7
DDH0591	364.24	164.1	-52.9
DDH0591	370.33	164.5	-53
DDH0591	376.43	165.1	-53
DDH0591	382.52	164.6	-53
DDH0591	388.62	164.9	-53.1
DDH0591	394.72	165.6	-53.1
DDH0591	400.81	165.6	-53.1
DDH0591	406.91	164.4	-53.1
DDH0591	413	166	-53.2
DDH0591	419.1	165.7	-53.3
DDH0591	425.2	165.4	-53.2
DDH0591	431.29	166.4	-53.1
DDH0591	437.39	168.1	-53.1
DDH0591	443.48	166.2	-53
DDH0591	449.58	166.6	-52.9
DDH0591	455.68	166.9	-52.7
DDH0591	461.77	166.8	-52.6
DDH0591	467.87	167.1	-52.4
DDH0591	473.96	167.5	-52.3
DDH0591	480.06	167.2	-52
DDH0591	486.16	167.1	-51.8
DDH0591	492.25	167.7	-51.6
DDH0591	498.35	168.6	-51.5
DDH0591	504.44	169.1	-51.3
DDH0591	510.54	168.9	-51.1
DDH0591	516.64	168.9	-51
DDH0591	522.73	169.2	-50.9
DDH0591	528.83	169.6	-50.9
DDH0591	534.92	169.9	-50.8
DDH0591	541.02	169.9	-50.7
DDH0591	547.12	169.7	-50.5
DDH0591	553.21	170.1	-50.2
DDH0591	559.31	170.5	-50.1
DDH0591	565.4	171.8	-50
DDH0591	571.5	170.8	-49.9
DDH0591	577.6	171.2	-49.8
DDH0591	583.69	170.1	-49.7
DDH0591	589.79	170	-49.6

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0591	595.88	170.5	-49.6
DDH0591	601.98	170.3	-49.6
DDH0591	608.08	170.7	-49.5
DDH0591	614.17	169.8	-49.3
DDH0591	620.27	170.2	-49.1
DDH0591	626.36	171.2	-49
DDH0591	632.46	171	-48.7
DDH0591	638.56	170.7	-48.5
DDH0591	644.65	170.6	-48.3
DDH0591	650.75	171.6	-48
DDH0591	656.84	171.6	-47.8
DDH0591	662.94	171	-47.6
DDH0591	669.04	171.2	-47.4
DDH0591	675.13	171.4	-47.2
DDH0591	681.23	171.5	-47.2
DDH0591	687.32	171.5	-47.2
DDH0591	693.42	172.8	-46.9
DDH0591	699.52	173.4	-47
DDH0594	0	221	-58
DDH0594	7.32	220.3	-59.2
DDH0594	13.41	219.5	-60.2
DDH0594	19.51	218	-60.6
DDH0594	25.6	217.1	-61.4
DDH0594	31.7	216.5	-61.6
DDH0594	37.8	215.9	-61.5
DDH0594	43.89	215	-62
DDH0594	49.99	214.5	-62.5
DDH0594	56.08	213.9	-62.3
DDH0594	62.18	213.1	-62.3
DDH0594	68.28	212.4	-62.1
DDH0594	74.37	211.6	-61.8
DDH0594	80.47	211.9	-61.9
DDH0594	86.56	211.1	-61.7
DDH0594	92.66	212.2	-62.3
DDH0594	98.76	212.9	-61.9
DDH0594	104.85	210	-62.3
DDH0594	110.95	209.9	-62.3
DDH0594	117.04	209.5	-62.3
DDH0594	123.14	208.6	-62.3
DDH0594	129.24	207.5	-62.4
DDH0594	135.33	206.4	-62.2
DDH0594	141.43	205.4	-62
DDH0594	147.52	204	-61.5
DDH0594	153.62	202.7	-61
DDH0594	159.72	201.1	-60.4
DDH0594	165.81	199	-59.6
DDH0594	171.91	198	-58.8
DDH0594	178	196.7	-57.9
DDH0594	184.1	194.6	-57

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0594	190.2	192.3	-56.1
DDH0594	196.29	191.6	-56
DDH0594	202.39	191.4	-55.9
DDH0594	208.48	191.1	-55.9
DDH0594	214.58	191	-56
DDH0594	220.68	191	-55.9
DDH0594	226.77	190.9	-56
DDH0594	232.87	190.9	-56
DDH0594	238.96	191	-55.9
DDH0594	245.06	191.2	-55.9
DDH0594	251.16	191.3	-55.9
DDH0594	257.25	191.2	-55.8
DDH0594	263.35	191.3	-55.8
DDH0594	269.44	191.4	-55.7
DDH0594	275.54	191.1	-55.6
DDH0594	281.64	191	-55.5
DDH0594	287.73	190.8	-55.5
DDH0594	293.83	190.7	-55.4
DDH0594	299.92	190.6	-55.3
DDH0594	306.02	190.4	-55.4
DDH0594	312.12	190.4	-55.4
DDH0594	318.21	190.1	-55.4
DDH0594	324.31	190.2	-55.3
DDH0594	330.4	190.8	-55.3
DDH0594	336.5	191.6	-55.2
DDH0594	342.6	192.6	-55.2
DDH0594	348.69	193	-55.2
DDH0594	354.79	191.3	-55.2
DDH0594	360.88	192	-55.2
DDH0594	366.98	193	-55.2
DDH0594	373.08	193.9	-55.3
DDH0594	379.17	194.6	-55.1
DDH0594	385.27	193.3	-55.1
DDH0594	391.36	193.2	-55.2
DDH0594	397.46	193.3	-55.3
DDH0594	403.56	193.4	-55.3
DDH0594	409.65	193.2	-55.3
DDH0594	415.75	192.8	-55.2
DDH0594	421.84	192.5	-55.2
DDH0594	427.94	193	-55.2
DDH0594	434.04	193.4	-55.2
DDH0594	440.13	193.6	-55.3
DDH0594	446.23	193.2	-55.3
DDH0594	452.32	192.9	-55.2
DDH0594	458.42	192.8	-55.2
DDH0594	464.52	193.2	-55.1
DDH0594	470.61	193.9	-55.2
DDH0594	476.71	194	-55.2
DDH0594	482.8	193.6	-55.1

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0594	488.9	193.3	-55.1
DDH0596	0	355	-62
DDH0596	8.84	354.9	-63.4
DDH0596	14.94	354.8	-63.5
DDH0596	21.03	354.7	-63.1
DDH0596	27.13	354.6	-63.6
DDH0596	33.22	354.5	-64.4
DDH0596	39.32	354.4	-64.6
DDH0596	45.42	354.3	-64.4
DDH0596	51.51	354.2	-64.6
DDH0596	57.61	354.1	-65
DDH0596	63.7	354	-65.1
DDH0596	69.8	353.9	-65.1
DDH0596	75.9	353.9	-65.1
DDH0596	81.99	353.9	-65.3
DDH0596	88.09	353.7	-65.1
DDH0596	94.18	353.6	-64.8
DDH0596	100.28	353.6	-65.5
DDH0596	106.38	353.2	-65.5
DDH0596	112.47	353.8	-65.4
DDH0596	118.57	353.6	-65.6
DDH0596	124.66	353.6	-65.8
DDH0596	130.76	353.7	-65.8
DDH0596	136.86	353.7	-66
DDH0596	142.95	353.6	-66.1
DDH0596	149.05	353.9	-66.2
DDH0596	155.14	353.6	-66.4
DDH0596	161.24	353.6	-66.5
DDH0596	167.34	354	-66.5
DDH0596	173.43	353.9	-66.8
DDH0596	179.53	354.1	-66.9
DDH0596	185.62	354.2	-66.9
DDH0596	191.72	354.3	-66.9
DDH0596	197.82	354.6	-67.1
DDH0596	203.91	354.8	-67.3
DDH0596	210.01	355.3	-67.5
DDH0596	216.1	355.7	-67.8
DDH0596	222.2	356	-68
DDH0596	228.3	356.3	-68.1
DDH0596	234.39	356.3	-68.1
DDH0596	240.49	356.8	-68.2
DDH0596	246.58	357	-68.1
DDH0596	252.68	357	-68.2
DDH0596	258.78	357.2	-68.2
DDH0596	264.87	357.4	-68.3
DDH0596	270.97	357.9	-68.4
DDH0596	277.06	358	-68.6
DDH0596	283.16	358.3	-68.7
DDH0596	289.26	358.8	-68.9

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0596	295.35	358.8	-69.1
DDH0596	301.45	358.9	-69.2
DDH0596	307.54	359.4	-69.5
DDH0596	313.64	359.4	-69.7
DDH0596	319.74	359.8	-70
DDH0596	325.83	359.7	-70.3
DDH0596	331.93	359.5	-70.7
DDH0596	338.02	359.7	-71
DDH0596	344.12	360	-71.3
DDH0596	350.22	0.1	-71.4
DDH0596	356.31	0.3	-71.5
DDH0596	362.41	0.9	-71.7
DDH0596	368.5	1.3	-71.9
DDH0596	374.6	1.2	-72
DDH0596	380.7	2.1	-72.5
DDH0596	386.79	2.5	-72.6
DDH0596	392.89	2.5	-72.7
DDH0596	398.98	3.1	-72.8
DDH0596	405.08	3.5	-73.1
DDH0596	411.18	4	-73.2
DDH0596	417.27	5.1	-73.4
DDH0596	423.37	5.4	-73.6
DDH0596	429.46	6	-73.7
DDH0596	435.56	6.2	-73.9
DDH0596	441.66	7.1	-74.1
DDH0596	447.75	8	-74.4
DDH0596	453.85	8.2	-74.5
DDH0596	459.94	8.7	-74.7
DDH0596	466.04	8.7	-74.9
DDH0596	472.14	8.9	-75.2
DDH0596	478.23	9.1	-75.7
DDH0596	484.33	9.5	-75.8
DDH0596	490.42	9.7	-76.1
DDH0596	496.52	10.3	-76.5
DDH0596	502.62	10	-76.7
DDH0596	508.71	10.3	-76.7
DDH0596	514.81	12.4	-77.1
DDH0596	520.9	13.4	-77.2
DDH0596	527	14	-77.2
DDH0596	533.1	14.7	-77.3
DDH0596	539.19	15.5	-77.4
DDH0596	545.29	18.2	-77.6
DDH0596	551.38	16.5	-77.9
DDH0596	557.48	18.1	-78.1
DDH0596	563.58	20.7	-78.5
DDH0596	569.67	21.7	-78.7
DDH0596	575.77	22.7	-78.8
DDH0596	581.86	23.8	-78.9
DDH0596	587.96	24.6	-79

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0596	594.06	24.5	-78.9
DDH0596	600.15	25.9	-79.2
DDH0596	606.25	26.6	-79.3
DDH0596	612.34	27.9	-79.6
DDH0596	618.44	27.8	-79.8
DDH0597	0	333	-54
DDH0597	2.74	333.2	-54
DDH0597	8.84	333.3	-54
DDH0597	14.94	333.4	-54.3
DDH0597	21.03	333.5	-54.3
DDH0597	27.13	333.6	-54
DDH0597	33.22	333.8	-54.4
DDH0597	39.32	334	-54.2
DDH0597	45.42	334.2	-54.4
DDH0597	51.51	334.4	-54.3
DDH0597	57.61	334.6	-54.4
DDH0597	63.7	334.8	-54.7
DDH0597	69.8	335	-54.8
DDH0597	75.9	335.2	-54.9
DDH0597	81.99	335.4	-55
DDH0597	88.09	335.6	-55
DDH0597	94.18	335.7	-55.1
DDH0597	100.28	335.7	-55.2
DDH0597	106.38	335.2	-55.2
DDH0597	112.47	335.5	-55.4
DDH0597	118.57	335.6	-55.4
DDH0597	124.66	335.3	-55.6
DDH0597	130.76	335.4	-55.6
DDH0597	136.86	335.2	-55.9
DDH0597	142.95	334.2	-55.8
DDH0597	149.05	333.9	-56
DDH0597	155.14	333.3	-56.1
DDH0597	161.24	333	-56.2
DDH0597	167.34	332.6	-56.2
DDH0597	173.43	332.1	-56.3
DDH0597	179.53	331.7	-56.6
DDH0597	185.62	330.8	-56.9
DDH0597	191.72	330.5	-57.2
DDH0597	197.82	330	-57.5
DDH0597	203.91	329.1	-57.8
DDH0597	210.01	329.2	-57.8
DDH0597	216.1	328.7	-58
DDH0597	222.2	328.9	-58.2
DDH0597	228.3	328.5	-58.4
DDH0597	234.39	327.5	-58.7
DDH0597	240.49	327	-58.9
DDH0597	246.58	326.8	-59.1
DDH0597	252.68	325.9	-59.4
DDH0597	258.78	325.3	-59.4

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0597	264.87	324.6	-59.7
DDH0597	270.97	323.9	-59.9
DDH0597	277.06	323.8	-59.9
DDH0597	283.16	322.8	-60.3
DDH0597	289.26	321.3	-60.7
DDH0597	295.35	320.1	-61
DDH0597	301.45	319.5	-61.3
DDH0597	307.54	318.7	-61.8
DDH0597	313.64	317.5	-62.4
DDH0597	319.74	316.3	-63.2
DDH0597	325.83	314.9	-63.8
DDH0597	331.93	314.3	-64.5
DDH0597	338.02	312.2	-65.3
DDH0597	344.12	310.4	-65.8
DDH0597	350.22	309.3	-66.2
DDH0597	356.31	307.6	-66.6
DDH0597	362.41	307	-66.8
DDH0597	368.5	306.1	-66.9
DDH0597	374.6	305.5	-67.2
DDH0597	380.7	303.5	-67.6
DDH0597	386.79	301.3	-67.8
DDH0597	392.89	300.6	-67.9
DDH0597	398.98	298.5	-68.4
DDH0597	405.08	297.1	-68.7
DDH0597	411.18	295.7	-69.3
DDH0597	417.27	294.3	-69.3
DDH0597	423.37	294.2	-69.4
DDH0597	429.46	293.3	-69.6
DDH0597	435.56	292.6	-69.7
DDH0597	441.66	292.5	-69.6
DDH0597	447.75	292	-69.6
DDH0597	453.85	291.2	-69.6
DDH0597	459.94	290.5	-69.6
DDH0597	466.04	290.2	-69.6
DDH0597	472.14	289.6	-69.5
DDH0597	478.23	289.2	-69.4
DDH0597	484.33	288.1	-69.2
DDH0597	490.42	287.6	-69.2
DDH0597	496.52	286	-69.1
DDH0597	502.62	285.2	-69.1
DDH0597	508.71	284.3	-68.9
DDH0597	514.81	282.8	-68.9
DDH0597	520.9	281.8	-68.8
DDH0597	527	280.1	-68.9
DDH0597	533.1	278.6	-68.8
DDH0597	539.19	276.2	-68.4
DDH0597	545.29	276.1	-68.2
DDH0597	551.38	275	-68
DDH0597	557.48	274	-67.8

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0597	563.58	272.4	-67.5
DDH0597	569.67	272.7	-67.4
DDH0597	575.77	271.6	-67.2
DDH0597	581.86	269.7	-66.9
DDH0597	587.96	268	-66.8
DDH0597	594.06	267.1	-66.5
DDH0598	0	177	-51
DDH0598	3.96	177.2	-50.7
DDH0598	10.06	177.4	-50.9
DDH0598	16.15	177.6	-51.1
DDH0598	22.25	177.8	-50.9
DDH0598	28.35	178	-50.9
DDH0598	34.44	178.2	-50.2
DDH0598	40.54	178.4	-50.4
DDH0598	46.63	178.6	-50.3
DDH0598	52.73	178.8	-50.5
DDH0598	58.83	179	-50.5
DDH0598	64.92	179.2	-50.4
DDH0598	71.02	179.1	-50.4
DDH0598	77.11	178.7	-50.2
DDH0598	83.21	178.6	-50.3
DDH0598	89.31	178.7	-50.5
DDH0598	95.4	178.6	-48.8
DDH0598	101.5	178.5	-50.4
DDH0598	107.59	178.8	-50.4
DDH0598	113.69	178.8	-50.4
DDH0598	119.79	179.2	-50.3
DDH0598	125.88	179.1	-50.1
DDH0598	131.98	179.2	-50
DDH0598	138.07	179.2	-50.1
DDH0598	144.17	179.7	-49.8
DDH0598	150.27	179.6	-49.7
DDH0598	156.36	179.4	-49.6
DDH0598	162.46	179.7	-49.3
DDH0598	168.55	179.3	-49.2
DDH0598	174.65	179.7	-49.2
DDH0598	180.75	179.5	-49
DDH0598	186.84	178.6	-49
DDH0598	192.94	178.6	-48.8
DDH0598	199.03	178.7	-48.9
DDH0598	205.13	179.1	-48.8
DDH0598	211.23	179.7	-48.6
DDH0598	217.32	179.5	-48.4
DDH0598	223.42	179.4	-48.4
DDH0598	229.51	179.3	-48.2
DDH0598	235.61	179.2	-48.2
DDH0598	241.71	178.9	-48.1
DDH0598	247.8	179.2	-48
DDH0598	253.9	179.5	-47.9

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0598	259.99	179.7	-47.9
DDH0598	266.09	179.9	-47.8
DDH0598	272.19	180.2	-47.8
DDH0598	278.28	180.2	-47.6
DDH0598	284.38	180.2	-47.5
DDH0598	290.47	180.7	-47.7
DDH0598	296.57	180.1	-47.7
DDH0598	302.67	179.9	-47.8
DDH0598	308.76	180.4	-47.7
DDH0598	314.86	180.1	-47.7
DDH0598	320.95	180.7	-47.6
DDH0598	327.05	180.3	-47.6
DDH0598	333.15	180.6	-47.4
DDH0598	339.24	180.9	-47.4
DDH0598	345.34	181.3	-47.3
DDH0598	351.43	181.4	-47.3
DDH0598	357.53	181.4	-47.2
DDH0598	363.63	181.4	-47.2
DDH0598	369.72	181.6	-47.2
DDH0598	375.82	182	-47.2
DDH0598	381.91	181.9	-47.1
DDH0598	388.01	181.9	-47.1
DDH0598	394.11	181.9	-47.1
DDH0598	400.2	182.7	-46.9
DDH0598	406.3	183.1	-46.8
DDH0598	412.39	183.2	-46.8
DDH0598	418.49	183.3	-46.8
DDH0598	424.59	183.4	-46.6
DDH0598	430.68	183.6	-46.5
DDH0598	436.78	183.9	-46.5
DDH0598	442.87	184	-46.4
DDH0598	448.97	184.2	-46.4
DDH0598	455.07	184.1	-46.5
DDH0598	461.16	184.2	-46.5
DDH0598	467.26	184.6	-46.4
DDH0598	473.35	184.8	-46.2
DDH0598	479.45	184.5	-46.2
DDH0598	485.55	184.8	-46.1
DDH0598	491.64	184.6	-46
DDH0598	497.74	184.9	-45.9
DDH0598	503.83	184.9	-45.7
DDH0598	509.93	185	-45.6
DDH0598	516.03	185.6	-45.5
DDH0598	522.12	185.9	-45.4
DDH0598	528.22	185.7	-45.2
DDH0598	534.31	185.9	-45.1
DDH0598	540.41	186	-44.9
DDH0598	546.51	186.4	-44.8
DDH0598	552.6	186.3	-44.8

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0598	558.7	186.6	-44.6
DDH0598	564.79	186.7	-44.6
DDH0598	570.89	186.7	-44.6
DDH0598	576.99	186.4	-44.7
DDH0598	583.08	186.6	-44.7
DDH0598	589.18	186.7	-44.7
DDH0598	595.27	187	-44.6
DDH0598	601.37	187.2	-44.6
DDH0598	607.47	187.5	-44.4
DDH0598	613.56	187.3	-44.5
DDH0598	619.66	187.2	-44.7
DDH0598	625.75	187	-44.6
DDH0598	631.85	187.1	-44.5
DDH0598	637.95	187.2	-44.5
DDH0598	644.04	187.1	-44.6
DDH0598	650.14	187.2	-44.5
DDH0598	656.23	187.6	-44.3
DDH0598	662.33	188.1	-44.3
DDH0598	668.43	188.3	-44.3
DDH0598	674.52	188.2	-44.1
DDH0598	680.62	188.3	-44
DDH0598	686.71	188.8	-44.1
DDH0598	692.81	187.9	-44.3
DDH0598	698.91	188.2	-44.5
DDH0598	705	188.5	-44.7
DDH0598	711.1	188.5	-44.6
DDH0598	717.19	188.5	-44.6
DDH0598	723.29	188.6	-44.9
DDH0598	729.39	189.8	-44.9
DDH0599	0	350	-49
DDH0599	0.61	350.1	-52.1
DDH0599	6.71	350.2	-52.1
DDH0599	12.8	350.3	-51.9
DDH0599	18.9	350.5	-51.3
DDH0599	24.99	350.7	-51.8
DDH0599	31.09	350.8	-53.4
DDH0599	37.19	350.9	-53.7
DDH0599	43.28	351	-54
DDH0599	49.38	351.2	-54.2
DDH0599	55.47	351.3	-54.6
DDH0599	61.57	351.4	-55.1
DDH0599	67.67	351.5	-54.7
DDH0599	73.76	351.9	-54.6
DDH0599	79.86	352.2	-54.8
DDH0599	85.95	352.1	-55
DDH0599	92.05	352	-54.8
DDH0599	98.15	352.2	-54.9
DDH0599	104.24	352.1	-55.1
DDH0599	110.34	352	-55.2

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0599	116.43	354.2	-55.3
DDH0599	122.53	352.2	-55.5
DDH0599	128.63	352.1	-55.6
DDH0599	134.72	352.1	-55.7
DDH0599	140.82	352.1	-55.8
DDH0599	146.91	352.1	-55.7
DDH0599	153.01	352.2	-55.8
DDH0599	159.11	352.3	-55.9
DDH0599	165.2	352.4	-56.1
DDH0599	171.3	352.2	-55.9
DDH0599	177.39	352.3	-55.9
DDH0599	183.49	352.4	-55.9
DDH0599	189.59	352.6	-55.9
DDH0599	195.68	352.6	-56
DDH0599	201.78	352.5	-55.8
DDH0599	207.87	352.6	-55.8
DDH0599	213.97	352.7	-55.8
DDH0599	220.07	352.7	-55.8
DDH0599	226.16	352.8	-55.9
DDH0599	232.26	352.8	-55.8
DDH0599	238.35	353	-55.9
DDH0599	244.45	353.2	-55.9
DDH0599	250.55	353	-58
DDH0599	256.64	353	-55.9
DDH0599	262.74	353.5	-55.9
DDH0599	268.83	353.5	-55.9
DDH0599	274.93	353.6	-55.9
DDH0599	281.03	353.4	-55.9
DDH0599	287.12	353.5	-56
DDH0599	293.22	353.7	-56
DDH0599	299.31	353.8	-56
DDH0599	305.41	354	-55.8
DDH0599	311.51	354.1	-55.9
DDH0599	317.6	354	-56
DDH0599	323.7	353.9	-55.9
DDH0599	329.79	353.9	-55.9
DDH0599	335.89	354.2	-55.9
DDH0599	341.99	354.2	-55.9
DDH0599	348.08	354.2	-55.9
DDH0599	354.18	354.2	-55.9
DDH0599	360.27	354.4	-56
DDH0599	366.37	354.7	-56
DDH0599	372.47	354.8	-56
DDH0599	378.56	355	-56
DDH0599	384.66	355.2	-55.8
DDH0599	390.75	355.2	-55.9
DDH0599	396.85	355.2	-55.8
DDH0599	402.95	355.5	-55.7
DDH0599	409.04	355.1	-55.9

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0599	415.14	355.4	-55.8
DDH0599	421.23	355.5	-55.7
DDH0599	427.33	355.9	-55.9
DDH0599	433.43	355.8	-55.9
DDH0599	439.52	356.1	-56
DDH0599	445.62	356.1	-56
DDH0599	451.71	356.2	-56.1
DDH0599	457.81	356.2	-56.1
DDH0599	463.91	356.3	-56.2
DDH0599	470	356.4	-56.3
DDH0599	476.1	356.7	-56.3
DDH0599	482.19	356.6	-56.4
DDH0599	488.29	356.8	-56.3
DDH0599	494.39	356.8	-56.4
DDH0599	500.48	356.8	-56.3
DDH0599	506.58	356.9	-56.5
DDH0599	512.67	357.1	-56.5
DDH0599	518.77	357	-56.4
DDH0599	524.87	357.2	-56.4
DDH0599	530.96	357.4	-56.4
DDH0599	537.06	357.3	-56.5
DDH0599	543.15	357.2	-56.7
DDH0599	549.25	357.5	-56.9
DDH0599	555.35	357.3	-57.1
DDH0599	561.44	357.3	-57.3
DDH0599	567.54	357.1	-57.8
DDH0599	573.63	356.6	-57.9
DDH0599	579.73	356.5	-58.1
DDH0599	585.83	356.4	-58.3
DDH0599	591.92	356.4	-58.6
DDH0599	598.02	356.1	-58.8
DDH0600	0	359	-59
DDH0600	4.57	359	-59.7
DDH0600	10.67	359.1	-59.8
DDH0600	16.76	359.1	-60
DDH0600	22.86	359.1	-60.7
DDH0600	28.96	359.2	-60.5
DDH0600	35.05	359.2	-60.3
DDH0600	41.15	359.3	-60.4
DDH0600	47.24	359.3	-60.5
DDH0600	53.34	359.4	-60.8
DDH0600	59.44	359.5	-60.7
DDH0600	65.53	359.1	-60.4
DDH0600	71.63	359.2	-60.8
DDH0600	77.72	359.6	-60.7
DDH0600	83.82	360	-60.8
DDH0600	89.92	0.2	-61
DDH0600	96.01	1	-60.9
DDH0600	102.11	1.1	-60.8

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0600	108.2	0.6	-61
DDH0600	114.3	9	-61.1
DDH0600	120.4	2	-61
DDH0600	126.49	1.1	-61
DDH0600	132.59	5.4	-61
DDH0600	138.68	6.1	-61
DDH0600	144.78	5.1	-61
DDH0600	150.88	4.8	-61
DDH0600	156.97	3.6	-61
DDH0600	163.07	0.9	-61.2
DDH0600	169.16	1.3	-61.4
DDH0600	175.26	2	-61.5
DDH0600	181.36	2.1	-61.5
DDH0600	187.45	2.1	-61.6
DDH0600	193.55	2.1	-61.7
DDH0600	199.64	2.1	-61.8
DDH0600	205.74	1.5	-62
DDH0600	211.84	1.8	-62
DDH0600	217.93	1.9	-62.1
DDH0600	224.03	2.2	-62
DDH0600	230.12	2.4	-62.1
DDH0600	236.22	2.5	-62.1
DDH0600	242.32	2.6	-62.1
DDH0600	248.41	2.4	-62.3
DDH0600	254.51	2.9	-62.2
DDH0600	260.6	2.6	-62.4
DDH0600	266.7	2.8	-62.4
DDH0600	272.8	2.8	-62.4
DDH0600	278.89	3.1	-62.4
DDH0600	284.99	2.5	-62.5
DDH0600	291.08	2.9	-62.5
DDH0600	297.18	3.1	-62.4
DDH0600	303.28	3.3	-62.3
DDH0600	309.37	2.8	-62.5
DDH0600	315.47	1.6	-62.4
DDH0600	321.56	2.4	-62.5
DDH0600	327.66	2	-62.7
DDH0600	333.76	2	-63.1
DDH0600	339.85	2.8	-63.3
DDH0600	345.95	3.1	-63.5
DDH0600	352.04	3.3	-63.5
DDH0600	358.14	3.7	-63.6
DDH0600	364.24	3.5	-63.5
DDH0600	370.33	3.6	-63.5
DDH0600	376.43	3.9	-63.6
DDH0600	382.52	3.9	-63.7
DDH0600	388.62	3.9	-63.8
DDH0600	394.72	4.1	-63.9
DDH0600	400.81	4.2	-64

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0600	406.91	4.4	-63.9
DDH0600	413	4.5	-64.1
DDH0600	419.1	5.1	-64
DDH0600	425.2	5.7	-64
DDH0600	431.29	6	-63.8
DDH0600	437.39	6.2	-63.8
DDH0600	443.48	6.6	-63.8
DDH0600	449.58	6.9	-63.6
DDH0600	455.68	8	-63.4
DDH0600	461.77	8.3	-63.2
DDH0600	467.87	8.2	-63.1
DDH0600	473.96	8.4	-62.9
DDH0600	480.06	8.8	-62.7
DDH0600	486.16	9.6	-62.4
DDH0600	492.25	9.8	-62.2
DDH0600	498.35	9.9	-62.1
DDH0600	504.44	10.1	-61.8
DDH0600	510.54	10.4	-61.7
DDH0600	516.64	10.4	-61.5
DDH0600	522.73	10.5	-61.4
DDH0600	528.83	11.3	-61.3
DDH0600	534.92	11.5	-61.2
DDH0600	541.02	11.1	-61.1
DDH0600	547.12	11.5	-61.1
DDH0600	553.21	11.9	-61
DDH0600	559.31	12.3	-60.7
DDH0600	565.4	12.2	-60.5
DDH0600	571.5	12.5	-60.3
DDH0600	577.6	12.1	-60.3
DDH0600	583.69	12.2	-59.9
DDH0600	589.79	12.9	-59.8
DDH0600	595.88	15.2	-59.6
DDH0600	601.98	14.9	-59.5
DDH0600	608.08	16.8	-59.4
DDH0600	614.17	15.9	-59.1
DDH0615	0	146	-55
DDH0615	4.27	146.3	-55.7
DDH0615	10.36	146.6	-54.7
DDH0615	16.46	146.9	-55.6
DDH0615	22.56	147.2	-55.7
DDH0615	28.65	147.5	-55.8
DDH0615	34.75	147.8	-56.2
DDH0615	40.84	148.1	-55.7
DDH0615	46.94	148.4	-55.2
DDH0615	53.04	148.7	-55.3
DDH0615	59.13	149	-55.4
DDH0615	65.23	149.3	-55.2
DDH0615	71.32	149.6	-55.1
DDH0615	77.42	149.9	-55.2

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0615	83.52	150.2	-55.2
DDH0615	89.61	150.5	-55.3
DDH0615	95.71	150.8	-55.7
DDH0615	101.8	150.9	-55.8
DDH0615	107.9	153.2	-55.7
DDH0615	114	151.8	-55.7
DDH0615	120.09	150.6	-55.6
DDH0615	126.19	150.8	-55.5
DDH0615	132.28	151.2	-55.3
DDH0615	138.38	151.6	-55.1
DDH0615	144.48	151.9	-55
DDH0615	150.57	151.8	-54.8
DDH0615	156.67	151.4	-54.6
DDH0615	162.76	152.2	-54.5
DDH0615	168.86	152.9	-54.4
DDH0615	174.96	152.9	-54.4
DDH0615	181.05	152.5	-54.3
DDH0615	187.15	153	-54.2
DDH0615	193.24	152.4	-54.1
DDH0615	199.34	152.5	-54
DDH0615	205.44	152.9	-53.8
DDH0615	211.53	152.8	-53.8
DDH0615	217.63	153.4	-53.6
DDH0615	223.72	153.3	-53.6
DDH0615	229.82	152.2	-53.6
DDH0615	235.92	155.2	-53.4
DDH0615	242.01	153.3	-53.4
DDH0615	248.11	153.4	-53.3
DDH0615	254.2	153.6	-53.1
DDH0615	260.3	153.3	-52.9
DDH0615	266.4	153.7	-52.7
DDH0615	272.49	154.1	-52.5
DDH0615	278.59	155	-52.4
DDH0615	284.68	154.4	-52.3
DDH0615	290.78	154	-52.1
DDH0615	296.88	153.9	-52
DDH0615	302.97	152.5	-51.9
DDH0615	309.07	154.4	-51.8
DDH0615	315.16	154.5	-51.8
DDH0615	321.26	155	-51.8
DDH0615	327.36	154.1	-51.7
DDH0615	333.45	154.1	-51.6
DDH0615	339.55	157.5	-51.5
DDH0615	345.64	155.2	-51.4
DDH0615	351.74	155.4	-51.4
DDH0615	357.84	155.3	-51.3
DDH0615	363.93	155.1	-51.2
DDH0615	370.03	155.3	-51.1
DDH0615	376.12	155.5	-50.9

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0615	382.22	155.9	-50.9
DDH0615	388.32	155.6	-50.8
DDH0615	394.41	155.2	-50.6
DDH0615	400.51	155.3	-50.3
DDH0615	406.6	155.6	-50.2
DDH0615	412.7	155.8	-50.1
DDH0615	418.8	155.7	-50.1
DDH0615	424.89	155.3	-50
DDH0615	430.99	155.4	-49.9
DDH0615	437.08	155.9	-49.8
DDH0615	443.18	156.3	-50
DDH0615	449.28	156.1	-50.1
DDH0615	455.37	155.6	-49.6
DDH0615	461.47	156	-49.3
DDH0615	467.56	156.5	-49.1
DDH0615	473.66	156.4	-49.2
DDH0615	479.76	156.4	-49.1
DDH0615	485.85	156.1	-49
DDH0615	491.95	156.2	-49.1
DDH0615	498.04	157.1	-49.1
DDH0615	504.14	157.9	-49.2
DDH0615	510.24	157.3	-48.9
DDH0615	516.33	156.6	-48.8
DDH0615	522.43	157.3	-48.5
DDH0615	528.52	160.5	-48.2
DDH0615	534.62	151.8	-48.2
DDH0615	540.72	156.8	-47.9
DDH0615	546.81	157.2	-47.8
DDH0615	552.91	157.3	-47.8
DDH0615	559	156.9	-47.8
DDH0615	565.1	156.1	-47.5
DDH0615	571.2	156.2	-47.3
DDH0615	577.29	156.6	-47.2
DDH0615	583.39	156.9	-47.2
DDH0615	589.48	156.2	-47.1
DDH0615	595.58	156.5	-47.1
DDH0616	0	164	-69
DDH0616	0.91	164	-68.6
DDH0616	7.01	164	-68.6
DDH0616	13.11	164	-68.7
DDH0616	19.2	164	-68.6
DDH0616	25.3	164	-68.5
DDH0616	31.39	164	-68.6
DDH0616	37.49	164	-68.7
DDH0616	43.59	164	-68.7
DDH0616	49.68	164	-68.6
DDH0616	55.78	164	-68.6
DDH0616	61.87	164	-68.5
DDH0616	67.97	164	-68.9

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0616	74.07	163.7	-69
DDH0616	80.16	167	-69.1
DDH0616	86.26	167.4	-69.1
DDH0616	92.35	167.7	-69.2
DDH0616	98.45	167.1	-69.2
DDH0616	104.55	166.6	-69.2
DDH0616	110.64	166.2	-69.2
DDH0616	116.74	166.2	-69.3
DDH0616	122.83	166.5	-69.3
DDH0616	128.93	168.2	-69.3
DDH0616	135.03	166.6	-69.3
DDH0616	141.12	165.5	-69.3
DDH0616	147.22	166	-69.4
DDH0616	153.31	164.4	-69.3
DDH0616	159.41	164.7	-69.4
DDH0616	165.51	164.6	-69.4
DDH0616	171.6	163.7	-69.5
DDH0616	177.7	164	-69.4
DDH0616	183.79	163.1	-69.5
DDH0616	189.89	163.4	-69.6
DDH0616	195.99	159.6	-69.5
DDH0616	202.08	164.1	-69.2
DDH0616	208.18	163	-68.4
DDH0616	214.27	163	-68.2
DDH0616	220.37	161.7	-67.2
DDH0616	226.47	161.9	-66.9
DDH0616	232.56	160	-66.6
DDH0616	238.66	161.3	-66.3
DDH0616	244.75	160.8	-65.9
DDH0616	250.85	161.3	-65.5
DDH0616	256.95	161.4	-65.1
DDH0616	263.04	161.5	-64.8
DDH0616	269.14	160.5	-64.4
DDH0616	275.23	161.2	-63.9
DDH0616	281.33	160.6	-63.7
DDH0616	287.43	160.2	-63.3
DDH0616	293.52	159.4	-62.9
DDH0616	299.62	159.6	-62.7
DDH0616	305.71	159.1	-62.6
DDH0616	311.81	159.7	-62.5
DDH0616	317.91	159.2	-62.4
DDH0616	324	159.9	-62.4
DDH0616	330.1	158.8	-62.1
DDH0616	336.19	159.2	-62
DDH0616	342.29	159	-61.8
DDH0616	348.39	159	-61.6
DDH0616	354.48	158.8	-61.3
DDH0616	360.58	159.3	-61.2
DDH0616	366.67	159	-61

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0616	372.77	159.4	-61
DDH0616	378.87	158.9	-60.8
DDH0616	384.96	159.7	-60.5
DDH0616	391.06	159.7	-60.4
DDH0616	397.15	161.2	-60.2
DDH0616	403.25	159.1	-60
DDH0616	409.35	158.2	-59.9
DDH0616	415.44	161.1	-59.5
DDH0616	421.54	157.4	-59.6
DDH0616	427.63	159.4	-59.4
DDH0616	433.73	159.4	-59.3
DDH0616	439.83	159	-59.2
DDH0616	445.92	160.9	-58.9
DDH0616	452.02	160.7	-58.9
DDH0616	458.11	160.3	-58.6
DDH0616	464.21	159.1	-58
DDH0616	470.31	159.9	-57.7
DDH0616	476.4	159.3	-57.4
DDH0616	482.5	159.9	-57
DDH0616	488.59	159.8	-56.6
DDH0616	494.69	159.2	-56.4
DDH0616	500.79	158.5	-56
DDH0616	506.88	159	-55.9
DDH0616	512.98	159.4	-55.6
DDH0616	519.07	158.4	-55.3
DDH0616	525.17	159	-55.3
DDH0616	531.27	159	-55.2
DDH0616	537.36	158.6	-55
DDH0616	543.46	158.4	-54.7
DDH0616	549.55	157.7	-54.5
DDH0616	555.65	158.5	-54.3
DDH0618	0	0	-90
DDH0618	4.27	20.5	-90
DDH0618	10.36	108.9	-90
DDH0618	16.46	202.9	-89.9
DDH0618	22.56	276.5	-89.8
DDH0618	28.65	73.9	-90
DDH0618	34.75	119	-89.9
DDH0618	40.84	42.7	-89.6
DDH0618	46.94	36.3	-89.6
DDH0618	53.04	194.7	-89.7
DDH0618	59.13	87.3	-89.5
DDH0618	65.23	273.6	-89.5
DDH0618	71.32	114	-89.3
DDH0618	77.42	120.7	-89.2
DDH0618	83.52	119.7	-89.1
DDH0618	89.61	125.3	-88.9
DDH0618	95.71	125.4	-88.6
DDH0618	101.8	131.8	-88.4

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0618	107.9	127.5	-88.1
DDH0618	114	133.1	-87.8
DDH0618	120.09	131.6	-87.6
DDH0618	126.19	129.3	-87.5
DDH0618	132.28	133.1	-87.3
DDH0618	138.38	138.4	-87.1
DDH0618	144.48	139.3	-87.1
DDH0618	150.57	134.6	-86.8
DDH0618	156.67	138.9	-86.8
DDH0625	0	154	-63
DDH0625	0.91	153.8	-63
DDH0625	7.01	153.6	-63
DDH0625	13.11	153.4	-62.5
DDH0625	19.2	153.2	-63.1
DDH0625	25.3	153	-63.3
DDH0625	31.39	152.8	-63.4
DDH0625	37.49	152.6	-63.6
DDH0625	43.59	152.4	-63.8
DDH0625	49.68	152.1	-63.4
DDH0625	55.78	151.8	-63.2
DDH0625	61.87	151.3	-63.5
DDH0625	67.97	152.5	-63.1
DDH0625	74.07	151.8	-63.3
DDH0625	80.16	152.8	-63.2
DDH0625	86.26	152.4	-63
DDH0625	92.35	151.6	-62.9
DDH0625	98.45	151.3	-62.9
DDH0625	104.55	152.5	-63
DDH0625	110.64	153.1	-62.9
DDH0625	116.74	152.1	-62.8
DDH0625	122.83	151.9	-62.7
DDH0625	128.93	152.2	-62.7
DDH0625	135.03	153.2	-62.7
DDH0625	141.12	152.6	-62.6
DDH0625	147.22	152.2	-62.5
DDH0625	153.31	152.7	-62.6
DDH0625	159.41	153.6	-62.6
DDH0625	165.51	152.6	-62.4
DDH0625	171.6	152.3	-62.4
DDH0625	177.7	153.1	-62.5
DDH0625	183.79	152.9	-62.4
DDH0625	189.89	152.2	-62.2
DDH0625	195.99	153	-62.4
DDH0625	202.08	153.3	-62.3
DDH0625	208.18	152.8	-62.1
DDH0625	214.27	151.2	-62.1
DDH0625	220.37	153.5	-62.1
DDH0625	226.47	153	-61.9
DDH0625	232.56	152.5	-61.7

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0625	238.66	153.6	-61.8
DDH0625	244.75	153.3	-61.6
DDH0625	250.85	152.8	-61.2
DDH0625	256.95	154	-61.3
DDH0625	263.04	154.1	-61.1
DDH0625	269.14	153.1	-60.6
DDH0625	275.23	153.5	-60.6
DDH0625	281.33	154.3	-60.4
DDH0625	287.43	153.2	-60.2
DDH0625	293.52	152.8	-60
DDH0625	299.62	152.7	-59.9
DDH0625	305.71	152.8	-59.8
DDH0625	311.81	153.2	-59.6
DDH0625	317.91	152.4	-59.4
DDH0625	324	152.5	-59.4
DDH0625	330.1	151.5	-59.2
DDH0625	336.19	152.3	-59
DDH0625	342.29	153.5	-58.9
DDH0625	348.39	152.5	-58.9
DDH0625	354.48	153	-58.8
DDH0625	360.58	153.6	-58.8
DDH0625	366.67	153.1	-58.8
DDH0625	372.77	153.7	-58.7
DDH0625	378.87	153.5	-58.7
DDH0625	384.96	152.7	-58.8
DDH0625	391.06	152.2	-58.8
DDH0625	397.15	152.4	-58.9
DDH0625	403.25	152.8	-59
DDH0625	409.35	152.5	-59.1
DDH0625	415.44	152.2	-59.1
DDH0625	421.54	151.4	-59
DDH0625	427.63	151	-58.8
DDH0625	433.73	150.5	-58.7
DDH0625	439.83	151.6	-58.7
DDH0625	445.92	152.5	-58.6
DDH0625	452.02	151.3	-58.5
DDH0625	458.11	150.8	-58.5
DDH0625	464.21	150	-58.3
DDH0625	470.31	150.4	-58.1
DDH0625	476.4	150.8	-58.1
DDH0625	482.5	151.6	-58
DDH0625	488.59	151	-57.9
DDH0625	494.69	150.3	-57.5
DDH0625	500.79	150	-57.2
DDH0625	506.88	150.5	-57.1
DDH0625	512.98	151.5	-56.8
DDH0625	519.07	151.2	-56.5
DDH0625	525.17	151.2	-56.1
DDH0625	531.27	151.5	-55.8

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0625	537.36	152.2	-55.6
DDH0625	543.46	152.2	-55.4
DDH0625	549.55	151.3	-55.2
DDH0625	555.65	151.3	-55.1
DDH0625	561.75	151.7	-55.1
DDH0625	567.84	152.5	-55.1
DDH0625	573.94	151.6	-55
DDH0625	580.03	151.4	-55
DDH0625	586.13	152	-54.9
DDH0625	592.23	152.6	-54.8
DDH0625	598.32	151.7	-54.5
DDH0625	604.42	151.5	-54.2
DDH0625	610.51	152.1	-54
DDH0625	616.61	152.8	-53.6
DDH0625	622.71	151.8	-53.1
DDH0625	628.8	152	-52.8
DDH0625	634.9	153	-52.5
DDH0625	640.99	152.1	-52
DDH0625	647.09	151.8	-51.5
DDH0625	653.19	152.2	-50.9
DDH0625	659.28	151.9	-50.2
DDH0625	665.38	150.8	-49.6
DDH0625	671.47	151.4	-49.6
DDH0625	677.57	152.2	-49.3
DDH0625	683.67	151.2	-49
DDH0625	689.76	151.7	-48.8
DDH0625	695.86	152.6	-48.8
DDH0625	701.95	151.7	-48.5
DDH0625	708.05	152.1	-48.5
DDH0627	0	136	-56
DDH0627	3.96	136	-56.5
DDH0627	10.06	136	-56.2
DDH0627	16.15	135.9	-55
DDH0627	22.25	135.9	-55.7
DDH0627	28.35	135.9	-56.2
DDH0627	34.44	135.8	-56.7
DDH0627	40.54	135.8	-57
DDH0627	46.63	135.8	-57
DDH0627	52.73	135.7	-56.9
DDH0627	58.83	136.3	-56.6
DDH0627	64.92	136.9	-57.1
DDH0627	71.02	137.2	-56.8
DDH0627	77.11	137	-56.8
DDH0627	83.21	136.9	-56.6
DDH0627	89.31	137	-56.6
DDH0627	95.4	137.5	-56.7
DDH0627	101.5	137.5	-56.5
DDH0627	107.59	137.3	-56.4
DDH0627	113.69	137.3	-56.3

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0627	119.79	138.2	-56.3
DDH0627	125.88	138	-56.2
DDH0627	131.98	137.9	-56.1
DDH0627	138.07	137.9	-56
DDH0627	144.17	138.3	-56.1
DDH0627	150.27	138.3	-56
DDH0627	156.36	138	-55.9
DDH0627	162.46	138.4	-55.9
DDH0627	168.55	138.8	-55.9
DDH0627	174.65	138.3	-55.7
DDH0627	180.75	138.3	-55.6
DDH0627	186.84	139	-55.7
DDH0627	192.94	138.8	-55.5
DDH0627	199.03	138.7	-55.2
DDH0627	205.13	139.7	-55.3
DDH0627	211.23	139.3	-55.1
DDH0627	217.32	139.7	-55
DDH0627	223.42	140	-55
DDH0627	229.51	140.6	-54.9
DDH0627	235.61	140.2	-54.6
DDH0627	241.71	141.2	-54.5
DDH0627	247.8	141	-54.4
DDH0627	253.9	141	-54.1
DDH0627	259.99	140.7	-53.8
DDH0627	266.09	139.3	-53.6
DDH0627	272.19	140.7	-53.2
DDH0627	278.28	140	-52.6
DDH0627	284.38	142.4	-52.3
DDH0627	290.47	141	-52.1
DDH0627	296.57	140.8	-51.7
DDH0627	302.67	141.3	-51.7
DDH0627	308.76	141.4	-51.4
DDH0627	314.86	141.8	-51
DDH0627	320.95	141.8	-51
DDH0627	327.05	141.2	-50.7
DDH0627	333.15	141	-50.4
DDH0627	339.24	140.7	-50.3
DDH0627	345.34	141	-50.1
DDH0627	351.43	140.5	-49.8
DDH0627	357.53	140.2	-49.1
DDH0627	363.63	140.3	-48.9
DDH0627	369.72	138.8	-48.8
DDH0627	375.82	138.6	-48.6
DDH0627	381.91	139.6	-48.6
DDH0627	388.01	139.9	-48.4
DDH0627	394.11	139.6	-48.4
DDH0627	400.2	140.4	-48.2
DDH0627	406.3	141.4	-48.1
DDH0627	412.39	140.9	-48

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0627	418.49	140.9	-47.8
DDH0627	424.59	141.4	-47.8
DDH0627	430.68	141.8	-47.7
DDH0627	436.78	140.9	-47.5
DDH0627	442.87	141	-47.4
DDH0627	448.97	141.6	-47.3
DDH0627	455.07	141.9	-47.1
DDH0627	461.16	141.7	-46.9
DDH0627	467.26	141.7	-46.8
DDH0627	473.35	142.5	-46.7
DDH0627	479.45	142.7	-46.5
DDH0627	485.55	141.8	-46.2
DDH0627	491.64	143.1	-46.1
DDH0627	497.74	144.1	-46.1
DDH0627	503.83	143.6	-46.1
DDH0627	509.93	143.9	-46
DDH0627	516.03	143.8	-45.9
DDH0627	522.12	144.1	-45.9
DDH0627	528.22	144.5	-45.8
DDH0627	534.31	144.1	-45.7
DDH0627	540.41	144	-45.6
DDH0627	546.51	144.2	-45.5
DDH0627	552.6	144.9	-45.6
DDH0627	558.7	145.1	-45.5
DDH0627	564.79	146.5	-45.4
DDH0627	570.89	146.8	-45.5
DDH0627	576.99	148	-45.4
DDH0627	583.08	147	-45.3
DDH0627	589.18	146	-45.4
DDH0627	595.27	145.8	-45.4
DDH0627	601.37	145.5	-45.3
DDH0627	607.47	145.3	-45.3
DDH0627	613.56	145.3	-45.1
DDH0627	619.66	145.1	-44.9
DDH0627	625.75	145.4	-44.9
DDH0627	631.85	146	-45
DDH0627	637.95	145.6	-44.8
DDH0627	644.04	145.5	-44.9
DDH0630	0	175	-45
DDH0630	0.61	174.7	-45.5
DDH0630	6.71	174.5	-45.6
DDH0630	12.8	174.2	-46
DDH0630	18.9	174	-46.1
DDH0630	24.99	173.8	-46.1
DDH0630	31.09	173.6	-46.3
DDH0630	37.19	173.4	-46.1
DDH0630	43.28	173.2	-46.9
DDH0630	49.38	173.4	-45.9
DDH0630	55.47	174.3	-45.9

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0630	61.57	174.2	-46.2
DDH0630	67.67	174.2	-46.2
DDH0630	73.76	173.5	-46.1
DDH0630	79.86	173.2	-46
DDH0630	85.95	173.5	-46.1
DDH0630	92.05	173.7	-46
DDH0630	98.15	173.5	-46
DDH0630	104.24	173.1	-46
DDH0630	110.34	174.3	-46.1
DDH0630	116.43	173.6	-46
DDH0630	122.53	172.2	-45.4
DDH0630	128.63	172	-44.8
DDH0630	134.72	172.3	-44.6
DDH0630	140.82	171.5	-44.2
DDH0630	146.91	170.2	-43.8
DDH0630	153.01	169.3	-43.3
DDH0630	159.11	169.3	-42.9
DDH0630	165.2	167.9	-42.3
DDH0630	171.3	167	-41.8
DDH0630	177.39	166.8	-41.7
DDH0630	183.49	166.9	-41.6
DDH0630	189.59	165.9	-41.5
DDH0630	195.68	166	-41.4
DDH0630	201.78	166.6	-41.3
DDH0630	207.87	165.9	-41.4
DDH0630	213.97	165.9	-41.2
DDH0630	220.07	166.6	-41.3
DDH0630	226.16	166.3	-41.2
DDH0630	232.26	165.8	-41.2
DDH0630	238.35	165.7	-41.1
DDH0630	244.45	166.4	-41.1
DDH0630	250.55	165.6	-41.1
DDH0630	256.64	165.4	-41.1
DDH0630	262.74	166	-41.1
DDH0630	268.83	165	-41.1
DDH0630	274.93	165.1	-41.2
DDH0630	281.03	165.7	-41.2
DDH0630	287.12	165	-41.1
DDH0630	293.22	164.9	-41.1
DDH0630	299.31	163.6	-35.9
DDH0630	305.41	165.2	-41.1
DDH0630	311.51	164.9	-41.1
DDH0630	317.6	165.3	-41.1
DDH0630	323.7	165.4	-41.1
DDH0630	329.79	164.6	-41
DDH0630	335.89	164.9	-41
DDH0630	341.99	165.3	-41
DDH0630	348.08	164.7	-41
DDH0630	354.18	164.7	-41

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0630	360.27	165.4	-41
DDH0630	366.37	164.6	-41
DDH0630	372.47	164.5	-41
DDH0630	378.56	165.2	-41
DDH0630	384.66	164.4	-41
DDH0630	390.75	164.3	-40.9
DDH0630	396.85	164.8	-41
DDH0630	402.95	164.6	-41.1
DDH0630	409.04	164.3	-41.1
DDH0630	415.14	164.8	-41.1
DDH0630	421.23	164.8	-41.1
DDH0630	427.33	164.3	-41.1
DDH0630	433.43	164.4	-41.1
DDH0630	439.52	165.1	-41.1
DDH0630	445.62	164.6	-41.1
DDH0630	451.71	164.4	-41
DDH0630	457.81	164	-41.1
DDH0630	463.91	164.9	-41
DDH0630	470	164.2	-41
DDH0630	476.1	164.2	-40.9
DDH0630	482.19	164.4	-40.9
DDH0630	488.29	164.7	-40.8
DDH0630	494.39	164.1	-40.8
DDH0630	500.48	164.1	-40.7
DDH0630	506.58	164.1	-40.8
DDH0630	512.67	164.5	-40.7
DDH0630	518.77	164	-40.7
DDH0630	524.87	163.8	-40.7
DDH0630	530.96	163.7	-40.5
DDH0630	537.06	164.1	-40.5
DDH0630	543.15	164.3	-40.3
DDH0630	549.25	163.9	-40.2
DDH0630	555.35	163.8	-40.1
DDH0635	0	159	-45
DDH0635	0.91	158.5	-45.4
DDH0635	7.01	158	-45.4
DDH0635	13.11	157.6	-45
DDH0635	19.2	157.3	-45.1
DDH0635	25.3	157	-44.6
DDH0635	31.39	156.6	-44.8
DDH0635	37.49	156.3	-44.8
DDH0635	43.59	156	-44.7
DDH0635	49.68	155.9	-44.6
DDH0635	55.78	156	-44.5
DDH0635	61.87	155.6	-44.5
DDH0635	67.97	155	-44.5
DDH0635	74.07	154.6	-44.4
DDH0635	80.16	154.5	-44.5
DDH0635	86.26	154.1	-44.5

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0635	92.35	154.2	-44.8
DDH0635	98.45	154.7	-44.7
DDH0635	104.55	154.2	-44.7
DDH0635	110.64	153.6	-44.6
DDH0635	116.74	153.4	-44.6
DDH0635	122.83	153.2	-44.7
DDH0635	128.93	153.7	-44.8
DDH0635	135.03	153.2	-44.6
DDH0635	141.12	152.7	-44.6
DDH0635	147.22	152.5	-44.4
DDH0635	153.31	153.7	-44.5
DDH0635	159.41	152.8	-44.3
DDH0635	165.51	152.3	-44.3
DDH0635	171.6	152.2	-44
DDH0635	177.7	152.2	-43.7
DDH0635	183.79	152.8	-43.4
DDH0635	189.89	151.7	-43.1
DDH0635	195.99	153.4	-43
DDH0635	202.08	151.6	-42.7
DDH0635	208.18	152.2	-42.2
DDH0635	214.27	152.1	-42
DDH0635	220.37	151.6	-41.6
DDH0635	226.47	151.8	-41.1
DDH0635	232.56	151.5	-40.8
DDH0635	238.66	150.4	-40.4
DDH0635	244.75	150	-40.3
DDH0635	250.85	150.1	-40.4
DDH0635	256.95	150.4	-40.3
DDH0635	263.04	149.8	-40.1
DDH0635	269.14	149.9	-40.1
DDH0635	275.23	150.3	-40
DDH0635	281.33	150.4	-40
DDH0635	287.43	150.1	-39.9
DDH0635	293.52	149.8	-39.8
DDH0635	299.62	149.8	-39.8
DDH0635	305.71	149.7	-39.8
DDH0635	311.81	149	-39.8
DDH0635	317.91	148.7	-39.7
DDH0635	324	149	-39.7
DDH0635	330.1	148.2	-39.6
DDH0635	336.19	148	-39.5
DDH0635	342.29	148.3	-39.5
DDH0635	348.39	148.3	-39.3
DDH0635	354.48	147.7	-39.5
DDH0635	360.58	147.7	-39.4
DDH0635	366.67	148	-39.8
DDH0635	372.77	147.7	-39.5
DDH0635	378.87	147.6	-39.5
DDH0635	384.96	147.7	-39.3

Hole ID	Depth (m)	Azimuth (°)	Dip (°)
DDH0635	391.06	147.8	-39.4
DDH0635	397.15	147	-39.6
DDH0635	403.25	147.1	-39.6
DDH0635	409.35	147.5	-39.8
DDH0635	415.44	147.1	-39.7
DDH0635	421.54	146.7	-39.6
DDH0635	427.63	146.6	-39.6
DDH0635	433.73	146.8	-39.7
DDH0635	439.83	146	-40
DDH0635	445.92	146.2	-40.2
DDH0635	452.02	145.9	-40.3
DDH0635	458.11	140.3	-40.4
DDH0635	464.21	145.3	-40.4
DDH0635	470.31	145.5	-40.4
DDH0635	476.4	145.4	-40.3
DDH0635	482.5	145.5	-40.1
DDH0635	488.59	145.7	-40
DDH0635	494.69	145.5	-39.9
DDH0635	500.79	145.9	-40
DDH0635	506.88	145.3	-40
DDH0635	512.98	145.8	-40
DDH0635	519.07	145.1	-40
DDH0635	525.17	145.2	-40.1
DDH0635	531.27	145.3	-40