

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP1MN1197	3.00	4.00	0.01	1.4
800SP1MN1197	4.00	5.00	0.01	1.0
800SP1MN1197	9.60	10.30	0.26	1.4
800SP1MN1197	10.75	11.45	0.04	1.0
800SP1MN1197	11.45	12.15	0.05	1.0
800SP1MN1197	12.70	13.90	0.04	1.1
800SP1MN1197	13.90	15.10	0.01	1.0
800SP1MN1197	15.10	15.60	<0.01	0.9
800SP1MN1197	17.20	17.60	0.01	0.5
800SP1MN1197	17.60	18.80	<0.01	0.7
800SP1MN1197	20.00	21.20	<0.01	0.5
800SP1MN1197	31.65	32.30	0.02	0.3
800SP1MN1197	34.70	35.90	<0.01	0.4
800SP1MN1197	36.90	37.90	<0.01	0.4
800SP1MN1197	37.90	38.90	<0.01	0.2
800SP1MN1197	38.90	40.10	<0.01	0.3
800SP1MN1197	40.10	40.90	<0.01	0.3
800SP1MN1197	40.90	41.90	0.01	0.2
800SP1MN1197	47.90	49.10	0.01	0.2
800SP1MN1197	53.90	55.10	<0.01	0.3
800SP1MN1197	62.30	63.00	<0.01	0.2
800SP1MN1197	67.80	69.00	<0.01	0.3
800SP1MN1197	69.00	69.55	0.01	0.3
800SP1MN1197	69.55	70.45	0.46	1.2
800SP1MN1197	70.45	71.00	0.01	0.4
800SP1MN1197	76.45	77.10	0.03	0.3
800SP1MN1197	77.10	77.90	0.22	0.6
800SP1MN1197	77.90	78.50	0.01	0.5
800SP1MN1197	82.90	84.10	<0.01	0.3
800SP1MN1197	86.20	86.60	<0.01	0.4
800SP1MN1197	86.60	87.30	0.02	0.4
800SP1MN1197	89.40	89.90	0.01	0.4
800SP1MN1197	89.90	91.10	<0.01	0.5
800SP1MN1197	98.10	98.50	<0.01	0.5
800SP1MN1197	100.30	100.95	0.02	1.3
800SP1MN1197	100.95	101.60	0.03	1.2
800SP1MN1197	103.60	104.10	0.01	0.6
800SP1MN1197	107.20	107.60	<0.01	0.7
800SP1MN1197	107.60	108.20	<0.01	0.8
800SP1MN1197	108.20	109.00	<0.01	0.7
800SP1MN1197	109.00	110.20	<0.01	0.6
800SP1MN1197	110.20	110.70	0.01	0.3
800SP1MN1197	112.90	114.10	<0.01	0.3
800SP1MN1197	118.40	119.05	<0.01	0.7
800SP1MN1197	122.60	123.30	<0.01	0.4
800SP1MN1197	123.30	124.50	0.01	0.3
800SP1MN1197	124.50	125.40	<0.01	0.2
800SP1MN1197	128.20	129.40	<0.01	0.2
800SP1MN1197	130.10	130.50	0.04	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP1MN1197	132.90	133.70	0.01	0.3
800SP1MN1197	133.70	134.70	<0.01	0.2
800SP1MN1197	134.70	135.10	0.02	0.3
800SP1MN1197	135.10	136.30	<0.01	0.3
800SP1MN1197	138.70	139.90	<0.01	0.3
800SP1MN1197	139.90	141.10	<0.01	0.5
800SP1MN1197	141.10	142.30	<0.01	0.6
800SP1MN1197	147.60	148.60	0.01	0.6
800SP1MN1197	148.60	149.35	<0.01	0.6
800SP1MN1197	149.35	150.10	0.02	0.5
800SP1MN1197	150.20	151.00	<0.01	0.5
800SP1MN1197	151.00	151.50	0.01	0.5
800SP1MN1197	151.50	152.50	<0.01	0.5
800SP1MN1197	152.50	153.50	<0.01	0.6
800SP1MN1197	153.50	154.50	0.02	0.7
800SP1MN1197	154.50	155.50	0.01	0.5
800SP1MN1197	155.50	156.50	<0.01	0.6
800SP1MN1197	156.50	157.20	<0.01	0.6
800SP1MN1197	157.20	158.00	0.01	0.7
800SP1MN1197	162.80	164.00	0.01	0.6
800SP1MN1197	164.00	164.50	<0.01	0.6
800SP1MN1197	164.50	165.50	<0.01	0.7
800SP1MN1197	169.70	170.70	<0.01	0.3
800SP1MN1197	171.50	172.00	0.06	0.4
800SP1MN1197	173.10	173.50	<0.01	0.4
800SP1MN1197	173.50	174.70	<0.01	<0.1
800SP1MN1197	174.70	175.50	<0.01	0.2
800SP1MN1197	175.50	176.70	<0.01	0.2
800SP1MN1197	176.70	177.50	0.05	0.4
800SP1MN1197	180.80	182.00	<0.01	0.2
800SP1MN1197	182.00	183.20	<0.01	0.1
800SP1MN1197	183.20	183.90	<0.01	<0.1
800SP1MN1197	183.90	184.90	<0.01	0.5
800SP1MN1197	184.90	185.90	<0.01	0.4
800SP1MN1197	185.90	186.90	<0.01	0.6
800SP1MN1197	186.90	187.65	<0.01	0.2
800SP1MN1197	187.65	188.60	5.02	10.1
800SP1MN1197	188.60	189.60	0.12	5.0
800SP1MN1197	189.60	190.30	0.11	5.9
800SP1MN1197	190.30	191.10	0.25	1.1
800SP1MN1197	191.10	191.90	0.02	1.4
800SP1MN1197	191.90	192.60	0.06	1.8
800SP1MN1197	192.60	193.25	0.02	0.8
800SP1MN1197	193.25	194.15	0.02	1.2
800SP1MN1197	194.15	195.10	0.06	1.5
800SP1MN1197	195.10	195.70	0.06	0.8
800SP1MN1197	195.70	196.30	0.63	3.8
800SP1MN1197	196.30	197.10	0.14	3.9
800SP1MN1197	197.10	197.90	0.31	3.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP1MN1197	197.90	198.90	0.85	3.2
800SP1MN1197	198.90	199.30	0.27	1.1
800SP1MN1197	199.30	200.10	0.53	1.1
800SP1MN1197	200.10	201.00	<0.01	0.9
800SP1MN1197	201.00	202.10	0.02	0.7
800SP1MN1197	202.10	202.60	0.02	1.4
800SP1MN1197	202.60	203.55	0.06	0.7
800SP1MN1197	203.55	204.15	2.45	7.1
800SP1MN1197	204.15	205.00	0.09	1.0
800SP1MN1197	205.00	206.20	1.74	4.5
800SP1MN1197	206.20	206.70	0.23	0.6
800SP1MN1197	206.70	207.60	<0.01	0.4
800SP1MN1197	207.60	208.00	1.23	1.3
800SP1MN1197	208.00	208.50	0.59	0.7
800SP1MN1197	210.90	211.60	0.07	0.5
800SP1MN1197	211.60	212.80	0.02	0.3
800SP1MN1197	212.80	214.00	0.09	0.3
800SP1MN1197	214.00	215.00	0.03	0.2
800SP1MN1197	215.00	216.00	0.01	0.4
800SP1MN1197	216.00	217.00	0.04	0.3
800SP1MN1197	217.00	217.70	0.06	0.4
800SP1MN1197	217.70	218.80	0.10	0.6
800SP1MN1197	218.80	219.80	5.70	20.9
800SP1MN1197	219.80	220.80	3.14	6.6
800SP1MN1197	220.80	221.90	0.20	0.9
800SP1MN1197	221.90	222.75	0.12	1.1
800SP1MN1197	222.75	223.55	0.06	0.7
800SP1MN1197	223.55	224.15	1.08	4.5
800SP1MN1197	224.15	224.75	0.98	5.2
800SP1MN1197	224.75	225.25	14.90	114.0
800SP1MN1197	225.25	226.30	37.90	63.0
800SP1MN1197	226.30	227.30	12.70	21.9
800SP1MN1197	238.20	238.90	0.13	4.2
800SP1MN1197	238.90	239.60	0.56	1.9
800SP1MN1197	239.60	240.40	0.03	0.3
800SP1MN1197	240.40	241.00	0.05	0.4
800SP1MN1197	241.00	242.00	0.02	0.2
800SP1MN1197	242.00	242.90	0.05	0.7
800SP1MN1197	242.90	243.60	<0.01	0.4
800SP1MN1197	243.60	244.60	<0.01	0.5
800SP1MN1197	244.60	245.60	0.02	0.3
800SP1MN1197	245.60	246.50	0.02	0.8
800SP1MN1197	246.50	247.10	0.02	0.4
800SP1MN1197	247.10	247.90	0.01	0.3
800SP1MN1197	247.90	248.40	<0.01	0.3
800SP1MN1197	248.40	248.70	0.04	0.7
800SP1MN1197	248.70	250.10	<0.01	0.5
800SP1MN1197	250.10	251.00	<0.01	0.3
800SP1MN1197	251.00	252.00	<0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP1MN1197	252.00	252.90	0.01	0.2
800SP1MN1197	252.90	253.60	<0.01	0.6
800SP1MN1197	253.60	254.60	<0.01	0.3
800SP1MN1197	254.60	255.80	<0.01	0.2
800SP1MN1197	259.10	260.00	<0.01	0.2
800SP1MN1197	260.00	260.65	<0.01	0.3
800SP1MN1197	260.65	261.40	0.01	2.1
800SP1MN1197	261.40	262.00	0.03	0.7
800SP1MN1197	262.00	263.20	0.02	0.6
800SP1MN1197	263.20	264.10	0.03	0.5
800SP1MN1197	264.10	265.00	0.04	0.7
800SP1MN1197	265.00	266.00	<0.01	0.4
800SP1MN1197	267.00	268.00	0.02	0.3
800SP1MN1197	268.00	269.00	0.06	0.3
800SP1MN1197	269.00	270.00	0.04	0.5
800SP1MN1197	270.00	271.00	<0.01	0.5
800SP1MN1197	271.00	272.00	0.02	0.3
800SP1MN1197	272.00	272.70	0.04	0.6
800SP1MN1197	272.70	273.30	0.06	0.3
800SP1MN1197	274.15	274.90	<0.01	0.2
800SP1MN1197	274.90	275.60	0.03	0.9
800SP1MN1197	277.90	278.30	0.02	0.1
800SP1MN1197	278.30	279.50	<0.01	0.1
800SP1MN1197	279.50	279.90	0.02	<0.1
800SP1MN1197	279.90	280.40	<0.01	<0.1
800SP1MN1197	280.40	281.60	0.01	0.2
800SP1MN1199	8.20	9.05	<0.01	0.4
800SP1MN1199	31.20	32.00	0.01	0.3
800SP1MN1199	34.90	35.60	0.01	0.3
800SP1MN1199	46.25	47.05	<0.01	0.4
800SP1MN1199	65.10	65.40	<0.01	0.3
800SP1MN1199	98.90	99.20	<0.01	0.3
800SP1MN1199	105.80	106.10	0.81	1.7
800SP1MN1199	107.60	108.10	0.01	0.3
800SP1MN1199	108.80	109.10	<0.01	0.6
800SP1MN1199	115.25	115.55	0.01	0.5
800SP1MN1199	121.05	121.35	<0.01	0.2
800SP1MN1199	121.70	122.00	<0.01	0.3
800SP1MN1199	124.00	124.30	<0.01	0.4
800SP1MN1199	127.30	127.60	<0.01	0.3
800SP1MN1199	128.50	128.80	<0.01	0.4
800SP1MN1199	140.30	140.60	<0.01	0.5
800SP1MN1199	143.25	143.80	0.05	0.5
800SP1MN1199	144.85	145.70	0.02	0.7
800SP1MN1199	146.70	147.00	0.02	0.8
800SP1MN1199	148.75	149.10	<0.01	1.0
800SP1MN1199	152.65	153.00	0.02	0.9
800SP1MN1199	155.55	155.85	0.01	0.6
800SP1MN1199	157.00	158.00	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP1MN1199	158.00	159.00	0.10	0.5
800SP1MN1199	160.00	160.90	0.01	0.4
800SP1MN1199	175.70	176.00	0.18	0.9
800SP1MN1199	182.65	183.00	0.01	0.3
800SP1MN1199	183.70	184.00	<0.01	0.2
800SP1MN1199	185.40	185.70	0.01	0.7
800SP1MN1199	187.15	187.50	0.24	0.5
800SP1MN1199	195.30	196.10	0.01	0.5
800SP1MN1199	196.10	197.25	<0.01	0.2
800SP1MN1199	197.25	198.35	<0.01	0.3
800SP1MN1199	198.35	199.10	0.04	0.3
800SP1MN1199	199.10	200.30	<0.01	0.1
800SP1MN1199	200.30	201.50	0.02	0.2
800SP1MN1199	201.50	202.70	0.01	0.7
800SP1MN1199	202.70	203.90	<0.01	1.1
800SP1MN1199	203.90	204.45	<0.01	1.2
800SP1MN1199	204.45	204.95	2.78	6.2
800SP1MN1199	204.95	206.05	0.04	2.1
800SP1MN1199	206.05	206.90	7.48	12.4
800SP1MN1199	206.90	207.70	4.75	4.0
800SP1MN1199	207.70	208.60	0.18	1.6
800SP1MN1199	208.60	209.80	0.27	1.2
800SP1MN1199	209.80	210.60	0.34	1.1
800SP1MN1199	210.60	211.40	0.02	0.8
800SP1MN1199	211.40	211.70	0.75	0.8
800SP1MN1199	211.70	212.90	0.02	0.6
800SP1MN1199	212.90	213.40	0.19	0.7
800SP1MN1199	213.40	214.10	0.02	1.1
800SP1MN1199	214.10	214.60	0.08	1.2
800SP1MN1199	214.60	215.80	0.03	1.5
800SP1MN1199	215.80	217.00	<0.01	0.3
800SP1MN1199	217.00	218.20	0.12	0.4
800SP1MN1199	218.20	219.40	0.43	0.7
800SP1MN1199	219.40	220.25	0.05	0.8
800SP1MN1199	220.25	221.20	0.03	0.6
800SP1MN1199	221.20	222.00	<0.01	0.5
800SP1MN1199	222.00	223.00	0.01	0.6
800SP1MN1199	223.00	223.90	<0.01	0.6
800SP1MN1199	223.90	224.35	0.37	3.1
800SP1MN1199	224.35	224.90	0.36	5.2
800SP1MN1199	224.90	225.60	3.85	8.9
800SP1MN1199	225.60	226.80	0.02	1.1
800SP1MN1199	226.80	228.00	0.07	0.7
800SP1MN1199	228.00	229.20	0.01	0.4
800SP1MN1199	229.20	230.20	0.01	0.8
800SP1MN1199	230.20	231.40	0.05	0.7
800SP1MN1199	231.40	232.50	0.13	1.2
800SP1MN1199	232.50	232.80	1.00	2.7
800SP1MN1199	232.80	233.40	1.11	2.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP1MN1199	233.40	234.15	5.15	6.7
800SP1MN1199	234.15	235.30	0.38	2.1
800SP1MN1199	235.30	235.70	0.55	2.4
800SP1MN1199	235.70	236.70	0.26	0.8
800SP1MN1199	236.70	237.70	0.12	0.7
800SP1MN1199	237.70	238.00	1.23	3.2
800SP1MN1199	238.00	239.20	0.33	0.7
800SP1MN1199	239.20	240.20	0.35	0.4
800SP1MN1199	240.20	241.40	0.12	0.5
800SP1MN1199	241.40	242.50	0.22	0.4
800SP1MN1199	242.50	243.70	0.23	0.4
800SP1MN1199	243.70	244.40	0.23	0.4
800SP1MN1199	244.40	245.20	0.77	0.6
800SP1MN1199	245.20	246.30	0.80	1.8
800SP1MN1199	246.30	247.05	9.23	17.3
800SP1MN1199	247.05	247.40	0.27	0.9
800SP1MN1199	247.40	247.80	0.11	1.2
800SP1MN1199	247.80	248.40	0.17	0.5
800SP1MN1199	248.40	249.55	2.90	1.7
800SP1MN1199	249.55	250.75	0.10	0.7
800SP1MN1199	250.75	251.40	0.44	0.7
800SP1MN1199	251.40	252.00	5.06	6.6
800SP1MN1199	252.00	253.00	4.28	5.0
800SP1MN1199	253.00	254.00	0.17	0.8
800SP1MN1199	254.00	254.80	0.44	0.8
800SP1MN1199	254.80	255.50	1.79	2.5
800SP1MN1199	255.50	256.00	0.94	0.9
800SP1MN1199	256.00	256.50	0.56	0.8
800SP1MN1199	256.50	257.50	0.99	1.0
800SP1MN1199	257.50	258.45	11.30	24.2
800SP1MN1199	258.65	259.60	9.36	27.3
800SP1MN1199	259.60	260.15	18.80	24.1
800SP1MN1199	260.15	261.00	1.76	4.6
800SP1MN1199	261.00	261.55	0.41	2.8
800SP1MN1199	261.55	262.50	0.66	1.6
800SP1MN1199	262.50	263.15	0.16	0.5
800SP1MN1199	263.15	264.10	1.04	2.6
800SP1MN1199	264.10	265.10	0.31	0.8
800SP1MN1199	265.10	266.00	1.58	2.7
800SP1MN1199	266.00	266.80	0.19	0.5
800SP1MN1199	266.80	267.10	2.70	2.6
800SP1MN1199	267.10	267.75	0.45	0.9
800SP1MN1199	267.75	268.25	2.21	5.1
800SP1MN1199	268.25	268.70	0.69	0.9
800SP1MN1199	268.70	269.50	0.51	1.5
800SP1MN1199	269.50	270.10	0.44	0.8
800SP1MN1199	270.10	271.15	0.84	0.7
800SP1MN1199	271.15	271.90	3.86	3.6
800SP1MN1199	271.90	272.40	0.05	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP1MN1199	272.40	273.20	0.35	2.5
800SP2MN1186	7.00	7.40	0.01	0.4
800SP2MN1186	9.80	10.50	0.02	0.8
800SP2MN1186	12.50	13.40	0.01	0.6
800SP2MN1186	13.40	14.00	0.03	0.7
800SP2MN1186	14.00	15.00	<0.01	0.5
800SP2MN1186	20.30	21.30	<0.01	0.5
800SP2MN1186	29.00	30.00	0.02	0.4
800SP2MN1186	32.40	33.00	0.02	0.4
800SP2MN1186	37.80	39.00	<0.01	0.2
800SP2MN1186	44.70	45.30	<0.01	0.4
800SP2MN1186	45.30	46.10	<0.01	0.3
800SP2MN1186	46.10	46.75	<0.01	0.2
800SP2MN1186	46.75	47.35	<0.01	0.3
800SP2MN1186	47.35	48.00	<0.01	0.5
800SP2MN1186	50.40	51.60	<0.01	0.6
800SP2MN1186	51.60	52.40	<0.01	0.5
800SP2MN1186	52.40	53.60	<0.01	0.4
800SP2MN1186	56.00	57.00	0.01	0.2
800SP2MN1186	57.00	57.90	<0.01	0.2
800SP2MN1186	57.90	58.80	0.02	0.3
800SP2MN1186	58.80	59.80	0.02	0.3
800SP2MN1186	59.80	60.80	0.02	0.3
800SP2MN1186	60.80	61.80	0.01	0.2
800SP2MN1186	63.80	64.65	<0.01	0.2
800SP2MN1186	64.65	65.85	0.02	0.3
800SP2MN1186	67.00	68.20	0.01	0.2
800SP2MN1186	70.60	71.80	<0.01	0.3
800SP2MN1186	75.40	76.40	<0.01	0.3
800SP2MN1186	76.40	77.20	<0.01	0.2
800SP2MN1186	82.00	82.70	<0.01	0.7
800SP2MN1186	83.20	83.60	<0.01	0.3
800SP2MN1186	86.00	86.70	<0.01	0.5
800SP2MN1186	90.30	91.30	<0.01	0.8
800SP2MN1186	91.30	92.30	<0.01	0.4
800SP2MN1186	94.40	95.15	<0.01	0.3
800SP2MN1186	95.15	95.75	<0.01	0.5
800SP2MN1186	95.75	96.80	<0.01	0.7
800SP2MN1186	96.80	97.80	<0.01	0.4
800SP2MN1186	97.80	98.65	<0.01	0.4
800SP2MN1186	98.65	99.25	0.03	0.6
800SP2MN1186	99.25	99.80	0.02	0.4
800SP2MN1186	99.80	100.60	0.07	0.8
800SP2MN1186	100.60	101.50	<0.01	0.7
800SP2MN1186	101.50	102.50	0.01	0.5
800SP2MN1186	102.50	103.50	0.03	0.6
800SP2MN1186	103.50	104.00	0.01	0.4
800SP2MN1186	104.00	104.55	0.60	1.1
800SP2MN1186	104.55	105.50	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1186	105.50	106.60	<0.01	0.4
800SP2MN1186	106.60	107.70	0.02	0.7
800SP2MN1186	107.70	108.70	<0.01	0.8
800SP2MN1186	108.70	109.80	0.02	0.5
800SP2MN1186	109.80	111.00	0.02	0.5
800SP2MN1186	118.00	119.20	0.01	1.4
800SP2MN1186	122.80	123.80	<0.01	1.0
800SP2MN1186	125.00	126.20	<0.01	0.5
800SP2MN1186	126.20	127.00	<0.01	0.6
800SP2MN1186	130.10	130.85	0.01	1.5
800SP2MN1186	130.85	132.00	<0.01	1.0
800SP2MN1186	132.00	133.00	<0.01	0.6
800SP2MN1186	135.40	136.60	<0.01	1.5
800SP2MN1186	136.60	137.80	<0.01	1.0
800SP2MN1186	140.20	141.40	<0.01	0.3
800SP2MN1186	141.40	142.60	<0.01	0.9
800SP2MN1186	142.60	143.80	0.02	0.9
800SP2MN1186	143.80	145.00	<0.01	0.8
800SP2MN1186	145.00	146.20	<0.01	0.4
800SP2MN1186	146.20	146.95	<0.01	0.2
800SP2MN1186	146.95	147.70	0.02	0.1
800SP2MN1186	147.70	148.60	0.18	3.2
800SP2MN1186	148.60	149.50	0.04	2.0
800SP2MN1186	149.50	150.40	0.06	2.2
800SP2MN1186	150.40	151.40	1.89	3.3
800SP2MN1186	151.40	152.45	2.18	1.8
800SP2MN1186	152.45	153.20	0.04	1.1
800SP2MN1186	153.20	154.00	0.16	0.4
800SP2MN1186	154.00	154.80	0.07	1.2
800SP2MN1186	154.80	155.30	3.47	3.3
800SP2MN1186	158.60	159.60	0.86	3.4
800SP2MN1186	159.60	160.20	0.24	2.0
800SP2MN1186	160.20	161.10	1.35	2.0
800SP2MN1186	161.10	162.10	0.58	1.0
800SP2MN1186	162.10	162.90	1.66	1.5
800SP2MN1186	162.90	164.00	0.41	1.2
800SP2MN1186	164.00	165.00	0.25	0.5
800SP2MN1186	165.00	166.10	0.20	0.6
800SP2MN1186	166.10	166.75	12.60	15.4
800SP2MN1186	166.75	167.75	5.32	11.1
800SP2MN1186	167.75	168.85	4.03	17.0
800SP2MN1186	168.85	169.70	0.21	0.9
800SP2MN1186	169.70	170.55	0.19	1.9
800SP2MN1186	170.55	171.60	0.29	1.5
800SP2MN1186	171.60	172.45	2.93	2.0
800SP2MN1186	172.45	173.45	0.15	0.6
800SP2MN1186	173.45	174.25	1.80	1.5
800SP2MN1186	174.25	175.05	1.06	1.7
800SP2MN1186	175.05	175.80	0.95	1.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1186	175.80	176.70	2.15	1.6
800SP2MN1186	176.70	177.60	0.27	0.9
800SP2MN1186	177.60	178.50	0.57	0.9
800SP2MN1186	178.50	179.00	0.54	1.7
800SP2MN1186	179.00	179.80	0.07	0.9
800SP2MN1186	179.80	180.40	1.50	1.2
800SP2MN1186	180.40	181.40	0.11	0.4
800SP2MN1186	181.40	182.05	0.72	0.9
800SP2MN1186	182.05	182.70	0.26	0.9
800SP2MN1186	182.70	183.65	5.22	5.4
800SP2MN1186	183.65	184.65	3.96	8.1
800SP2MN1186	184.65	185.55	17.40	16.0
800SP2MN1186	185.55	186.00	13.30	18.2
800SP2MN1186	186.00	186.60	8.47	5.6
800SP2MN1186	186.60	187.65	2.68	3.3
800SP2MN1186	187.65	188.30	0.37	1.0
800SP2MN1186	188.30	189.30	0.67	1.0
800SP2MN1186	189.30	190.30	0.09	2.0
800SP2MN1186	190.30	191.30	0.60	2.4
800SP2MN1186	191.30	191.90	0.19	7.3
800SP2MN1186	191.90	192.40	0.13	0.7
800SP2MN1186	192.40	193.10	0.82	1.6
800SP2MN1186	193.10	193.80	0.63	0.9
800SP2MN1186	193.80	194.30	2.48	1.2
800SP2MN1186	194.30	195.00	1.68	2.9
800SP2MN1186	195.00	195.80	0.19	0.8
800SP2MN1186	195.80	196.10	0.11	1.4
800SP2MN1186	196.10	196.90	0.11	0.8
800SP2MN1186	197.60	198.20	0.12	1.9
800SP2MN1186	198.60	199.50	0.28	1.0
800SP2MN1186	199.50	200.30	0.12	2.1
800SP2MN1186	200.30	201.40	0.05	0.7
800SP2MN1186	201.40	202.10	0.80	6.1
800SP2MN1186	202.10	202.80	0.03	2.1
800SP2MN1186	202.80	203.70	0.07	2.0
800SP2MN1186	203.70	204.50	0.62	1.3
800SP2MN1186	204.50	205.50	0.01	0.7
800SP2MN1186	205.50	206.00	0.02	0.7
800SP2MN1186	206.00	207.00	0.02	0.6
800SP2MN1186	207.00	208.00	0.02	0.2
800SP2MN1186	208.00	209.20	0.05	0.2
800SP2MN1186	209.20	210.10	0.12	0.5
800SP2MN1186	210.10	210.80	0.11	0.6
800SP2MN1186	210.80	212.20	0.05	0.5
800SP2MN1186	212.20	213.20	0.13	0.6
800SP2MN1186	213.50	214.50	0.05	0.4
800SP2MN1186	214.50	215.35	0.03	0.3
800SP2MN1186	215.35	216.00	0.06	0.5
800SP2MN1186	216.00	217.00	0.02	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1186	217.00	218.00	0.09	0.5
800SP2MN1186	218.00	219.00	0.06	1.0
800SP2MN1186	219.00	220.00	0.08	1.0
800SP2MN1186	220.00	221.00	0.02	0.9
800SP2MN1186	221.00	222.20	0.02	0.6
800SP2MN1186	222.20	223.00	0.11	0.4
800SP2MN1186	223.00	224.00	0.05	0.4
800SP2MN1186	224.00	225.00	0.07	0.3
800SP2MN1186	225.00	226.00	0.06	0.4
800SP2MN1186	226.00	226.80	<0.01	0.2
800SP2MN1186	226.80	227.20	0.05	0.8
800SP2MN1186	227.50	228.50	0.20	0.3
800SP2MN1186	228.50	229.20	0.04	0.4
800SP2MN1186	229.20	230.10	0.12	0.3
800SP2MN1186	230.10	230.60	0.02	0.2
800SP2MN1186	230.60	231.70	0.34	0.6
800SP2MN1186	231.70	232.70	0.67	1.7
800SP2MN1186	232.70	233.40	0.31	1.1
800SP2MN1186	233.40	234.10	0.74	2.0
800SP2MN1186	234.10	234.80	0.06	0.6
800SP2MN1186	234.80	235.50	0.11	0.4
800SP2MN1186	235.50	236.20	0.15	0.3
800SP2MN1186	236.20	236.90	0.04	0.2
800SP2MN1186	236.90	237.90	0.05	0.3
800SP2MN1186	237.90	238.80	0.05	0.4
800SP2MN1186	238.80	239.10	0.03	0.2
800SP2MN1186	239.10	240.10	0.07	0.4
800SP2MN1186	240.10	240.90	0.16	0.4
800SP2MN1186	240.90	241.80	1.18	0.8
800SP2MN1186	241.80	242.70	0.79	1.9
800SP2MN1186	242.70	243.70	0.16	0.3
800SP2MN1186	243.70	244.70	0.65	1.4
800SP2MN1186	244.70	245.80	1.65	2.2
800SP2MN1186	245.80	246.90	0.25	0.5
800SP2MN1186	246.90	247.50	0.20	0.2
800SP2MN1186	247.50	248.10	0.10	0.2
800SP2MN1186	248.70	249.40	0.52	0.8
800SP2MN1186	249.80	250.50	0.82	0.8
800SP2MN1186	250.50	251.50	0.17	0.3
800SP2MN1186	251.50	252.50	1.56	0.6
800SP2MN1186	252.50	253.60	0.09	0.3
800SP2MN1186	253.60	254.50	0.12	0.2
800SP2MN1186	254.50	255.50	0.08	0.2
800SP2MN1186	255.50	256.50	0.07	0.2
800SP2MN1186	256.50	257.50	0.27	0.4
800SP2MN1186	257.50	258.50	0.08	0.4
800SP2MN1186	258.50	259.00	0.09	0.2
800SP2MN1186	259.00	260.00	0.03	0.1
800SP2MN1186	260.00	260.75	0.04	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1186	260.75	261.50	0.03	0.2
800SP2MN1186	261.50	262.30	0.09	0.4
800SP2MN1186	262.30	263.00	0.11	0.4
800SP2MN1186	263.00	263.95	0.32	0.6
800SP2MN1186	263.95	264.20	0.08	0.3
800SP2MN1186	264.40	264.95	0.23	0.2
800SP2MN1186	264.95	266.20	0.16	0.2
800SP2MN1186	266.20	267.00	0.11	0.2
800SP2MN1186	267.00	268.00	0.03	0.1
800SP2MN1186	268.00	269.00	0.03	0.2
800SP2MN1186	269.00	270.00	0.04	0.2
800SP2MN1186	270.00	271.25	0.06	0.9
800SP2MN1186	271.25	272.50	0.39	0.4
800SP2MN1186	272.50	273.50	0.05	0.2
800SP2MN1186	273.50	274.40	0.04	0.2
800SP2MN1186	274.40	275.40	0.03	0.7
800SP2MN1186	275.40	276.50	0.07	0.3
800SP2MN1186	276.50	277.25	0.03	0.2
800SP2MN1186	277.25	278.15	<0.01	0.3
800SP2MN1186	278.15	279.20	0.03	0.2
800SP2MN1186	279.20	280.00	0.02	0.1
800SP2MN1186	280.00	281.00	0.02	0.3
800SP2MN1186	281.00	282.00	0.16	0.4
800SP2MN1186	282.00	283.00	0.03	0.3
800SP2MN1186	283.00	284.00	0.02	0.4
800SP2MN1186	285.00	286.00	0.03	0.3
800SP2MN1187	78.00	78.30	<0.01	0.2
800SP2MN1187	80.60	81.30	0.02	0.3
800SP2MN1187	81.30	81.80	0.01	0.6
800SP2MN1187	85.50	86.00	0.03	1.1
800SP2MN1187	101.10	101.60	<0.01	0.8
800SP2MN1187	101.60	102.60	0.01	0.8
800SP2MN1187	102.60	102.90	0.02	0.9
800SP2MN1187	102.90	103.60	0.01	0.8
800SP2MN1187	103.60	104.25	0.03	0.9
800SP2MN1187	104.25	105.20	0.02	1.1
800SP2MN1187	105.20	105.85	9.48	9.5
800SP2MN1187	105.85	106.80	0.02	0.6
800SP2MN1187	111.15	111.50	0.08	0.8
800SP2MN1187	122.90	123.20	0.95	0.9
800SP2MN1187	123.20	124.35	0.02	0.6
800SP2MN1187	124.35	124.65	0.26	0.5
800SP2MN1187	133.00	133.30	0.03	0.5
800SP2MN1187	138.40	138.75	2.17	5.8
800SP2MN1187	138.75	139.65	0.05	0.9
800SP2MN1187	139.65	139.95	0.02	0.5
800SP2MN1187	139.95	141.10	0.04	0.5
800SP2MN1187	141.10	142.30	<0.01	0.2
800SP2MN1187	142.30	143.50	0.02	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1187	143.50	144.70	0.02	0.2
800SP2MN1187	144.70	145.73	<0.01	<0.1
800SP2MN1187	146.15	147.30	<0.01	0.2
800SP2MN1187	147.30	147.80	0.01	0.6
800SP2MN1187	149.50	149.85	0.21	0.8
800SP2MN1187	150.70	151.00	0.45	3.1
800SP2MN1187	151.00	152.00	4.70	12.9
800SP2MN1187	152.00	152.55	8.75	14.2
800SP2MN1187	152.55	153.05	0.19	2.9
800SP2MN1187	153.05	154.10	10.90	20.6
800SP2MN1187	154.10	155.10	1.04	14.8
800SP2MN1187	155.10	156.10	3.08	19.5
800SP2MN1187	156.10	156.45	1.06	5.4
800SP2MN1187	156.45	157.40	0.04	1.7
800SP2MN1187	157.40	158.30	0.21	2.2
800SP2MN1187	158.30	159.30	5.03	6.4
800SP2MN1187	159.30	160.50	0.41	0.7
800SP2MN1187	160.50	161.70	0.23	0.8
800SP2MN1187	161.70	162.90	0.23	0.9
800SP2MN1187	162.90	164.10	0.16	1.4
800SP2MN1187	164.10	165.30	0.08	3.6
800SP2MN1187	165.30	166.00	0.11	3.6
800SP2MN1187	166.00	166.80	1.59	4.3
800SP2MN1187	166.80	168.00	1.78	4.2
800SP2MN1187	168.00	169.10	1.49	4.5
800SP2MN1187	169.10	170.35	1.47	6.5
800SP2MN1187	170.35	171.30	26.50	58.6
800SP2MN1187	171.30	172.50	74.10	118.0
800SP2MN1187	172.50	173.70	20.70	63.2
800SP2MN1187	173.70	174.75	8.92	16.6
800SP2MN1187	174.75	176.00	0.92	1.8
800SP2MN1187	176.00	177.20	3.39	5.4
800SP2MN1187	177.40	178.40	0.46	2.3
800SP2MN1187	178.40	179.20	10.60	19.9
800SP2MN1187	179.50	180.20	3.95	11.4
800SP2MN1187	180.20	181.20	0.09	1.0
800SP2MN1187	181.20	182.05	2.19	7.3
800SP2MN1187	182.05	182.80	3.10	3.9
800SP2MN1187	182.80	183.70	5.14	5.9
800SP2MN1187	183.70	184.95	1.28	3.8
800SP2MN1187	184.95	186.00	3.90	4.6
800SP2MN1187	186.00	187.25	0.30	1.2
800SP2MN1187	187.25	188.60	8.89	9.3
800SP2MN1187	188.60	189.75	11.90	13.3
800SP2MN1187	189.75	190.20	5.31	5.1
800SP2MN1187	190.20	191.25	2.08	3.2
800SP2MN1187	191.25	192.20	0.55	1.8
800SP2MN1187	192.60	193.00	0.70	2.8
800SP2MN1187	193.40	193.75	19.60	15.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1187	193.75	195.00	2.43	2.7
800SP2MN1187	195.00	195.90	8.42	8.3
800SP2MN1187	195.90	196.70	0.37	1.2
800SP2MN1187	196.70	197.80	0.23	2.0
800SP2MN1187	197.80	199.10	22.20	16.0
800SP2MN1187	199.10	200.10	0.73	2.7
800SP2MN1187	200.10	201.40	2.29	4.7
800SP2MN1187	201.40	202.55	4.13	8.4
800SP2MN1187	202.55	203.30	27.70	47.5
800SP2MN1187	203.30	203.80	30.10	49.5
800SP2MN1187	203.80	204.70	17.00	30.7
800SP2MN1187	204.70	205.20	4.52	12.5
800SP2MN1187	205.20	206.40	2.24	3.1
800SP2MN1187	206.40	207.00	0.22	1.1
800SP2MN1187	207.00	207.80	1.85	9.1
800SP2MN1187	207.80	209.00	0.26	1.9
800SP2MN1187	209.00	209.90	0.49	1.7
800SP2MN1187	209.90	211.15	0.43	1.2
800SP2MN1187	211.15	212.30	0.36	1.4
800SP2MN1187	212.30	213.40	0.23	0.9
800SP2MN1187	213.40	213.90	0.16	1.3
800SP2MN1187	213.90	214.50	0.28	0.7
800SP2MN1187	214.50	215.70	0.04	0.4
800SP2MN1187	215.70	216.80	0.09	0.4
800SP2MN1187	216.80	217.70	0.01	0.3
800SP2MN1187	217.70	218.70	0.13	0.3
800SP2MN1187	218.70	219.00	0.09	0.2
800SP2MN1187	219.00	220.20	0.02	0.4
800SP2MN1187	220.20	221.20	0.02	0.4
800SP2MN1187	221.20	222.40	0.04	0.3
800SP2MN1187	222.40	223.60	0.02	0.6
800SP2MN1187	223.60	224.80	0.01	1.1
800SP2MN1187	224.80	226.00	0.06	1.0
800SP2MN1187	226.00	227.00	0.11	1.5
800SP2MN1187	227.00	228.20	0.08	1.4
800SP2MN1187	228.20	229.00	0.07	1.2
800SP2MN1187	229.00	230.20	0.03	0.5
800SP2MN1187	230.20	231.40	0.01	0.2
800SP2MN1187	231.40	232.70	0.01	0.1
800SP2MN1187	232.70	233.70	0.03	0.6
800SP2MN1187	233.70	235.00	0.07	0.7
800SP2MN1187	239.90	240.90	0.04	0.7
800SP2MN1187	245.00	245.70	0.02	0.4
800SP2MN1187	245.70	246.30	0.07	0.4
800SP2MN1187	246.30	247.10	0.12	0.5
800SP2MN1187	247.10	248.00	0.01	0.3
800SP2MN1187	252.00	253.00	0.02	0.3
800SP2MN1187	253.00	254.20	<0.01	0.2
800SP2MN1187	254.20	255.00	0.04	6.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1187	255.00	255.80	<0.01	0.7
800SP2MN1187	255.80	256.30	0.03	5.3
800SP2MN1187	256.30	257.70	0.09	0.6
800SP2MN1187	257.70	258.80	0.01	0.2
800SP2MN1187	258.80	260.00	0.02	0.3
800SP2MN1187	260.00	261.00	<0.01	0.2
800SP2MN1187	261.00	262.00	<0.01	0.2
800SP2MN1187	262.00	262.30	0.02	0.9
800SP2MN1187	262.30	263.50	<0.01	0.3
800SP2MN1187	263.50	264.60	<0.01	0.3
800SP2MN1187	264.60	265.80	0.04	0.5
800SP2MN1187	265.80	267.00	<0.01	0.3
800SP2MN1187	277.00	277.80	0.01	0.2
800SP2MN1187	277.80	278.20	0.02	0.3
800SP2MN1187	278.20	278.80	<0.01	0.6
800SP2MN1191	44.45	45.10	<0.01	0.3
800SP2MN1191	48.00	48.65	<0.01	0.4
800SP2MN1191	77.30	77.80	<0.01	0.6
800SP2MN1191	79.00	79.30	<0.01	0.6
800SP2MN1191	85.70	86.20	0.01	0.8
800SP2MN1191	127.20	127.50	0.04	0.5
800SP2MN1191	131.00	132.30	0.08	0.6
800SP2MN1191	149.65	150.00	0.09	0.3
800SP2MN1191	162.80	164.00	<0.01	1.0
800SP2MN1191	171.00	171.30	0.15	0.9
800SP2MN1191	171.30	172.50	0.02	0.9
800SP2MN1191	172.50	173.00	<0.01	1.2
800SP2MN1191	173.00	173.30	0.28	2.3
800SP2MN1191	173.30	174.00	0.02	1.2
800SP2MN1191	174.00	175.00	<0.01	1.2
800SP2MN1191	175.00	175.50	0.01	0.4
800SP2MN1191	175.50	176.50	<0.01	0.4
800SP2MN1191	179.00	180.00	<0.01	0.6
800SP2MN1191	180.00	180.30	2.44	2.9
800SP2MN1191	180.30	181.50	<0.01	1.2
800SP2MN1191	181.50	182.70	<0.01	0.7
800SP2MN1191	182.70	183.90	0.10	1.1
800SP2MN1191	183.90	185.00	0.02	0.8
800SP2MN1191	185.00	185.40	<0.01	0.7
800SP2MN1191	185.40	185.85	0.16	0.8
800SP2MN1191	185.85	186.20	0.28	0.7
800SP2MN1191	186.20	186.60	0.02	1.1
800SP2MN1191	186.60	187.00	0.24	1.7
800SP2MN1191	187.00	187.90	0.13	1.2
800SP2MN1191	187.90	188.40	0.38	5.9
800SP2MN1191	188.40	189.20	1.86	5.5
800SP2MN1191	189.20	190.20	0.29	1.1
800SP2MN1191	190.20	191.10	17.00	22.3
800SP2MN1191	191.10	191.60	1.62	6.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1191	191.60	192.80	0.16	1.5
800SP2MN1191	192.80	194.00	0.50	1.5
800SP2MN1191	194.00	194.40	0.43	1.3
800SP2MN1191	194.40	194.70	6.66	7.4
800SP2MN1191	194.70	195.60	0.28	1.2
800SP2MN1191	195.60	196.00	10.80	14.5
800SP2MN1191	196.00	197.10	0.45	1.1
800SP2MN1191	197.10	197.40	2.13	3.6
800SP2MN1191	197.40	198.60	0.22	0.7
800SP2MN1191	198.60	199.00	0.14	0.7
800SP2MN1191	199.00	200.20	0.85	1.4
800SP2MN1191	200.20	200.50	6.31	13.5
800SP2MN1191	200.50	201.35	0.70	0.9
800SP2MN1191	201.35	202.05	10.90	18.8
800SP2MN1191	202.05	202.40	0.40	1.0
800SP2MN1191	202.40	203.60	1.30	4.3
800SP2MN1191	203.60	204.40	0.28	1.8
800SP2MN1191	204.40	205.30	1.11	1.4
800SP2MN1191	205.30	205.75	2.84	9.1
800SP2MN1191	205.75	206.60	1.82	4.5
800SP2MN1191	206.60	207.80	0.26	1.0
800SP2MN1191	207.80	208.90	0.10	0.2
800SP2MN1191	208.90	209.60	8.22	13.6
800SP2MN1191	209.60	210.20	21.80	38.6
800SP2MN1191	210.20	210.80	5.67	13.7
800SP2MN1191	210.80	212.00	3.34	5.6
800SP2MN1191	212.00	213.20	0.85	3.6
800SP2MN1191	213.20	214.15	0.32	2.0
800SP2MN1191	214.15	214.60	0.45	1.3
800SP2MN1191	214.60	215.70	0.19	0.8
800SP2MN1191	216.00	217.00	2.22	32.8
800SP2MN1191	217.00	217.85	1.30	11.3
800SP2MN1191	217.85	218.50	0.99	32.3
800SP2MN1191	218.50	219.40	9.14	>100
800SP2MN1191	219.40	220.20	5.72	14.1
800SP2MN1191	220.20	220.70	4.82	7.6
800SP2MN1191	220.70	221.10	1.21	9.9
800SP2MN1191	221.10	222.00	2.56	16.5
800SP2MN1191	222.00	223.00	1.88	4.2
800SP2MN1191	223.00	223.30	0.83	9.6
800SP2MN1191	223.30	224.20	0.94	11.1
800SP2MN1191	224.20	225.00	0.13	2.3
800SP2MN1191	225.00	225.70	0.03	0.9
800SP2MN1191	225.70	226.10	0.03	0.6
800SP2MN1191	226.10	227.20	0.02	0.6
800SP2MN1191	227.20	228.40	0.02	0.4
800SP2MN1191	228.40	229.60	0.03	0.5
800SP2MN1191	229.60	230.40	<0.01	0.2
800SP2MN1191	230.40	231.20	<0.01	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1191	231.50	231.80	0.01	0.5
800SP2MN1191	231.80	233.00	0.02	0.3
800SP2MN1191	233.00	234.10	<0.01	0.2
800SP2MN1191	234.10	234.60	0.02	0.3
800SP2MN1191	234.60	235.00	0.02	0.8
800SP2MN1191	235.00	236.30	0.01	0.4
800SP2MN1191	236.30	236.80	0.02	0.2
800SP2MN1191	236.80	237.30	0.02	0.2
800SP2MN1191	237.30	237.80	0.01	0.4
800SP2MN1191	237.80	239.00	0.02	0.7
800SP2MN1191	239.00	240.20	0.02	0.4
800SP2MN1191	240.20	240.70	0.05	0.5
800SP2MN1191	240.70	241.90	<0.01	0.4
800SP2MN1191	241.90	242.85	0.03	0.6
800SP2MN1191	242.85	243.80	0.06	0.4
800SP2MN1191	243.80	244.40	0.04	0.5
800SP2MN1191	244.40	245.00	0.19	0.6
800SP2MN1191	249.50	249.80	0.02	0.7
800SP2MN1191	249.80	250.40	<0.01	0.3
800SP2MN1191	250.40	250.90	<0.01	0.4
800SP2MN1191	250.90	252.00	0.01	0.2
800SP2MN1191	252.00	253.20	0.01	0.4
800SP2MN1191	253.20	254.30	0.02	0.4
800SP2MN1191	254.30	255.50	<0.01	0.4
800SP2MN1191	255.50	256.70	<0.01	0.2
800SP2MN1191	256.70	257.90	0.04	0.3
800SP2MN1191	257.90	258.90	0.02	0.3
800SP2MN1191	258.90	259.90	0.02	0.4
800SP2MN1191	259.90	260.70	0.02	0.3
800SP2MN1191	260.70	261.40	0.04	0.5
800SP2MN1191	261.40	262.60	0.01	0.3
800SP2MN1191	262.60	263.80	0.02	0.3
800SP2MN1191	263.80	264.10	0.05	1.0
800SP2MN1191	264.10	264.40	0.04	0.5
800SP2MN1191	264.40	265.40	0.01	0.2
800SP2MN1191	265.40	266.40	0.04	0.2
800SP2MN1191	266.40	267.00	0.03	<0.1
800SP2MN1191	267.00	268.00	0.02	0.3
800SP2MN1191	268.00	269.00	0.07	0.4
800SP2MN1191	269.00	270.00	0.03	0.3
800SP2MN1191	270.00	270.50	0.06	0.5
800SP2MN1191	270.50	271.30	<0.01	0.3
800SP2MN1191	271.30	272.10	<0.01	0.1
800SP2MN1191	272.10	273.30	<0.01	<0.1
800SP2MN1191	273.30	274.50	<0.01	<0.1
800SP2MN1195	3.75	4.05	<0.01	1.1
800SP2MN1195	5.00	5.50	<0.01	0.7
800SP2MN1195	7.95	8.25	<0.01	0.6
800SP2MN1195	16.80	17.15	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1195	21.70	22.00	<0.01	0.4
800SP2MN1195	25.15	25.70	0.04	0.8
800SP2MN1195	45.25	45.60	0.04	0.4
800SP2MN1195	74.00	74.30	0.01	0.5
800SP2MN1195	76.30	76.60	<0.01	0.5
800SP2MN1195	77.60	77.90	<0.01	0.5
800SP2MN1195	85.50	86.50	<0.01	0.5
800SP2MN1195	93.55	93.85	<0.01	0.5
800SP2MN1195	95.35	95.75	<0.01	0.7
800SP2MN1195	100.05	100.35	<0.01	0.3
800SP2MN1195	101.15	102.00	<0.01	0.4
800SP2MN1195	102.00	103.00	0.02	0.4
800SP2MN1195	122.35	122.90	0.01	0.3
800SP2MN1195	124.60	125.45	0.02	0.3
800SP2MN1195	129.10	129.40	0.03	0.2
800SP2MN1195	140.30	140.60	0.03	0.3
800SP2MN1195	144.00	144.50	0.06	0.9
800SP2MN1195	169.85	171.00	0.04	0.7
800SP2MN1195	171.00	172.20	0.02	0.6
800SP2MN1195	172.20	172.55	0.03	0.7
800SP2MN1195	172.55	173.70	0.02	0.8
800SP2MN1195	173.70	174.80	0.02	0.6
800SP2MN1195	174.80	175.65	0.05	0.4
800SP2MN1195	175.65	176.80	0.05	0.3
800SP2MN1195	176.80	177.70	0.02	0.5
800SP2MN1195	177.70	178.10	0.22	2.6
800SP2MN1195	178.10	179.10	5.47	8.8
800SP2MN1195	179.10	180.00	0.81	8.8
800SP2MN1195	180.00	180.90	1.02	1.2
800SP2MN1195	180.90	181.30	3.15	2.2
800SP2MN1195	181.30	182.00	0.33	0.8
800SP2MN1195	182.00	182.60	0.60	1.0
800SP2MN1195	182.60	183.15	2.78	3.8
800SP2MN1195	183.15	184.30	1.10	2.5
800SP2MN1195	184.30	184.85	1.20	3.3
800SP2MN1195	184.85	185.70	1.41	2.6
800SP2MN1195	185.70	186.60	2.28	3.1
800SP2MN1195	186.60	187.20	1.11	1.0
800SP2MN1195	187.20	188.30	1.14	1.3
800SP2MN1195	188.30	189.40	3.30	2.3
800SP2MN1195	189.40	190.00	1.95	2.0
800SP2MN1195	190.00	190.40	0.56	0.5
800SP2MN1195	190.40	190.75	1.09	0.8
800SP2MN1195	190.75	191.90	0.70	0.7
800SP2MN1195	191.90	193.00	0.11	0.7
800SP2MN1195	193.00	194.00	0.66	2.1
800SP2MN1195	194.00	195.00	0.29	0.6
800SP2MN1195	195.00	196.00	0.46	0.8
800SP2MN1195	196.00	197.20	0.31	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1195	197.20	198.40	0.91	0.6
800SP2MN1195	198.40	198.75	0.58	0.8
800SP2MN1195	198.75	199.60	1.83	1.0
800SP2MN1195	199.60	200.20	1.21	19.0
800SP2MN1195	200.20	200.85	2.54	3.1
800SP2MN1195	200.85	201.35	0.17	1.8
800SP2MN1195	201.35	201.70	0.38	1.8
800SP2MN1195	201.70	202.65	4.08	5.0
800SP2MN1195	202.65	203.00	0.16	1.6
800SP2MN1195	203.00	204.00	1.31	2.0
800SP2MN1195	204.00	205.20	0.66	7.8
800SP2MN1195	205.20	206.30	2.10	5.7
800SP2MN1195	206.30	207.10	0.19	1.4
800SP2MN1195	207.10	208.30	0.36	3.7
800SP2MN1195	208.30	209.45	0.38	2.8
800SP2MN1195	209.45	210.65	0.40	1.8
800SP2MN1195	210.65	211.65	1.40	3.3
800SP2MN1195	211.65	212.75	0.45	2.3
800SP2MN1195	212.75	213.95	0.61	0.6
800SP2MN1195	213.95	215.15	0.85	2.1
800SP2MN1195	215.15	215.90	0.27	1.1
800SP2MN1195	215.90	216.65	0.73	3.9
800SP2MN1195	216.65	217.10	0.61	8.0
800SP2MN1195	217.10	218.00	0.55	2.6
800SP2MN1195	218.00	218.80	0.65	2.2
800SP2MN1195	218.80	219.75	0.38	18.4
800SP2MN1195	219.75	220.80	1.54	4.9
800SP2MN1195	220.80	222.00	0.05	0.8
800SP2MN1195	222.00	222.80	0.06	0.6
800SP2MN1195	222.80	223.40	0.24	7.6
800SP2MN1195	223.40	224.60	0.28	2.6
800SP2MN1195	224.60	225.20	0.56	1.5
800SP2MN1195	225.20	225.70	0.03	0.3
800SP2MN1195	225.70	226.40	0.17	0.4
800SP2MN1195	226.40	227.50	0.34	0.4
800SP2MN1195	227.50	228.70	0.29	0.6
800SP2MN1195	228.70	229.80	0.06	0.3
800SP2MN1195	229.80	231.00	0.04	0.2
800SP2MN1195	231.00	232.20	0.11	0.5
800SP2MN1195	232.20	233.40	0.07	0.8
800SP2MN1195	233.40	234.25	0.08	0.7
800SP2MN1195	234.25	234.80	0.08	0.8
800SP2MN1195	234.80	236.00	0.06	0.5
800SP2MN1195	236.00	237.10	0.08	0.4
800SP2MN1195	237.10	237.65	0.21	0.5
800SP2MN1195	237.65	238.50	0.09	0.4
800SP2MN1195	238.50	239.10	0.27	0.4
800SP2MN1195	239.10	239.70	0.04	0.3
800SP2MN1195	239.70	240.90	0.06	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1195	240.90	241.70	0.05	0.2
800SP2MN1195	241.70	242.50	0.04	0.3
800SP2MN1195	242.50	243.00	0.43	0.6
800SP2MN1195	243.00	244.20	0.03	0.4
800SP2MN1195	244.20	245.40	0.08	0.4
800SP2MN1195	245.40	246.20	0.07	0.3
800SP2MN1195	246.20	247.20	0.02	0.2
800SP2MN1195	247.20	248.30	0.05	0.3
800SP2MN1195	248.30	248.95	0.08	1.4
800SP2MN1195	248.95	249.55	0.11	0.4
800SP2MN1195	249.55	250.25	0.01	0.6
800SP2MN1195	250.25	251.00	0.07	0.6
800SP2MN1195	251.00	252.20	0.03	0.9
800SP2MN1195	252.20	253.30	0.02	0.5
800SP2MN1195	253.30	254.20	0.01	1.0
800SP2MN1195	254.20	255.00	0.06	0.6
800SP2MN1195	255.00	255.90	0.09	0.8
800SP2MN1195	255.90	257.10	0.06	0.5
800SP2MN1195	257.10	257.70	0.02	0.4
800SP2MN1195	257.70	258.70	0.05	0.5
800SP2MN1195	258.70	259.60	0.20	0.7
800SP2MN1195	259.60	260.40	0.41	1.5
800SP2MN1195	260.40	261.00	1.50	2.0
800SP2MN1195	261.00	262.20	0.03	0.6
800SP2MN1195	262.20	263.15	0.04	0.2
800SP2MN1195	263.15	263.70	0.07	0.4
800SP2MN1195	263.70	264.80	0.02	0.4
800SP2MN1195	264.80	266.00	0.09	0.5
800SP2MN1195	266.00	267.20	0.12	0.4
800SP2MN1195	267.20	268.40	0.03	0.6
800SP2MN1195	268.40	269.10	<0.01	0.5
800SP2MN1195	269.10	270.30	<0.01	0.4
800SP2MN1195	270.30	271.50	0.05	0.5
800SP2MN1195	271.50	272.20	0.01	0.4
800SP2MN1195	272.20	273.00	0.01	0.1
800SP2MN1195	273.00	274.20	0.04	0.3
800SP2MN1195	274.80	275.70	0.02	0.3
800SP2MN1195	276.60	277.50	<0.01	0.4
800SP2MN1195	283.45	284.00	<0.01	0.7
800SP2MN1195	284.00	285.00	0.10	0.5
800SP2MN1195	285.00	286.00	<0.01	0.2
800SP2MN1195	286.00	287.00	<0.01	0.3
800SP2MN1195	287.00	287.90	0.01	0.3
800SP2MN1195	287.90	288.40	0.17	0.8
800SP2MN1195	288.40	289.60	0.03	0.6
800SP2MN1195	289.60	290.80	0.05	1.0
800SP2MN1195	290.80	292.00	<0.01	0.5
800SP2MN1195	292.00	293.20	0.02	0.8
800SP2MN1195	294.70	295.00	0.02	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP2MN1195	295.50	296.00	0.03	1.2
800SP2MN1195	296.40	296.75	0.01	0.6
800SP2MN1195	298.15	298.80	0.01	0.7
800SP2MN1195	299.85	300.15	<0.01	0.6
800SP3MN1135	3.00	4.00	<0.01	1.9
800SP3MN1135	8.00	9.00	<0.01	4.4
800SP3MN1135	9.00	10.00	<0.01	1.2
800SP3MN1135	10.00	11.00	<0.01	1.2
800SP3MN1135	13.70	14.80	<0.01	1.4
800SP3MN1135	17.50	18.50	0.02	1.2
800SP3MN1135	18.50	19.30	<0.01	0.8
800SP3MN1135	19.30	20.10	<0.01	1.0
800SP3MN1135	22.80	23.80	0.01	0.4
800SP3MN1135	25.20	25.65	<0.01	0.8
800SP3MN1135	32.60	33.60	0.01	1.5
800SP3MN1135	35.80	36.40	<0.01	0.9
800SP3MN1135	38.20	39.20	0.01	1.2
800SP3MN1135	40.70	41.45	0.01	2.3
800SP3MN1135	42.20	42.60	<0.01	0.8
800SP3MN1135	43.50	44.10	0.03	0.4
800SP3MN1135	44.10	45.00	<0.01	1.5
800SP3MN1135	45.00	45.70	0.03	2.4
800SP3MN1135	45.70	46.90	0.02	1.1
800SP3MN1135	46.90	48.00	0.01	1.1
800SP3MN1135	48.00	49.10	0.02	2.7
800SP3MN1135	55.40	56.40	0.02	1.6
800SP3MN1135	56.40	57.00	0.03	1.4
800SP3MN1135	57.00	57.70	0.03	0.6
800SP3MN1135	57.70	58.50	50.20	29.8
800SP3MN1135	58.50	59.30	35.20	21.2
800SP3MN1135	59.30	60.25	9.19	4.9
800SP3MN1135	60.25	60.70	0.11	2.3
800SP3MN1135	60.70	61.15	9.02	7.7
800SP3MN1135	61.15	62.00	0.05	4.1
800SP3MN1135	62.00	63.00	0.03	2.0
800SP3MN1135	65.40	65.80	0.02	1.3
800SP3MN1135	69.20	70.40	0.01	1.3
800SP3MN1135	72.30	72.70	0.03	1.4
800SP3MN1135	75.10	76.30	<0.01	1.1
800SP3MN1135	77.50	78.50	<0.01	2.2
800SP3MN1135	79.50	80.50	0.01	2.0
800SP3MN1135	81.40	81.80	0.10	2.0
800SP3MN1135	90.20	91.40	0.03	1.3
800SP3MN1135	91.40	92.60	0.03	1.7
800SP3MN1135	96.20	97.40	0.02	0.8
800SP3MN1135	97.40	98.60	0.03	1.4
800SP3MN1135	98.60	99.60	0.06	1.5
800SP3MN1135	99.60	100.00	0.02	0.8
800SP3MN1135	100.00	101.00	0.04	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1135	101.00	101.60	1.33	3.2
800SP3MN1135	101.60	102.25	0.04	1.5
800SP3MN1135	102.25	103.15	0.03	1.7
800SP3MN1135	107.00	107.40	0.06	1.5
800SP3MN1135	108.10	108.50	0.02	1.6
800SP3MN1135	112.10	113.10	0.02	1.6
800SP3MN1135	115.50	115.90	0.02	1.2
800SP3MN1135	119.50	119.90	0.09	0.8
800SP3MN1135	119.90	121.10	0.01	0.9
800SP3MN1135	122.30	122.70	0.01	0.6
800SP3MN1135	122.70	123.90	0.02	1.1
800SP3MN1135	123.90	124.40	0.02	1.2
800SP3MN1135	124.40	125.30	0.03	0.9
800SP3MN1135	130.90	131.90	0.02	1.0
800SP3MN1135	131.90	132.90	0.01	0.9
800SP3MN1135	136.20	136.85	0.68	4.8
800SP3MN1135	136.85	137.50	0.08	1.9
800SP3MN1135	137.50	137.90	0.19	1.6
800SP3MN1135	137.90	139.10	0.04	1.6
800SP3MN1135	139.10	140.30	0.04	1.2
800SP3MN1135	142.70	143.90	0.02	1.2
800SP3MN1135	145.45	146.45	0.07	1.5
800SP3MN1135	146.45	146.90	0.34	2.1
800SP3MN1135	150.50	151.70	0.12	1.3
800SP3MN1135	151.70	152.70	0.03	0.8
800SP3MN1135	154.70	155.50	<0.01	0.3
800SP3MN1135	157.10	158.30	0.02	0.2
800SP3MN1135	159.50	160.25	0.56	0.9
800SP3MN1135	165.20	165.60	0.21	0.4
800SP3MN1135	165.60	166.50	<0.01	0.3
800SP3MN1135	169.40	169.90	6.02	5.4
800SP3MN1135	169.90	170.90	0.07	1.7
800SP3MN1135	170.90	171.60	0.36	1.1
800SP3MN1135	171.60	172.75	0.01	0.9
800SP3MN1135	172.75	173.25	25.30	19.2
800SP3MN1135	173.25	173.55	4.03	7.4
800SP3MN1135	173.55	174.30	7.94	9.7
800SP3MN1135	174.30	174.70	15.30	24.7
800SP3MN1135	177.20	178.10	4.30	11.6
800SP3MN1135	178.10	178.70	0.22	1.1
800SP3MN1135	185.90	186.60	2.95	3.4
800SP3MN1135	186.60	187.50	0.11	1.2
800SP3MN1135	187.50	188.20	5.12	2.7
800SP3MN1135	188.20	188.65	0.17	0.7
800SP3MN1135	188.65	189.30	6.43	6.8
800SP3MN1135	189.30	190.00	3.50	5.5
800SP3MN1135	190.00	191.00	0.60	2.1
800SP3MN1135	191.00	191.55	0.18	2.7
800SP3MN1135	191.55	192.30	2.74	3.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1135	192.30	193.10	1.36	1.6
800SP3MN1135	193.10	194.00	0.61	2.7
800SP3MN1135	194.00	194.65	1.25	3.2
800SP3MN1135	194.65	195.30	12.70	145.0
800SP3MN1135	195.30	196.35	0.21	3.8
800SP3MN1135	196.35	197.00	0.13	4.2
800SP3MN1135	197.00	197.65	0.34	4.8
800SP3MN1135	197.65	198.25	0.40	5.5
800SP3MN1135	198.25	198.85	1.48	18.5
800SP3MN1135	198.85	199.50	11.00	223.0
800SP3MN1135	199.50	200.15	9.66	113.0
800SP3MN1135	200.15	201.35	0.64	3.5
800SP3MN1135	201.35	202.10	1.35	2.4
800SP3MN1135	202.10	202.95	0.16	4.9
800SP3MN1135	202.95	204.15	0.34	4.0
800SP3MN1135	204.15	205.10	3.64	38.0
800SP3MN1135	205.40	206.15	2.45	14.8
800SP3MN1135	206.15	206.90	5.67	12.9
800SP3MN1135	206.90	208.00	13.30	67.9
800SP3MN1135	208.00	208.50	0.58	4.5
800SP3MN1135	208.50	209.70	0.28	1.8
800SP3MN1135	209.70	210.70	0.08	1.4
800SP3MN1135	210.70	211.10	4.19	7.4
800SP3MN1135	211.10	211.90	2.20	11.2
800SP3MN1135	211.90	212.90	0.20	1.9
800SP3MN1135	212.90	214.00	0.76	3.3
800SP3MN1135	214.00	215.00	0.23	1.0
800SP3MN1135	215.00	216.00	1.87	2.7
800SP3MN1135	216.00	217.00	0.21	7.4
800SP3MN1135	217.00	218.00	1.25	3.8
800SP3MN1135	218.00	219.10	0.04	7.0
800SP3MN1135	219.10	220.30	0.05	1.3
800SP3MN1135	220.30	221.35	0.27	1.5
800SP3MN1135	221.35	222.40	0.03	0.7
800SP3MN1135	222.40	223.20	0.87	1.3
800SP3MN1135	223.20	224.20	0.10	0.9
800SP3MN1135	224.20	225.40	0.13	0.8
800SP3MN1135	225.40	226.40	0.02	1.4
800SP3MN1135	226.40	227.30	0.03	9.4
800SP3MN1135	227.30	228.00	<0.01	1.1
800SP3MN1135	228.00	229.10	0.06	0.9
800SP3MN1135	229.10	230.20	0.04	0.9
800SP3MN1135	230.20	231.20	13.50	13.0
800SP3MN1135	231.20	232.25	3.42	4.6
800SP3MN1135	232.25	233.00	0.10	0.8
800SP3MN1135	233.00	233.60	0.11	0.6
800SP3MN1135	233.60	234.50	1.38	2.4
800SP3MN1135	234.50	235.50	4.00	5.6
800SP3MN1135	235.50	236.00	0.03	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1135	236.00	237.00	0.02	0.7
800SP3MN1135	237.00	238.00	0.23	1.4
800SP3MN1135	238.00	239.00	0.16	1.2
800SP3MN1135	239.00	240.00	0.06	0.5
800SP3MN1135	240.00	241.00	0.05	0.7
800SP3MN1135	241.00	242.00	0.06	0.7
800SP3MN1135	242.00	243.00	0.05	1.0
800SP3MN1135	243.00	243.70	0.03	0.7
800SP3MN1135	243.70	244.40	0.16	1.2
800SP3MN1135	244.40	245.35	0.20	1.2
800SP3MN1135	245.35	246.30	4.39	4.5
800SP3MN1135	246.40	247.20	1.76	1.9
800SP3MN1135	247.20	248.00	0.28	1.4
800SP3MN1135	248.00	248.80	0.02	0.7
800SP3MN1135	248.80	249.90	0.23	1.0
800SP3MN1135	249.90	251.00	0.07	0.7
800SP3MN1135	251.00	252.00	0.05	0.7
800SP3MN1135	252.00	253.00	0.04	0.7
800SP3MN1135	253.00	254.00	0.02	0.8
800SP3MN1135	254.00	255.00	0.01	0.7
800SP3MN1135	255.00	256.00	0.01	0.8
800SP3MN1135	256.00	256.80	0.01	0.8
800SP3MN1135	256.80	257.40	0.06	0.9
800SP3MN1135	257.40	258.00	15.60	12.5
800SP3MN1135	258.00	259.00	36.10	21.3
800SP3MN1135	259.00	260.00	0.32	1.7
800SP3MN1135	260.00	260.90	0.48	1.9
800SP3MN1135	260.90	261.80	2.24	10.7
800SP3MN1135	261.80	262.50	14.20	17.1
800SP3MN1135	262.50	263.30	2.78	4.5
800SP3MN1135	263.30	264.10	0.03	0.8
800SP3MN1135	264.10	265.00	6.83	8.4
800SP3MN1135	265.00	266.10	8.10	18.4
800SP3MN1135	266.10	266.90	9.86	28.8
800SP3MN1135	266.90	267.70	120.00	79.9
800SP3MN1135	267.70	268.30	22.30	16.7
800SP3MN1135	268.30	269.60	0.35	3.1
800SP3MN1135	269.60	270.50	0.89	3.6
800SP3MN1135	270.50	271.50	0.47	2.6
800SP3MN1135	271.50	272.00	0.07	1.7
800SP3MN1135	272.00	273.00	0.06	1.9
800SP3MN1135	273.00	274.10	0.37	2.2
800SP3MN1135	274.10	275.20	0.03	2.2
800SP3MN1135	275.20	276.10	0.06	1.9
800SP3MN1135	276.10	277.00	0.05	6.7
800SP3MN1135	277.00	278.00	0.07	5.9
800SP3MN1135	278.00	279.00	0.03	1.8
800SP3MN1135	279.00	280.00	0.04	3.9
800SP3MN1135	280.00	280.85	0.04	2.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1135	280.85	281.50	0.02	1.2
800SP3MN1135	281.50	282.50	0.04	1.8
800SP3MN1135	282.50	283.50	0.01	1.1
800SP3MN1135	283.50	284.00	0.02	2.2
800SP3MN1135	284.00	285.00	<0.01	0.6
800SP3MN1135	285.00	286.00	0.01	0.7
800SP3MN1135	286.00	287.00	0.01	0.7
800SP3MN1135	287.00	288.00	0.03	3.4
800SP3MN1135	288.00	288.80	0.04	1.9
800SP3MN1135	288.80	289.50	0.01	0.6
800SP3MN1135	289.50	290.25	<0.01	0.5
800SP3MN1135	290.25	291.10	0.05	2.4
800SP3MN1135	291.10	292.50	0.03	0.6
800SP3MN1135	292.50	293.25	0.01	0.9
800SP3MN1135	293.25	294.20	<0.01	0.3
800SP3MN1135	294.20	295.40	0.02	0.3
800SP3MN1135	295.40	296.00	0.02	0.3
800SP3MN1135	296.00	297.20	<0.01	0.2
800SP3MN1135	297.20	298.40	0.02	0.3
800SP3MN1135	300.50	301.00	0.02	0.4
800SP3MN1135	302.90	303.50	<0.01	0.2
800SP3MN1135	303.50	304.40	0.05	0.3
800SP3MN1135	304.40	305.40	0.03	0.4
800SP3MN1135	305.40	306.40	0.01	0.3
800SP3MN1135	306.40	307.40	0.01	0.2
800SP3MN1135	307.40	308.40	0.02	0.2
800SP3MN1135	310.40	311.40	0.01	0.2
800SP3MN1135	311.40	312.60	0.02	0.2
800SP3MN1135	312.60	313.80	0.02	0.2
800SP3MN1135	313.80	315.00	0.02	0.3
800SP3MN1135	315.00	315.80	0.05	0.3
800SP3MN1135	315.80	316.60	0.02	0.2
800SP3MN1135	316.60	317.30	0.02	0.2
800SP3MN1135	317.30	318.20	0.04	5.7
800SP3MN1135	318.20	319.20	0.01	0.9
800SP3MN1135	319.20	320.00	<0.01	0.4
800SP3MN1135	320.00	321.00	<0.01	0.2
800SP3MN1135	321.00	322.00	<0.01	0.2
800SP3MN1135	322.00	323.00	0.02	0.2
800SP3MN1135	323.00	324.00	<0.01	0.2
800SP3MN1135	324.00	325.20	0.04	0.4
800SP3MN1188	25.80	27.00	<0.01	0.9
800SP3MN1188	27.00	28.10	<0.01	1.1
800SP3MN1188	28.10	29.20	<0.01	1.1
800SP3MN1188	31.00	31.80	<0.01	0.7
800SP3MN1188	35.20	36.40	<0.01	0.4
800SP3MN1188	39.10	39.40	<0.01	0.8
800SP3MN1188	53.90	54.20	<0.01	1.8
800SP3MN1188	57.20	57.80	<0.01	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1188	58.70	59.70	0.03	1.4
800SP3MN1188	61.60	62.60	<0.01	1.2
800SP3MN1188	75.70	76.00	<0.01	0.8
800SP3MN1188	80.20	80.50	0.04	0.5
800SP3MN1188	81.50	82.00	0.04	1.6
800SP3MN1188	92.60	93.00	<0.01	0.6
800SP3MN1188	102.70	103.00	<0.01	0.7
800SP3MN1188	104.20	104.60	<0.01	0.7
800SP3MN1188	110.50	110.80	0.01	1.6
800SP3MN1188	111.20	111.50	<0.01	0.2
800SP3MN1188	115.40	115.70	0.02	2.3
800SP3MN1188	117.40	118.10	0.02	1.0
800SP3MN1188	118.10	119.30	0.01	0.8
800SP3MN1188	119.30	119.80	2.18	7.5
800SP3MN1188	119.80	120.30	13.90	11.3
800SP3MN1188	120.30	121.50	0.02	1.1
800SP3MN1188	124.80	126.00	<0.01	1.2
800SP3MN1188	126.00	126.80	0.03	0.7
800SP3MN1188	126.80	127.50	0.10	1.7
800SP3MN1188	127.70	128.90	0.02	0.9
800SP3MN1188	131.80	133.10	0.09	7.9
800SP3MN1188	135.20	135.70	0.02	1.0
800SP3MN1188	137.60	137.90	0.03	0.9
800SP3MN1188	143.30	143.80	0.02	1.1
800SP3MN1188	149.10	150.10	0.02	1.1
800SP3MN1188	152.10	152.60	0.02	0.7
800SP3MN1188	154.10	154.40	0.02	0.4
800SP3MN1188	156.10	156.60	0.03	0.4
800SP3MN1188	158.20	158.50	0.06	0.4
800SP3MN1188	161.70	162.70	0.08	0.6
800SP3MN1188	162.70	163.80	0.01	0.5
800SP3MN1188	164.80	165.10	<0.01	0.6
800SP3MN1188	178.60	178.90	0.08	0.2
800SP3MN1188	182.70	183.00	0.02	0.2
800SP3MN1188	186.00	186.70	0.03	0.2
800SP3MN1188	186.70	187.90	0.03	0.5
800SP3MN1188	187.90	189.10	0.03	0.6
800SP3MN1188	189.10	190.20	0.02	0.9
800SP3MN1188	190.20	190.50	0.32	0.9
800SP3MN1188	190.50	191.40	0.02	0.8
800SP3MN1188	191.40	192.00	1.34	1.8
800SP3MN1188	192.00	193.10	0.76	3.9
800SP3MN1188	193.10	194.20	2.30	3.0
800SP3MN1188	194.20	195.10	0.41	1.4
800SP3MN1188	195.10	195.80	0.02	1.1
800SP3MN1188	195.80	196.70	1.83	5.8
800SP3MN1188	196.70	198.10	0.07	1.2
800SP3MN1188	198.10	198.90	2.54	8.1
800SP3MN1188	198.90	199.90	8.58	39.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1188	199.90	200.90	16.00	42.0
800SP3MN1188	200.90	201.80	1.49	2.1
800SP3MN1188	201.80	202.90	0.60	2.8
800SP3MN1188	202.90	203.60	0.46	1.2
800SP3MN1188	203.60	204.50	0.46	1.5
800SP3MN1188	204.50	205.70	0.11	1.0
800SP3MN1188	205.70	206.50	0.05	1.1
800SP3MN1188	206.50	207.50	6.48	11.5
800SP3MN1188	207.50	208.40	1.36	7.2
800SP3MN1188	208.40	209.40	28.30	130.0
800SP3MN1188	209.40	210.40	36.90	97.2
800SP3MN1188	210.40	211.30	5.95	8.3
800SP3MN1188	211.30	211.80	0.17	1.9
800SP3MN1188	212.30	212.80	0.02	2.4
800SP3MN1188	212.80	213.40	0.06	1.0
800SP3MN1188	213.40	214.10	0.12	10.3
800SP3MN1188	214.10	215.10	0.13	1.0
800SP3MN1188	215.10	216.10	0.05	0.6
800SP3MN1188	216.10	216.90	1.05	1.3
800SP3MN1188	216.90	218.00	0.64	1.6
800SP3MN1188	218.00	219.30	0.11	0.7
800SP3MN1188	219.30	219.90	0.04	0.6
800SP3MN1188	219.90	220.90	0.28	1.3
800SP3MN1188	220.90	221.80	0.05	1.1
800SP3MN1188	221.80	222.80	0.08	3.5
800SP3MN1188	222.80	223.40	<0.01	0.9
800SP3MN1188	223.40	224.00	0.75	1.4
800SP3MN1188	224.00	225.20	0.02	0.5
800SP3MN1188	225.20	226.50	0.01	0.3
800SP3MN1188	231.60	232.80	0.19	1.9
800SP3MN1188	232.80	233.20	0.63	2.5
800SP3MN1188	233.20	234.30	0.68	1.8
800SP3MN1188	234.30	235.20	0.23	0.8
800SP3MN1188	235.20	236.30	0.08	0.9
800SP3MN1188	236.30	237.30	0.20	0.8
800SP3MN1188	237.30	238.40	0.10	0.6
800SP3MN1188	238.40	239.40	0.25	0.6
800SP3MN1188	239.40	240.40	0.08	0.9
800SP3MN1188	240.40	241.30	3.56	7.7
800SP3MN1188	241.30	242.20	2.39	5.0
800SP3MN1188	242.20	243.20	11.80	72.4
800SP3MN1188	243.20	244.20	1.77	5.4
800SP3MN1188	244.20	245.20	5.54	7.5
800SP3MN1188	245.20	246.30	0.32	1.2
800SP3MN1188	246.30	247.30	0.64	1.9
800SP3MN1188	247.30	248.10	0.07	0.9
800SP3MN1188	248.60	249.50	0.20	1.3
800SP3MN1188	249.50	250.00	0.15	1.8
800SP3MN1188	250.30	250.90	1.76	4.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1188	250.90	251.70	6.63	9.1
800SP3MN1188	251.70	252.70	0.08	2.4
800SP3MN1188	252.70	253.70	0.04	0.7
800SP3MN1188	253.70	254.60	0.05	0.5
800SP3MN1188	254.60	255.60	0.06	0.6
800SP3MN1188	255.60	256.60	0.06	0.6
800SP3MN1188	256.60	257.70	0.03	0.5
800SP3MN1188	257.70	258.80	0.02	0.3
800SP3MN1188	258.80	260.00	<0.01	0.4
800SP3MN1188	260.00	261.00	0.03	0.4
800SP3MN1188	261.00	261.90	<0.01	0.3
800SP3MN1188	261.90	262.40	0.01	0.4
800SP3MN1188	262.90	263.10	0.06	0.5
800SP3MN1188	263.40	264.20	0.04	0.9
800SP3MN1188	265.80	266.40	0.06	0.6
800SP3MN1188	268.20	268.50	0.07	0.5
800SP3MN1188	273.00	273.50	<0.01	0.2
800SP3MN1188	280.00	280.50	0.04	0.4
800SP3MN1188	280.70	281.80	0.02	0.3
800SP3MN1188	286.20	286.70	0.17	0.7
800SP3MN1188	288.30	288.60	0.06	0.8
800SP3MN1196	23.50	23.90	0.18	0.2
800SP3MN1196	83.40	83.70	0.04	0.7
800SP3MN1196	104.30	104.60	0.02	0.5
800SP3MN1196	113.00	114.20	0.02	0.4
800SP3MN1196	114.20	114.70	0.35	0.9
800SP3MN1196	121.50	122.20	0.03	1.0
800SP3MN1196	125.90	126.30	0.01	0.3
800SP3MN1196	141.80	142.80	<0.01	0.5
800SP3MN1196	147.10	147.50	<0.01	0.5
800SP3MN1196	153.80	154.20	0.04	0.6
800SP3MN1196	166.10	167.30	0.04	1.6
800SP3MN1196	167.30	167.80	1.42	4.5
800SP3MN1196	167.80	169.00	0.10	2.0
800SP3MN1196	174.00	175.10	0.12	1.7
800SP3MN1196	175.10	176.40	0.05	1.4
800SP3MN1196	176.40	177.50	0.08	1.0
800SP3MN1196	177.50	177.90	1.40	2.9
800SP3MN1196	179.70	180.20	1.18	2.4
800SP3MN1196	183.60	184.30	0.96	2.1
800SP3MN1196	184.30	184.80	7.79	13.7
800SP3MN1196	184.80	185.40	195.00	165.0
800SP3MN1196	185.40	185.70	17.50	20.0
800SP3MN1196	185.70	186.80	17.20	18.4
800SP3MN1196	186.80	187.70	0.58	1.3
800SP3MN1196	187.70	188.70	0.40	1.8
800SP3MN1196	189.00	189.50	1.55	6.1
800SP3MN1196	189.50	190.00	3.62	5.0
800SP3MN1196	190.00	190.40	1.32	7.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1196	190.40	191.10	2.95	5.4
800SP3MN1196	191.10	192.00	0.16	1.5
800SP3MN1196	192.00	193.00	0.02	1.0
800SP3MN1196	193.00	194.00	0.01	1.2
800SP3MN1196	194.00	195.00	0.21	3.2
800SP3MN1196	195.00	196.00	0.04	5.5
800SP3MN1196	196.00	197.00	0.02	3.4
800SP3MN1196	197.00	198.00	<0.01	3.3
800SP3MN1196	198.00	199.00	0.01	2.3
800SP3MN1196	199.00	200.00	<0.01	1.9
800SP3MN1196	200.00	201.00	0.01	3.6
800SP3MN1196	201.00	202.00	<0.01	1.1
800SP3MN1196	202.00	203.00	0.01	2.1
800SP3MN1196	203.00	204.00	<0.01	1.8
800SP3MN1196	204.00	205.00	<0.01	2.7
800SP3MN1196	205.00	206.00	<0.01	1.4
800SP3MN1196	206.00	207.00	<0.01	1.1
800SP3MN1196	207.00	208.00	<0.01	1.4
800SP3MN1196	208.00	209.00	<0.01	1.7
800SP3MN1196	209.00	209.50	0.04	3.7
800SP3MN1196	209.50	209.90	0.07	1.4
800SP3MN1196	209.90	210.40	9.23	5.6
800SP3MN1196	210.40	211.40	0.22	1.6
800SP3MN1196	211.40	211.80	0.04	1.0
800SP3MN1196	212.00	213.00	0.02	1.3
800SP3MN1196	213.00	214.00	0.02	1.1
800SP3MN1196	214.00	215.30	0.01	2.0
800SP3MN1196	215.30	215.60	0.96	3.8
800SP3MN1196	215.60	216.30	0.06	2.2
800SP3MN1196	216.30	216.90	0.02	1.8
800SP3MN1196	216.90	217.50	0.04	5.0
800SP3MN1196	217.50	217.90	0.81	3.6
800SP3MN1196	217.90	219.00	0.03	2.3
800SP3MN1196	220.00	220.40	0.34	25.5
800SP3MN1196	220.40	221.00	1.34	23.7
800SP3MN1196	221.00	221.60	2.83	12.4
800SP3MN1196	221.60	222.00	0.12	1.3
800SP3MN1196	222.00	223.00	0.09	1.1
800SP3MN1196	223.00	224.00	0.06	1.2
800SP3MN1196	AWAITING RESULT 224-316			
800SP3MN1198	58.60	59.05	0.01	0.4
800SP3MN1198	61.45	61.75	0.13	21.7
800SP3MN1198	66.20	66.50	<0.01	0.8
800SP3MN1198	66.50	66.95	<0.01	0.4
800SP3MN1198	66.95	67.25	0.04	0.4
800SP3MN1198	67.25	68.10	<0.01	0.3
800SP3MN1198	68.10	68.85	<0.01	0.3
800SP3MN1198	68.85	70.00	<0.01	0.2
800SP3MN1198	93.00	94.05	<0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1198	171.60	171.90	0.11	84.9
800SP3MN1198	183.20	184.40	<0.01	0.5
800SP3MN1198	184.40	185.60	0.01	0.8
800SP3MN1198	185.60	186.80	0.01	1.0
800SP3MN1198	186.80	188.00	<0.01	0.6
800SP3MN1198	188.00	189.20	<0.01	0.5
800SP3MN1198	189.20	190.40	0.04	0.8
800SP3MN1198	190.40	191.00	0.04	0.4
800SP3MN1198	191.00	191.55	0.02	0.4
800SP3MN1198	191.55	192.35	0.32	3.1
800SP3MN1198	192.35	193.50	2.12	3.5
800SP3MN1198	193.50	194.70	0.38	1.9
800SP3MN1198	194.70	195.90	1.24	1.4
800SP3MN1198	195.90	197.10	2.36	1.8
800SP3MN1198	197.10	198.10	0.71	1.2
800SP3MN1198	198.10	198.60	0.82	1.5
800SP3MN1198	198.60	199.00	4.27	4.3
800SP3MN1198	199.00	199.60	0.19	1.1
800SP3MN1198	199.60	200.80	2.74	4.6
800SP3MN1198	200.80	201.15	0.09	0.8
800SP3MN1198	201.15	201.95	0.11	1.0
800SP3MN1198	201.95	203.00	0.21	1.2
800SP3MN1198	203.00	203.80	0.74	4.4
800SP3MN1198	203.80	205.00	0.69	6.7
800SP3MN1198	205.00	206.00	0.44	1.6
800SP3MN1198	206.00	207.00	0.92	3.4
800SP3MN1198	207.00	207.98	0.02	4.3
800SP3MN1198	208.44	209.20	0.06	0.5
800SP3MN1198	209.20	210.40	0.03	0.4
800SP3MN1198	210.40	211.60	0.03	1.4
800SP3MN1198	211.60	212.70	0.02	1.1
800SP3MN1198	212.70	213.60	0.02	0.7
800SP3MN1198	213.60	214.50	<0.01	0.3
800SP3MN1198	214.50	215.45	0.01	0.5
800SP3MN1198	215.45	216.00	0.05	1.5
800SP3MN1198	218.00	219.00	0.05	0.6
800SP3MN1198	219.00	220.00	0.02	0.5
800SP3MN1198	220.00	221.00	0.68	0.6
800SP3MN1198	221.00	222.30	0.06	0.8
800SP3MN1198	222.30	222.65	0.12	0.7
800SP3MN1198	222.65	223.80	0.29	0.5
800SP3MN1198	223.80	225.00	0.28	0.4
800SP3MN1198	225.00	226.20	0.28	0.5
800SP3MN1198	226.20	227.40	0.37	0.9
800SP3MN1198	227.40	228.00	0.04	0.8
800SP3MN1198	228.00	228.75	0.06	1.1
800SP3MN1198	228.75	229.20	0.06	0.3
800SP3MN1198	229.20	230.40	0.02	0.3
800SP3MN1198	230.40	231.60	0.02	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1198	231.60	232.80	<0.01	<0.1
800SP3MN1198	232.80	234.00	<0.01	0.2
800SP3MN1198	234.00	235.00	0.01	0.5
800SP3MN1198	235.00	235.80	<0.01	0.4
800SP3MN1198	235.80	236.60	<0.01	0.4
800SP3MN1198	236.60	237.50	<0.01	0.3
800SP3MN1198	237.50	238.70	0.02	1.7
800SP3MN1198	238.70	239.90	0.01	0.7
800SP3MN1198	239.90	241.20	0.03	0.3
800SP3MN1198	241.20	242.40	0.02	0.5
800SP3MN1198	242.40	243.30	<0.01	0.3
800SP3MN1198	243.30	243.70	0.09	1.8
800SP3MN1198	243.70	244.90	0.02	0.5
800SP3MN1198	244.90	246.10	0.03	0.4
800SP3MN1198	246.10	247.30	0.08	0.3
800SP3MN1198	247.30	248.40	0.02	0.4
800SP3MN1198	248.40	249.30	0.08	0.4
800SP3MN1198	249.30	250.20	0.20	1.2
800SP3MN1198	250.20	251.10	0.01	0.7
800SP3MN1198	251.10	251.60	0.02	2.3
800SP3MN1198	255.00	255.60	0.04	1.5
800SP3MN1198	255.60	256.25	0.01	0.9
800SP3MN1198	256.25	256.85	<0.01	1.7
800SP3MN1200	10.60	10.90	0.10	1.7
800SP3MN1200	12.30	12.60	<0.01	0.4
800SP3MN1200	15.10	15.40	<0.01	0.7
800SP3MN1200	35.20	36.15	<0.01	0.6
800SP3MN1200	65.25	65.55	<0.01	0.3
800SP3MN1200	73.90	74.30	<0.01	0.3
800SP3MN1200	76.30	76.80	<0.01	0.3
800SP3MN1200	87.60	87.90	<0.01	0.6
800SP3MN1200	114.90	115.35	<0.01	0.5
800SP3MN1200	139.85	140.15	0.01	0.3
800SP3MN1200	144.70	145.85	<0.01	0.2
800SP3MN1200	145.85	146.50	<0.01	0.2
800SP3MN1200	155.50	155.85	<0.01	0.2
800SP3MN1200	188.90	189.65	<0.01	0.2
800SP3MN1200	199.15	199.70	<0.01	0.4
800SP3MN1200	199.70	200.25	1.11	1.6
800SP3MN1200	200.25	201.00	<0.01	0.8
800SP3MN1200	210.00	211.00	0.05	0.7
800SP3MN1200	211.00	212.20	0.11	0.9
800SP3MN1200	212.20	213.40	0.04	1.0
800SP3MN1200	213.40	214.60	0.02	1.0
800SP3MN1200	214.60	215.30	0.04	0.7
800SP3MN1200	215.30	216.20	1.26	1.8
800SP3MN1200	216.20	216.85	8.06	6.9
800SP3MN1200	216.85	217.65	2.90	2.7
800SP3MN1200	217.65	218.55	9.68	6.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP3MN1200	218.55	219.65	8.90	5.7
800SP3MN1200	219.65	220.00	5.51	6.5
800SP3MN1200	220.00	221.00	2.51	3.8
800SP3MN1200	221.00	222.10	7.83	11.7
800SP3MN1200	222.10	222.50	2.44	4.2
800SP3MN1200	222.50	223.30	0.26	0.8
800SP3MN1200	223.30	224.10	0.68	1.8
800SP3MN1200	224.10	224.40	8.30	5.3
800SP3MN1200	224.40	225.30	2.03	3.3
800SP3MN1200	225.30	226.05	10.50	9.2
800SP3MN1200	226.05	227.05	16.50	22.4
800SP3MN1200	227.05	228.20	0.78	2.7
800SP3MN1200	228.20	228.85	0.64	1.9
800SP3MN1200	228.85	230.00	0.11	4.0
800SP3MN1200	230.00	230.75	0.08	2.1
800SP3MN1200	230.75	231.45	0.62	2.4
800SP3MN1200	231.45	231.95	0.05	3.4
800SP3MN1200	231.95	232.40	0.76	1.4
800SP3MN1200	232.40	232.85	0.02	0.8
800SP3MN1200	232.85	233.15	0.24	1.8
800SP3MN1200	233.15	234.30	0.02	0.7
800SP3MN1200	234.30	235.30	0.04	0.8
800SP3MN1200	235.30	236.40	0.03	0.6
800SP3MN1200	236.40	237.60	0.07	0.5
800SP3MN1200	237.60	238.10	0.09	0.5
800SP3MN1200	238.10	239.30	0.02	0.4
800SP3MN1200	258.90	259.30	0.01	0.3
800SP3MN1200	266.75	267.90	0.03	0.3
800SP3MN1200	274.80	275.40	0.02	0.3
800SP3MN1200	285.80	286.55	0.09	0.4
800SP3MN1200	286.55	286.95	0.04	1.0
800SP3MN1200	286.95	287.60	0.02	0.2
800SP3MN1200	287.60	288.00	0.01	1.1
800SP3MN1200	290.60	291.30	0.03	0.4
800SP3MN1200	293.00	293.35	<0.01	0.3
800SP3MN1200	294.40	294.90	0.02	0.3
920DDCRN1176	2.50	2.80	0.21	41.6
920DDCRN1176	6.70	7.05	0.34	56.6
920DDCRN1176	8.00	8.70	0.04	6.1
920DDCRN1176	8.70	9.05	<0.01	2.8
920DDCRN1176	9.40	10.40	0.03	2.7
920DDCRN1176	10.40	11.00	0.05	1.6
920DDCRN1176	16.90	17.30	0.02	3.6
920DDCRN1176	17.30	18.40	<0.01	2.9
920DDCRN1176	18.40	19.45	0.01	2.5
920DDCRN1176	21.40	21.70	0.69	29.7
920DDCRN1176	24.00	24.30	0.07	2.6
920DDCRN1176	28.30	28.60	0.04	1.2
920DDCRN1176	30.25	30.70	0.03	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920DDCRN1176	33.15	33.60	0.81	2.3
920DDCRN1176	38.55	39.00	2.19	2.9
920DDCRN1176	44.75	45.05	1.13	6.7
920DDCRN1176	47.00	48.15	0.17	3.2
920DDCRN1176	48.15	48.65	2.61	12.1
920DDCRN1176	48.65	49.00	0.04	1.4
920DDCRN1177	3.90	4.30	0.07	15.3
920DDCRN1177	4.80	5.80	0.02	3.8
920DDCRN1177	7.85	8.60	0.04	1.9
920DDCRN1177	14.25	14.70	0.03	1.6
920DDCRN1177	17.10	17.40	0.07	3.1
920DDCRN1177	19.00	19.70	0.02	1.7
920DDCRN1177	19.70	20.00	0.02	3.0
920DDCRN1177	20.40	20.70	0.03	1.9
920DDCRN1177	22.00	22.30	0.03	1.3
920DDCRN1177	22.30	22.60	0.50	27.1
920DDCRN1177	25.25	25.65	0.02	2.0
920DDCRN1177	26.10	26.40	0.08	3.6
920DDCRN1177	26.40	27.40	0.01	3.4
920DDCRN1177	27.40	28.00	0.17	33.8
920DDCRN1177	28.00	28.50	0.08	12.1
920DDCRN1177	28.50	29.00	3.58	83.3
920DDCRN1177	29.00	29.60	0.06	2.7
920DDCRN1177	29.60	30.10	0.09	19.8
920DDCRN1177	33.00	33.30	1.38	125.0
920DDCRN1177	37.20	37.60	14.40	123.0
920DDCRN1177	38.00	38.30	0.87	2.2
920DDCRN1177	39.60	40.10	0.02	1.5
920DDCRN1177	40.10	40.50	0.04	1.3
920DDCRN1177	42.60	43.10	0.04	1.8
920DDCRN1177	43.10	43.40	0.02	2.3
920DDCRN1177	45.70	46.00	0.18	9.6
920DDCRN1177	46.00	46.65	0.04	5.0
920DDCRN1177	46.65	47.15	0.04	2.6
920DDCRN1177	47.15	48.20	0.03	2.1
920DDCRN1177	48.50	49.00	<0.01	1.3
920DDCRN1177	49.70	50.80	<0.01	0.8
920DDCRN1177	51.10	51.60	<0.01	0.9
920DDCRN1177	52.20	52.50	<0.01	1.0
920DDCRN1177	53.10	53.80	<0.01	2.1
920DDCRN1177	54.10	55.60	0.02	3.6
920DDCRN1177	55.60	56.30	1.00	4.5
920DDCRN1177	57.10	57.80	0.91	19.9
920DDCRN1177	58.80	59.30	0.39	18.6
920DDCRN1177	59.90	60.60	0.03	0.9
920DDCRN1177	60.60	61.30	11.10	90.1
920DDCRN1177	61.30	62.00	28.80	984.0
920DDCRN1177	62.00	62.80	87.60	9140.0
920DDCRN1177	62.80	63.40	21.60	108.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920DDCRN1177	63.40	63.80	0.26	2.5
920DDCRN1177	63.80	64.20	0.35	18.9
920DDCRN1177	64.20	64.80	0.11	8.5
920DDCRN1177	64.80	65.30	0.07	4.2
920DDCRN1177	65.30	66.20	0.04	4.0
920DDCRN1177	66.20	67.30	0.29	3.7
920DDCRN1177	67.30	68.00	0.03	3.6
920DDCRN1177	68.50	69.20	0.12	5.2
920DDCRN1177	69.80	70.90	1.20	228.0
920DDCRN1177	70.90	72.10	4.37	44.9
920DDCRN1177	72.10	73.10	0.09	5.7
920DDCRN1177	73.10	74.10	0.02	4.1
920DDCRN1177	76.30	76.70	0.02	2.7
920DDCRN1177	79.40	79.70	0.01	2.8
920DDCRN1177	80.40	81.00	0.02	3.3
920DDCRN1177	83.20	83.50	0.03	2.4
920DDCRN1177	83.50	84.60	0.02	4.0
920DDCRN1177	84.60	85.70	0.02	2.7
920DDCRN1177	85.70	86.00	0.02	2.4
920DDCRN1177	86.00	87.00	0.02	4.1
920DDCRN1177	87.00	87.30	0.08	13.6
920DDCRN1177	87.30	88.50	0.02	2.8
920DDCRN1177	88.50	89.70	0.02	2.3
920DDCRN1177	89.70	90.00	0.02	2.6
920DDCRN1177	90.00	90.50	0.02	2.7
920DDCRN1177	90.50	90.80	0.02	2.6
920DDCRN1177	90.80	91.50	0.02	4.1
920DDCRN1177	91.50	92.25	0.02	2.8
920DDCRN1177	92.25	93.10	0.12	5.1
920DDCRN1177	93.10	93.50	0.04	7.6
920DDCRN1177	93.50	93.80	0.18	5.0
920DDCRN1177	93.80	94.30	0.03	5.0
920DDCRN1177	94.30	94.90	7.13	7.4
920DDCRN1177	94.90	95.70	0.02	3.9
920DDCRN1177	95.70	96.00	0.04	2.2
920DDCRN1177	96.00	96.30	0.03	1.6
920DDCRN1177	96.30	96.80	0.12	2.7
920DDCRN1177	96.80	97.70	0.07	2.1
920DDCRN1177	97.70	98.00	0.21	5.1
920DDCRN1177	98.00	98.40	0.08	2.8
920DDCRN1177	98.40	99.60	0.02	1.4
920DDCRN1177	99.60	100.20	0.02	1.5
920DDCRN1177	100.20	101.30	<0.01	2.0
920DDCRN1177	101.30	102.40	0.02	1.9
920DDCRN1177	102.40	102.70	0.11	1.0
920DDCRN1177	102.70	103.90	0.02	0.9
920DDCRN1177	103.90	105.10	0.02	2.3
920DDCRN1177	105.10	106.30	0.02	4.6
920DDCRN1177	106.30	106.90	0.13	3.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920DDCRN1177	106.90	108.00	0.05	3.8
920DDCRN1177	108.00	109.00	0.01	1.0
920DDCRN1177	109.00	109.70	0.07	1.3
920DDCRN1177	109.70	110.10	0.08	2.4
920DDCRN1177	110.10	110.90	<0.01	1.4
920DDCRN1177	110.90	112.00	<0.01	1.3
920DDCRN1177	112.00	113.00	<0.01	0.9
920DDCRN1177	113.00	114.10	0.01	1.5
920DDCRN1177	114.10	115.00	3.49	14.4
920DDCRN1177	115.00	115.70	0.48	20.8
920DDCRN1177	115.70	116.70	0.65	4.5
920DDCRN1177	116.70	117.60	0.03	6.2
920DDCRN1177	117.60	118.10	0.03	5.1
920DDCRN1177	118.10	119.00	0.02	5.4
920DDCRN1177	119.00	120.00	0.02	6.6
920DDCRN1177	120.00	120.80	0.02	4.9
920DDCRN1180	2.50	2.80	0.05	7.6
920DDCRN1180	3.60	4.15	0.07	38.6
920DDCRN1180	9.00	10.00	0.05	4.2
920DDCRN1180	12.10	12.90	0.03	1.7
920DDCRN1180	16.30	16.80	0.02	0.7
920DDCRN1180	25.15	25.70	0.02	0.6
920DDCRN1180	28.70	29.50	0.01	2.3
920DDCRN1180	29.50	30.90	0.01	1.9
920DDCRN1180	34.10	34.40	0.01	1.8
920DDCRN1180	37.50	37.80	0.02	1.8
920DDCRN1180	39.30	39.70	0.01	2.0
920DDCRN1180	39.70	40.20	0.87	25.4
920DDCRN1180	40.20	40.60	0.02	1.7
920DDCRN1180	51.00	51.75	0.02	2.9
920DDCRN1180	51.75	52.05	2.29	133.0
920DDCRN1180	52.05	52.50	11.70	20.0
920DDCRN1180	52.50	53.00	0.05	0.9
920DDCRN1180	56.00	56.60	<0.01	0.7
920DDCRN1180	56.60	56.90	<0.01	4.0
920DDCRN1180	56.90	57.30	<0.01	1.7
920DDCRN1180	57.30	57.60	0.46	1.4
920DDCRN1180	57.60	58.50	<0.01	1.4
920DDCRN1180	58.50	59.20	0.02	2.8
920DDCRN1180	59.20	59.90	0.49	118.0
920DDCRN1180	59.90	60.60	0.02	9.8
920DDCRN1180	60.60	61.10	0.01	5.1
920DDCRN1180	61.10	61.40	<0.01	3.5
920DDCRN1180	61.40	62.50	0.01	3.5
920DDCRN1180	62.50	63.40	<0.01	2.9
920DDCRN1180	63.40	64.20	<0.01	2.8
920DDCRN1180	64.20	65.40	0.01	1.6
920DDCRN1180	65.40	66.50	<0.01	0.8
920DDCRN1180	66.50	67.60	<0.01	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920DDCRN1180	67.60	68.80	<0.01	0.9
920DDCRN1180	68.80	70.00	<0.01	0.7
920DDCRN1180	70.00	71.20	<0.01	0.5
920DDCRN1180	71.20	72.00	0.01	0.1
920DDCRN1180	72.00	72.90	<0.01	<0.1
920DDCRN1180	72.90	74.10	<0.01	<0.1
920DDCRN1180	74.10	75.20	<0.01	0.1
920DDCRN1180	75.20	76.40	<0.01	0.2
920DDCRN1180	76.40	77.20	<0.01	0.5
920DDCRN1180	77.20	78.30	<0.01	0.8
920DDCRN1180	78.30	79.50	<0.01	0.9
920DDCRN1180	79.50	80.00	<0.01	0.6
920DDCRN1180	80.00	81.10	<0.01	0.9
920DDCRN1180	81.10	82.20	<0.01	0.5
920DDCRN1180	82.20	83.00	<0.01	0.4
920DDCRN1180	83.00	84.00	<0.01	0.3
920DDCRN1180	84.00	85.00	<0.01	0.3
920DDCRN1180	85.00	86.00	<0.01	0.3
920DDCRN1180	86.00	86.50	0.01	0.5
920DDCRN1180	86.80	87.20	0.01	0.5
920DDCRN1180	87.20	87.70	0.03	0.6
920DDCRN1180	87.70	88.50	0.02	0.7
920DDCRN1180	88.50	89.40	0.01	1.0
920DDCRN1180	89.40	90.10	0.01	1.1
920DDCRN1180	90.10	90.60	<0.01	0.4
920DDCRN1180	90.60	91.50	0.02	0.7
920DDCRN1180	91.50	92.10	<0.01	0.3
920DDCRN1180	92.10	93.00	<0.01	0.8
920DDCRN1180	93.00	93.60	<0.01	1.1
920DDCRN1180	93.60	94.50	0.01	1.2
920DDCRN1180	94.50	95.70	<0.01	0.4
920DDCRN1180	95.70	96.40	<0.01	0.2
920DDCRN1180	98.00	99.00	<0.01	0.4
920DDCRN1180	99.00	99.50	0.12	2.0
920DDCRN1180	99.50	100.10	0.05	1.9
920DDCRN1180	100.10	100.60	0.03	5.0
920DDCRN1180	100.60	101.50	0.02	1.8
920DDCRN1180	101.50	101.90	0.28	15.1
920DDCRN1180	101.90	103.00	0.02	2.5
920DDCRN1180	103.00	104.00	0.07	3.9
920DDCRN1180	104.00	104.30	0.01	0.7
920DDCRN1180	104.30	104.75	0.04	0.7
920DDCRN1180	104.75	105.05	0.87	11.2
920DDCRN1180	105.05	105.55	0.02	0.7
920DDCRN1180	105.55	105.85	0.07	6.3
920DDCRN1180	105.85	106.30	0.02	1.4
920DDCRN1180	106.30	107.20	0.02	1.3
920DDCRN1180	107.20	107.60	2.10	9.2
920DDCRN1180	107.60	108.00	<0.01	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920DDCRN1180	108.00	108.30	0.17	6.0
920DDCRN1180	108.30	109.30	0.05	7.7
920DDCRN1180	109.30	110.00	<0.01	1.3
920DDCRN1180	112.05	112.60	0.02	3.3
920DDCRN1180	113.80	114.20	0.02	1.6
920DDCRN1180	119.40	119.70	0.01	3.1
920DDCRN1180	120.85	121.15	0.14	62.5
920DDCRN1180	123.80	124.35	0.03	3.1
920DDCRN1180	126.70	127.50	<0.01	1.3
920DDCRN1180	127.50	128.20	<0.01	1.1
920DDCRN1180	128.20	129.35	<0.01	0.8
920DDCRN1180	129.35	130.50	<0.01	0.6
920DDCRN1180	130.50	131.70	<0.01	1.2
920DDCRN1180	131.70	132.90	<0.01	0.6
920DDCRN1180	132.90	133.90	<0.01	0.7
920DDCRN1180	134.50	135.00	<0.01	0.4
920DDCRN1180	135.00	135.80	<0.01	0.5
920DDCRN1180	135.80	136.20	<0.01	0.4
920DDCRN1180	136.20	136.80	<0.01	0.3
920DDCRN1180	136.80	137.40	<0.01	0.5
920DDCRN1180	137.70	138.80	0.02	0.8
920DDCRN1180	138.80	139.60	<0.01	1.1
920DDCRN1180	139.60	140.80	<0.01	1.8
920DDCRN1180	140.80	142.00	0.01	1.4
920DDCRN1180	142.00	143.10	<0.01	1.1
920DDCRN1180	143.10	144.30	0.02	0.9
920DDCRN1180	144.30	145.50	<0.01	0.5
920DDCRN1180	147.00	147.40	<0.01	3.1
920DDCRN1180	149.30	149.95	<0.01	2.2
920DDCRN1183	4.30	4.60	<0.01	2.1
920DDCRN1183	4.60	5.25	0.01	1.8
920DDCRN1183	7.60	7.90	0.03	6.9
920DDCRN1183	10.20	10.80	<0.01	0.9
920DDCRN1183	16.40	17.50	0.08	7.6
920DDCRN1183	21.15	21.50	0.02	1.6
920DDCRN1183	24.30	24.80	0.05	1.2
920DDCRN1183	34.90	35.60	0.02	3.1
920DDCRN1183	39.70	40.20	<0.01	0.3
920DDCRN1183	45.70	46.25	0.01	0.9
920DDCRN1183	48.40	49.00	<0.01	0.5
920DDCRN1183	49.00	49.45	0.03	0.3
920DDCRN1183	49.45	50.20	0.02	0.6
920DDCRN1183	50.20	50.50	<0.01	1.3
920DDCRN1183	58.20	59.60	<0.01	0.6
920DDCRN1183	59.60	60.20	<0.01	0.5
920DDCRN1183	60.20	60.60	<0.01	0.5
920DDCRN1183	63.20	63.50	0.01	0.4
920DDCRN1183	65.30	66.00	0.20	0.6
920DDCRN1183	66.00	67.20	0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920DDCRN1183	68.80	69.10	0.17	1.2
920DDCRN1183	71.40	71.80	15.10	9.1
920DDCRN1183	71.80	72.40	0.02	0.9
920DDCRN1183	72.40	73.60	0.02	1.2
920DDCRN1183	73.60	74.75	0.04	1.6
920DDCRN1183	74.75	75.10	0.09	1.9
920DDCRN1183	75.10	76.30	0.02	1.6
920DDCRN1183	76.30	77.50	0.02	1.4
920DDCRN1183	77.50	78.70	0.02	1.7
920DDCRN1183	78.70	79.30	0.02	1.6
920DDCRN1183	79.30	79.65	1.54	2.6
920DDCRN1183	79.65	80.80	0.02	1.7
920DDCRN1183	80.80	82.00	0.03	1.7
920DDCRN1183	82.00	82.70	0.04	2.7
920DDCRN1183	82.70	83.90	0.02	2.2
920DDCRN1183	83.90	85.10	0.01	2.6
920DDCRN1183	85.10	86.30	0.01	1.5
920DDCRN1183	86.30	87.50	0.02	1.5
920DDCRN1183	87.50	88.50	0.01	2.3
920DDCRN1183	88.50	89.60	0.46	7.0
920DDCRN1183	89.60	90.40	0.51	6.1
920DDCRN1183	90.60	91.50	0.08	3.8
920DDCRN1183	91.50	92.55	0.80	3.7
920DDCRN1183	92.55	92.85	0.04	2.6
920DDCRN1183	92.85	93.35	2.07	2.9
920DDCRN1183	93.35	94.40	0.02	1.9
920DDCRN1183	94.40	95.60	0.01	2.7
920DDCRN1183	95.60	96.70	0.10	2.7
920DDCRN1183	96.70	97.00	3.02	309.0
920DDCRN1183	97.00	98.00	1.78	161.0
920DDCRN1183	98.00	99.00	0.07	5.4
920DDCRN1183	99.00	100.00	0.11	2.8
920DDCRN1183	100.00	100.60	0.08	3.1
920DDCRN1183	101.20	101.80	0.09	2.9
920DDCRN1183	103.20	103.50	0.01	2.2
920DDCRN1183	104.80	105.10	0.08	2.0
920DDCRN1183	107.90	108.90	0.71	3.1
920DDCRN1183	108.90	109.60	0.13	2.1
920DDCRN1183	109.60	110.50	0.03	0.8
920DDCRN1183	110.50	111.50	0.36	1.4
920DDCRN1183	111.60	112.60	0.01	2.0
920DDCRN1183	112.60	113.80	<0.01	1.3
920DDCRN1183	113.80	115.00	0.02	1.2
920DDCRN1183	115.00	116.20	<0.01	1.3
920DDCRN1183	116.20	117.40	<0.01	1.3
920DDCRN1183	117.40	118.60	<0.01	1.4
920DDCRN1183	123.20	124.50	<0.01	0.9
920DDCRN1185	2.20	3.10	0.03	2.7
920DDCRN1185	9.90	10.60	0.04	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920DDCRN1185	16.50	16.90	0.01	1.4
920DDCRN1185	43.50	44.40	0.02	1.4
920DDCRN1185	47.90	48.40	<0.01	2.7
920DDCRN1185	48.40	49.30	0.01	2.6
920DDCRN1185	49.30	50.50	0.01	4.0
920DDCRN1185	50.50	51.40	<0.01	2.1
920DDCRN1185	65.70	66.60	0.02	0.8
920DDCRN1185	66.60	67.00	0.03	1.4
920DDCRN1185	72.00	72.60	<0.01	1.0
920DDCRN1185	72.60	73.00	0.18	1.3
920DDCRN1185	73.00	73.50	<0.01	2.0
920DDCRN1185	78.00	78.90	<0.01	1.1
920DDCRN1185	78.90	79.80	0.56	4.8
920DDCRN1185	79.80	81.00	0.06	8.7
920DDCRN1185	84.60	85.70	0.03	7.7
920DDCRN1185	85.70	86.90	0.05	11.8
920DDCRN1185	86.90	87.40	<0.01	1.2
920DDCRN1185	87.40	87.70	0.12	1.3
920DDCRN1185	87.70	88.00	0.02	2.0
920DDCRN1185	90.00	91.00	<0.01	0.7
920DDCRN1185	91.00	92.00	0.02	1.4
920DDCRN1185	92.00	93.00	0.03	2.3
920DDCRN1185	93.00	94.00	<0.01	1.6
920DDCRN1185	94.00	95.00	0.01	1.5
920DDCRN1185	95.00	96.00	0.04	1.5
920DDCRN1185	96.00	96.40	0.06	1.6
920DDCRN1185	97.20	97.80	<0.01	1.4
920DDCRN1185	97.80	98.70	<0.01	0.7
920DDCRN1185	98.70	99.10	<0.01	1.2
920DDCRN1185	99.10	99.80	<0.01	0.9
920DDCRN1185	101.30	102.10	0.14	2.0
920DDCRN1185	102.10	102.80	0.04	2.6
920DDCRN1185	102.80	103.40	0.02	1.2
920DDCRN1185	103.40	104.00	0.02	2.3
920DDCRN1185	104.00	105.00	0.04	2.2
920DDCRN1185	105.00	105.50	7.22	300.0
920DDCRN1185	105.50	106.00	0.08	2.7
920DDCRN1185	106.00	107.00	0.07	2.2
920DDCRN1185	107.00	108.00	0.02	1.7
920DDCRN1185	108.00	109.00	0.01	1.8
920DDCRN1185	109.00	110.00	0.03	2.4
920DDCRN1185	110.00	111.00	0.01	2.6
920DDCRN1185	115.20	115.60	0.01	1.4
920DDCRN1185	123.00	124.00	0.43	1.1
920DDCRN1185	124.00	125.00	0.05	2.9
920DDCRN1185	125.00	126.00	0.31	1.9
920DDCRN1185	126.00	126.40	0.04	1.7
920DDCRN1185	126.40	127.40	1.88	25.6
920DDCRN1185	127.40	128.00	0.95	3.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920DDCRN1185	128.00	129.00	0.03	1.8
920DDCRN1185	129.00	130.20	0.03	2.1
920DDCRN1185	130.20	131.30	0.02	1.3
920DDCRN1185	131.30	132.00	0.03	1.0
920DDCRN1185	132.00	132.80	0.05	1.0
920DDCRN1185	143.00	143.40	0.01	2.5
920DDCRN1185	143.40	144.00	0.02	2.7
920DDCRN1185	144.00	145.00	0.01	1.2
920DDCRN1189	6.30	6.70	0.05	7.4
920DDCRN1189	7.00	7.30	0.18	58.8
920DDCRN1189	7.80	8.10	0.19	2.2
920DDCRN1189	9.65	9.95	0.06	2.2
920DDCRN1189	14.00	15.00	<0.01	1.9
920DDCRN1189	24.25	24.55	1.45	46.5
920DDCRN1189	25.70	26.00	0.12	15.9
920DDCRN1189	27.15	27.45	0.02	1.3
920DDCRN1189	27.70	28.00	0.02	1.9
920DDCRN1189	28.90	29.20	0.01	1.2
920DDCRN1189	34.50	34.90	1.70	4.1
920DDCRN1189	34.90	35.25	0.20	4.3
920DDCRN1189	36.85	37.15	0.02	1.4
920DDCRN1189	40.00	40.30	0.01	1.5
920DDCRN1189	49.70	50.15	6.05	5.8
920DDCRN1189	54.00	54.80	0.01	4.8
920DDCRN1189	54.80	55.50	0.02	5.5
920DDCRN1189	55.50	56.30	<0.01	2.1
920DDCRN1189	56.30	57.30	<0.01	2.2
920DDCRN1189	57.30	57.60	0.09	2.1
920DDCRN1189	57.60	58.30	<0.01	3.1
920DDCRN1189	58.30	59.20	0.01	3.4
920DDCRN1189	59.20	60.40	0.01	2.6
920DDCRN1189	60.40	60.90	0.07	5.1
920DDCRN1189	61.50	62.00	0.01	2.0
920DDCRN1189	62.00	63.00	<0.01	3.2
920DDCRN1189	63.00	63.70	0.01	3.2
920DDCRN1189	63.70	64.60	0.03	4.8
920DDCRN1189	64.60	65.80	<0.01	0.4
920DDCRN1189	65.80	66.10	0.05	1.3
920DDCRN1189	66.10	67.00	0.09	4.6
920DDCRN1189	67.00	67.30	0.02	3.9
920DDCRN1189	67.30	68.00	0.05	4.8
920DDCRN1189	68.00	68.80	0.04	4.5
920DDCRN1189	69.70	70.80	0.34	3.7
920DDCRN1189	70.80	71.50	1.40	307.0
920DDCRN1189	71.50	71.90	3.60	1280.0
920DDCRN1189	71.90	72.60	4.53	1310.0
920DDCRN1189	72.60	73.00	4.59	659.0
920DDCRN1189	73.00	73.40	4.26	13.8
920DDCRN1189	73.40	74.60	0.18	4.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920DDCRN1189	74.60	75.00	0.34	13.7
920DDCRN1189	75.00	75.80	0.39	40.6
920DDCRN1189	75.80	76.90	0.06	2.8
920DDCRN1189	76.90	77.20	0.47	4.3
920DDCRN1189	77.20	78.40	0.03	4.1
920DDCRN1189	78.40	79.60	0.06	3.8
920DDCRN1189	79.60	80.20	0.38	5.5
920DDCRN1189	80.20	81.30	0.02	2.9
920DDCRN1189	81.30	82.30	0.09	2.1
920DDCRN1189	82.30	82.60	0.03	2.2
920DDCRN1189	82.60	83.80	0.02	2.0
920DDCRN1189	83.80	84.15	0.02	3.0
920DDCRN1189	87.00	87.30	0.07	10.2
920DDCRN1189	92.50	92.80	0.16	15.3
920DDCRN1189	97.00	98.00	0.14	17.4
920SP3MN1173	166.00	167.20	0.05	1.0
920SP3MN1173	167.90	169.00	0.02	2.0
920SP3MN1173	9.00	9.70	<0.01	<0.1
920SP3MN1173	9.70	10.50	0.05	<0.1
920SP3MN1173	10.50	11.00	<0.01	<0.1
920SP3MN1173	21.00	21.60	<0.01	<0.1
920SP3MN1173	21.60	22.50	<0.01	0.1
920SP3MN1173	22.50	23.00	<0.01	0.1
920SP3MN1173	24.00	25.00	<0.01	0.1
920SP3MN1173	25.00	25.30	<0.01	0.2
920SP3MN1173	27.00	27.30	<0.01	0.2
920SP3MN1173	64.00	65.00	<0.01	0.2
920SP3MN1173	65.00	66.20	<0.01	0.2
920SP3MN1173	79.00	79.90	<0.01	0.8
920SP3MN1173	79.90	81.00	<0.01	0.3
920SP3MN1173	81.80	82.60	<0.01	0.4
920SP3MN1173	82.60	83.30	<0.01	2.7
920SP3MN1173	83.30	84.00	<0.01	6.5
920SP3MN1173	84.00	85.00	<0.01	4.9
920SP3MN1173	101.90	102.70	<0.01	0.8
920SP3MN1173	107.00	107.40	<0.01	1.4
920SP3MN1173	125.00	125.50	<0.01	0.9
920SP3MN1173	125.50	126.10	0.01	0.7
920SP3MN1173	137.20	137.50	<0.01	0.3
920SP3MN1173	146.30	147.00	<0.01	0.5
920SP3MN1173	151.20	151.70	0.01	3.6
920SP3MN1173	163.00	163.70	0.02	1.3
920SP3MN1173	163.70	164.10	0.95	2.6
920SP3MN1173	164.10	165.00	0.01	1.2
920SP3MN1173	165.00	166.00	<0.01	0.6
920SP3MN1173	166.00	167.20	0.03	1.3
920SP3MN1173	167.20	167.90	2.37	3.6
920SP3MN1173	167.90	169.00	0.01	2.6
920SP3MN1173	169.00	170.00	<0.01	2.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MN1173	185.70	186.00	0.01	4.1
920SP3MN1173	186.70	187.00	0.03	3.0
920SP3MN1173	191.10	192.00	0.03	2.2
920SP3MN1173	192.35	192.70	0.08	2.4
920SP3MN1173	197.10	197.40	0.03	1.9
920SP3MN1173	202.00	202.40	0.05	5.0
920SP3MN1173	203.80	204.60	1.75	2.4
920SP3MN1173	204.60	205.40	0.08	5.2
920SP3MN1173	206.35	206.80	0.33	1.0
920SP3MN1173	210.00	211.00	0.01	1.9
920SP3MN1173	211.00	212.00	0.02	1.0
920SP3MN1173	212.00	212.60	0.17	0.8
920SP3MN1173	212.60	212.90	0.06	1.0
920SP3MN1173	212.90	214.00	<0.01	0.5
920SP3MN1173	214.00	215.10	0.01	1.6
920SP3MN1173	215.10	216.30	0.02	2.2
920SP3MN1173	216.30	217.50	0.03	5.7
920SP3MN1173	217.50	219.80	0.56	2.9
920SP3MN1173	219.80	220.85	0.86	5.8
920SP3MN1173	220.85	221.30	0.04	2.0
920SP3MN1173	221.30	222.40	0.21	3.3
920SP3MN1173	222.40	223.60	0.02	3.3
920SP3MN1173	223.60	224.20	0.02	1.4
920SP3MN1173	224.20	225.00	<0.01	0.8
920SP3MN1173	225.00	225.60	0.03	0.6
920SP3MN1173	225.60	226.60	0.20	1.7
920SP3MN1173	226.60	227.50	0.07	1.1
920SP3MN1173	227.50	228.70	0.02	1.0
920SP3MN1173	228.70	229.90	0.03	3.2
920SP3MN1173	229.90	231.10	0.11	2.3
920SP3MN1173	231.10	231.70	0.07	10.9
920SP3MN1173	231.70	232.40	0.12	2.6
920SP3MN1173	232.40	233.60	0.01	1.3
920SP3MN1173	233.60	235.00	0.01	2.1
920SP3MN1173	235.00	235.70	<0.01	2.0
920SP3MN1173	235.70	236.20	0.03	0.8
920SP3MN1173	236.20	236.80	<0.01	0.8
920SP3MN1173	236.80	238.00	<0.01	1.0
920SP3MN1173	238.00	239.00	0.04	0.7
920SP3MN1173	239.00	240.20	1.41	17.6
920SP3MN1173	240.20	241.00	0.38	1.6
920SP3MN1173	241.00	241.80	0.02	0.7
920SP3MN1173	241.80	243.20	4.35	12.1
920SP3MN1173	243.20	244.20	0.49	5.7
920SP3MN1173	244.20	245.30	<0.01	0.7
920SP3MN1173	245.30	246.10	<0.01	1.0
920SP3MN1173	246.10	247.00	0.02	0.8
920SP3MN1173	247.00	248.00	0.02	0.7
920SP3MN1173	248.00	249.50	0.03	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MN1179	4.10	5.00	<0.01	<0.1
920SP3MN1179	5.00	5.80	0.01	<0.1
920SP3MN1179	5.80	6.80	<0.01	<0.1
920SP3MN1179	6.80	7.50	<0.01	<0.1
920SP3MN1179	14.10	15.05	<0.01	0.1
920SP3MN1179	15.05	15.65	<0.01	<0.1
920SP3MN1179	17.25	17.65	<0.01	<0.1
920SP3MN1179	17.65	18.10	<0.01	<0.1
920SP3MN1179	20.50	21.10	<0.01	<0.1
920SP3MN1179	21.60	22.20	<0.01	0.2
920SP3MN1179	25.00	25.30	<0.01	<0.1
920SP3MN1179	36.00	36.30	0.01	<0.1
920SP3MN1179	50.90	51.30	<0.01	<0.1
920SP3MN1179	51.60	52.05	<0.01	<0.1
920SP3MN1179	53.50	53.80	<0.01	<0.1
920SP3MN1179	54.80	55.60	<0.01	<0.1
920SP3MN1179	61.30	62.00	<0.01	<0.1
920SP3MN1179	65.00	65.50	<0.01	<0.1
920SP3MN1179	67.15	67.45	<0.01	<0.1
920SP3MN1179	67.45	67.80	<0.01	0.1
920SP3MN1179	67.80	68.45	<0.01	0.1
920SP3MN1179	69.15	69.45	<0.01	<0.1
920SP3MN1179	71.30	72.00	<0.01	<0.1
920SP3MN1179	72.00	72.90	<0.01	<0.1
920SP3MN1179	72.90	74.10	<0.01	<0.1
920SP3MN1179	74.10	75.00	<0.01	<0.1
920SP3MN1179	75.00	75.80	<0.01	0.1
920SP3MN1179	75.80	76.50	<0.01	<0.1
920SP3MN1179	76.50	77.40	<0.01	<0.1
920SP3MN1179	78.70	79.00	<0.01	<0.1
920SP3MN1179	80.00	81.00	<0.01	<0.1
920SP3MN1179	82.40	82.70	<0.01	<0.1
920SP3MN1179	83.00	83.60	<0.01	<0.1
920SP3MN1179	83.60	84.20	<0.01	<0.1
920SP3MN1179	88.30	89.10	<0.01	<0.1
920SP3MN1179	117.00	117.80	<0.01	<0.1
920SP3MN1179	124.70	125.00	<0.01	<0.1
920SP3MN1179	137.60	138.60	<0.01	<0.1
920SP3MN1179	138.60	139.30	<0.01	<0.1
920SP3MN1179	139.30	140.00	<0.01	0.1
920SP3MN1179	142.10	142.80	<0.01	<0.1
920SP3MN1179	146.00	147.00	<0.01	<0.1
920SP3MN1179	155.90	156.60	0.01	0.2
920SP3MN1179	156.60	157.80	<0.01	0.4
920SP3MN1179	157.80	158.40	<0.01	0.5
920SP3MN1179	158.40	159.20	<0.01	0.4
920SP3MN1179	159.20	159.90	<0.01	0.5
920SP3MN1179	159.90	160.60	<0.01	0.3
920SP3MN1179	160.60	161.10	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MN1179	161.10	161.80	<0.01	0.5
920SP3MN1179	161.80	163.00	<0.01	0.5
920SP3MN1179	163.00	164.20	<0.01	0.1
920SP3MN1179	164.20	165.40	<0.01	0.1
920SP3MN1179	165.40	166.50	<0.01	<0.1
920SP3MN1179	166.50	167.60	<0.01	<0.1
920SP3MN1179	167.60	168.40	<0.01	<0.1
920SP3MN1179	168.40	169.30	0.01	<0.1
920SP3MN1179	169.30	170.30	<0.01	<0.1
920SP3MN1179	170.30	171.00	<0.01	<0.1
920SP3MN1179	171.00	171.90	<0.01	<0.1
920SP3MN1179	171.90	172.20	<0.01	0.1
920SP3MN1179	172.20	172.90	<0.01	<0.1
920SP3MN1179	172.90	173.90	<0.01	<0.1
920SP3MN1179	173.90	174.50	<0.01	<0.1
920SP3MN1179	174.50	175.30	<0.01	<0.1
920SP3MN1179	175.30	176.40	<0.01	<0.1
920SP3MN1179	176.40	177.00	<0.01	<0.1
920SP3MN1179	177.00	178.20	<0.01	<0.1
920SP3MN1179	178.20	179.25	<0.01	<0.1
920SP3MN1179	179.25	180.00	<0.01	<0.1
920SP3MN1179	180.00	180.60	<0.01	<0.1
920SP3MN1179	180.60	181.25	<0.01	<0.1
920SP3MN1179	181.25	181.90	<0.01	<0.1
920SP3MN1179	181.90	182.70	<0.01	<0.1
920SP3MN1179	182.70	183.80	<0.01	<0.1
920SP3MN1179	183.80	185.00	<0.01	<0.1
920SP3MN1179	185.00	186.20	<0.01	<0.1
920SP3MN1179	186.20	187.00	<0.01	0.2
920SP3MN1179	187.00	187.30	<0.01	<0.1
920SP3MN1179	187.30	188.35	<0.01	<0.1
920SP3MN1179	188.35	189.40	<0.01	0.1
920SP3MN1179	189.40	189.90	<0.01	<0.1
920SP3MN1179	190.50	191.40	<0.01	<0.1
920SP3MN1179	191.40	192.20	<0.01	<0.1
920SP3MN1179	192.20	193.10	<0.01	<0.1
920SP3MN1179	193.10	194.30	<0.01	<0.1
920SP3MN1179	194.30	195.00	<0.01	<0.1
920SP3MN1179	195.80	196.30	<0.01	0.1
920SP3MN1179	196.30	197.00	<0.01	<0.1
920SP3MN1179	198.80	199.30	<0.01	<0.1
920SP3MN1179	199.30	200.40	<0.01	<0.1
920SP3MN1179	202.80	204.00	<0.01	<0.1
920SP3MN1179	207.40	208.00	<0.01	<0.1
920SP3MN1179	211.90	213.00	<0.01	<0.1
920SP3MN1179	219.45	219.80	<0.01	0.2
920SP3MN1179	231.50	231.80	<0.01	0.2
920SP3MN1179	245.20	246.00	<0.01	<0.1
920SP3MN1179	255.80	256.30	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MN1179	261.10	261.50	<0.01	<0.1
920SP3MN1179	262.30	262.60	<0.01	<0.1
920SP3MN1179	264.20	264.50	<0.01	<0.1
920SP3MN1179	266.95	267.60	<0.01	<0.1
920SP3MN1179	268.80	269.80	<0.01	<0.1
920SP3MN1179	272.00	272.30	<0.01	<0.1
920SP3MN1179	274.50	274.80	<0.01	<0.1
920SP3MN1179	281.65	282.80	0.01	0.2
920SP3MN1179	282.80	283.40	<0.01	0.6
920SP3MN1179	283.40	284.00	<0.01	0.5
920SP3MN1179	286.20	286.85	<0.01	<0.1
920SP3MN1179	286.85	287.30	<0.01	0.1
920SP3MN1179	290.80	291.20	<0.01	0.1
920SP3MN1179	293.60	294.70	<0.01	0.2
920SP3MN1179	310.10	310.40	<0.01	0.1
920SP3MN1179	311.80	312.30	<0.01	0.2
920SP3MN1179	312.80	313.20	<0.01	0.2
920SP3MN1179	320.50	321.60	<0.01	0.2
920SP3MN1179	321.60	322.80	<0.01	0.2
920SP3MN1179	322.80	323.50	<0.01	0.2
920SP3MN1179	323.50	324.00	<0.01	0.2
920SP3MN1179	327.50	327.80	<0.01	0.4
920SP3MN1179	329.60	330.00	<0.01	0.5
920SP3MN1179	331.70	332.80	<0.01	0.4
920SP3MN1179	332.80	333.20	<0.01	0.4
920SP3MN1179	335.00	335.80	<0.01	0.3
920SP3MN1179	336.90	338.00	<0.01	0.3
920SP3MN1179	338.00	339.20	<0.01	0.5
920SP3MN1179	339.20	340.30	0.06	0.7
920SP3MN1179	340.30	341.20	0.13	1.2
920SP3MN1179	341.20	342.20	0.07	0.7
920SP3MN1179	342.20	343.40	0.06	0.8
920SP3MN1179	343.40	344.50	0.04	0.7
920SP3MN1179	344.50	345.20	0.03	0.8
920SP3MN1179	345.20	346.30	0.06	1.2
920SP3MN1179	346.30	347.40	0.18	1.9
920SP3MN1179	347.40	347.90	0.11	2.1
920SP3MN1179	349.10	349.50	0.03	2.6
920SP3MN1179	350.10	350.60	<0.01	0.8
920SP3MN1179	350.80	351.30	<0.01	1.7
920SP3MN1179	351.30	352.00	0.03	3.8
920SP3MN1179	352.50	352.90	<0.01	1.3
920SP3MN1179	353.20	353.80	<0.01	1.4
920SP3MN1179	354.10	354.70	1.07	2.0
920SP3MN1179	355.10	355.70	0.02	1.7
920SP3MN1179	356.60	357.30	0.02	1.5
920SP3MN1179	357.30	357.80	0.05	8.2
920SP3MN1179	357.80	358.30	0.05	15.3
920SP3MN1179	358.50	358.80	0.27	12.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MN1179	358.80	359.30	0.03	7.8
920SP3MN1179	359.30	359.70	0.13	30.9
920SP3MN1179	360.40	360.90	0.04	1.2
920SP3MN1179	360.90	361.50	0.03	0.9
920SP3MN1179	361.50	362.00	1.20	2.1
920SP3MN1179	362.00	362.80	0.02	0.9
920SP3MN1179	362.80	363.80	0.05	0.7
920SP3MN1179	363.80	364.35	3.65	9.6
920SP3MN1179	364.35	364.70	0.08	2.0
920SP3MN1179	364.80	365.10	0.09	1.7
920SP3MN1179	365.10	365.60	0.06	0.5
920SP3MN1179	365.60	366.55	0.02	0.4
920SP3MN1179	366.55	367.00	<0.01	0.8
920SP3MN1179	367.00	367.60	0.01	0.3
920SP3MN1179	367.60	368.10	2.36	18.2
920SP3MN1179	368.10	368.80	0.02	0.4
920SP3MN1179	368.80	369.10	0.14	0.4
920SP3MN1179	369.10	369.60	<0.01	0.3
920SP3MN1179	369.60	370.00	0.92	2.1
920SP3MN1179	370.00	370.30	0.66	0.9
920SP3MN1179	370.30	371.00	0.02	0.5
920SP3MN1179	371.00	371.45	0.09	0.5
920SP3MN1179	371.45	372.40	0.02	0.3
920SP3MN1179	372.40	373.40	0.02	0.4
920SP3MN1179	373.40	374.00	0.04	0.8
920SP3MN1179	374.00	374.30	0.51	1.3
920SP3MN1179	374.30	375.00	0.03	0.8
920SP3MN1179	375.00	376.00	0.05	0.8
920SP3MN1179	376.00	376.60	10.90	7.2
920SP3MN1179	376.60	377.00	2.47	3.3
920SP3MN1179	377.00	378.00	0.03	0.6
920SP3MN1179	378.00	378.30	0.58	0.8
920SP3MN1179	378.30	378.80	0.03	0.6
920SP3MN1179	378.80	379.80	0.03	0.5
920SP3MN1179	379.80	380.15	0.52	1.1
920SP3MN1179	380.15	381.10	0.20	1.6
920SP3MN1179	389.90	390.50	0.59	7.3
920SP3MN1179	390.50	391.15	0.86	3.3
920SP3MN1179	391.15	391.90	0.06	0.9
920SP3MN1179	391.90	392.40	0.06	2.9
920SP3MN1179	392.40	393.20	6.17	23.0
920SP3MN1179	393.20	394.10	0.02	0.9
920SP3MN1179	394.10	394.90	0.04	1.4
920SP3MN1179	394.90	395.40	0.04	3.8
920SP3MN1179	395.40	396.60	0.01	0.5
920SP3MN1179	396.60	397.80	0.01	0.4
920SP3MN1179	397.80	399.00	0.01	0.4
920SP3MN1179	399.00	399.50	0.04	0.8
920SP3MN1179	399.50	400.70	0.02	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MN1179	400.70	401.90	0.01	0.3
920SP3MN1179	401.90	403.10	0.14	0.7
920SP3MN1179	404.50	404.80	0.14	0.7
920SP3MN1179	405.55	405.85	0.09	1.1
920SP3MN1179	407.90	408.20	0.16	1.3
920SP3MR1190	6.40	7.60	<0.01	0.2
920SP3MR1190	9.00	9.30	<0.01	<0.1
920SP3MR1190	16.45	17.00	<0.01	<0.1
920SP3MR1190	20.00	20.50	<0.01	0.2
920SP3MR1190	25.90	27.10	<0.01	<0.1
920SP3MR1190	35.50	36.40	<0.01	<0.1
920SP3MR1190	57.85	58.40	<0.01	<0.1
920SP3MR1190	61.00	61.30	<0.01	<0.1
920SP3MR1190	62.50	62.80	<0.01	<0.1
920SP3MR1190	63.30	63.90	<0.01	0.1
920SP3MR1190	67.70	68.70	<0.01	0.1
920SP3MR1190	68.70	69.30	<0.01	<0.1
920SP3MR1190	79.75	80.05	<0.01	1.7
920SP3MR1190	85.40	86.00	<0.01	0.5
920SP3MR1190	88.15	89.35	<0.01	0.2
920SP3MR1190	102.35	103.40	<0.01	0.3
920SP3MR1190	110.20	111.20	<0.01	0.3
920SP3MR1190	111.20	111.70	<0.01	0.2
920SP3MR1190	115.10	115.40	<0.01	0.2
920SP3MR1190	116.00	116.50	<0.01	0.2
920SP3MR1190	118.90	119.60	<0.01	0.3
920SP3MR1190	119.60	120.00	<0.01	0.4
920SP3MR1190	129.50	129.90	<0.01	0.6
920SP3MR1190	138.20	138.90	<0.01	0.4
920SP3MR1190	158.00	158.40	0.09	1.2
920SP3MR1190	162.70	163.30	<0.01	1.1
920SP3MR1190	168.75	169.05	0.03	0.7
920SP3MR1190	184.60	185.80	0.07	14.5
920SP3MR1190	185.80	186.60	0.01	1.5
920SP3MR1190	186.60	187.30	0.02	1.5
920SP3MR1190	187.30	187.60	0.16	1.9
920SP3MR1190	187.60	188.70	<0.01	1.3
920SP3MR1190	188.70	189.70	0.01	2.2
920SP3MR1190	189.70	190.80	<0.01	1.1
920SP3MR1190	190.80	191.60	0.03	1.3
920SP3MR1190	191.60	192.30	0.09	3.9
920SP3MR1190	192.30	193.20	36.30	55.3
920SP3MR1190	193.20	193.90	18.30	39.4
920SP3MR1190	193.90	194.20	53.10	567.0
920SP3MR1190	194.20	194.90	0.11	1.9
920SP3MR1190	194.90	195.70	0.80	10.6
920SP3MR1190	195.70	196.40	0.48	14.0
920SP3MR1190	196.90	197.40	2.01	4.9
920SP3MR1190	197.70	198.10	0.11	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MR1190	198.70	199.00	0.04	6.2
920SP3MR1190	200.75	201.40	0.25	4.9
920SP3MR1190	201.40	202.20	0.05	8.2
920SP3MR1190	202.90	204.40	0.03	4.1
920SP3MR1190	204.40	205.20	0.02	3.0
920SP3MR1190	205.20	206.00	0.01	1.5
920SP3MR1190	206.00	207.10	0.03	4.6
920SP3MR1190	207.10	208.60	0.04	2.6
920SP3MR1190	208.60	209.80	0.02	1.5
920SP3MR1190	213.10	214.10	0.01	2.3
920SP3MR1190	214.10	214.90	<0.01	0.3
920SP3MR1190	214.90	216.20	<0.01	0.2
920SP3MR1190	216.20	217.10	0.01	0.2
920SP3MR1190	217.10	218.40	0.01	0.2
920SP3MR1190	218.40	219.40	<0.01	<0.1
920SP3MR1190	219.40	220.40	0.02	3.3
920SP3MR1190	225.70	226.30	0.09	3.4
920SP3MR1190	231.50	232.00	0.01	1.2
920SP3MR1190	237.00	237.60	0.06	2.1
920SP3MR1190	238.40	239.00	0.09	6.5
920SP3MR1190	251.00	252.00	0.05	1.8
920SP3MR1190	254.40	254.70	0.02	0.6
920SP3MR1190	255.50	256.10	0.03	0.9
920SP3MR1190	256.50	257.10	<0.01	0.4
920SP3MR1190	268.80	269.80	0.02	1.0
920SP3MR1190	270.50	271.70	0.01	0.7
920SP3MR1190	271.70	272.30	0.05	1.0
920SP3MR1190	272.90	273.40	0.04	1.0
920SP3MR1190	273.40	274.40	0.03	2.5
920SP3MR1190	275.80	276.90	0.01	0.6
920SP3MR1190	281.00	281.60	0.02	0.8
920SP3MR1190	283.40	284.00	0.07	1.0
920SP3MR1190	284.00	285.20	0.04	0.9
920SP3MR1190	285.20	286.00	0.01	0.8
920SP3MR1190	289.30	289.70	0.02	1.3
920SP3MR1190	290.90	292.00	0.03	3.8
920SP3MR1190	292.50	293.05	0.02	4.0
920SP3MR1190	293.05	293.80	0.02	3.3
920SP3MR1190	293.80	295.00	<0.01	1.0
920SP3MR1190	295.00	296.20	0.02	1.3
920SP3MR1190	296.20	297.20	<0.01	0.7
920SP3MR1190	297.20	298.40	0.02	0.8
920SP3MR1190	298.40	299.50	<0.01	1.2
920SP3MR1190	299.50	299.80	0.01	1.2
920SP3MR1190	299.80	300.30	0.37	7.3
920SP3MR1190	300.30	301.30	0.04	3.0
920SP3MR1190	301.30	301.90	0.01	2.2
920SP3MR1190	301.90	302.90	0.02	2.1
920SP3MR1190	302.90	304.00	0.02	3.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MR1190	304.00	305.20	0.02	4.9
920SP3MR1190	305.20	306.00	0.02	3.2
920SP3MR1190	306.00	306.50	0.02	4.1
920SP3MR1190	306.50	307.60	0.02	4.2
920SP3MR1190	307.60	308.80	0.03	6.0
920SP3MR1190	308.80	310.00	0.02	4.0
920SP3MR1190	310.00	310.95	0.02	2.3
920SP3MR1190	310.95	311.30	0.05	1.5
920SP3MR1190	311.30	311.65	0.03	5.9
920SP3MR1190	311.65	312.20	0.03	0.9
920SP3MR1190	312.20	313.50	0.04	1.5
920SP3MR1190	313.50	313.90	0.87	6.3
920SP3MR1190	313.90	314.50	0.03	1.9
920SP3MR1190	314.50	315.15	0.03	4.3
920SP3MR1190	315.15	316.00	0.02	1.2
920SP3MR1190	316.00	317.00	0.03	1.1
920SP3MR1190	317.00	317.30	0.04	3.9
920SP3MR1190	317.60	318.80	<0.01	1.4
920SP3MR1190	318.80	319.40	<0.01	1.2
920SP3MR1190	319.40	319.90	0.02	1.2
920SP3MR1190	319.90	320.90	0.01	1.3
920SP3MR1190	320.90	321.20	0.06	5.1
920SP3MR1190	321.20	321.80	<0.01	1.3
920SP3MR1190	321.80	322.50	0.01	1.7
920SP3MR1190	322.50	323.20	<0.01	1.0
920SP3MR1190	323.20	323.90	<0.01	1.3
920SP3MR1190	329.20	329.50	0.56	4.7
920SP3MR1190	330.70	331.60	0.11	4.2
920SP3MR1190	332.00	332.30	0.03	1.1
920SP3MR1190	333.00	334.20	<0.01	0.9
920SP3MR1190	334.20	335.40	0.02	0.5
920SP3MR1190	335.40	336.00	<0.01	0.5
920SP3MR1190	336.00	337.00	0.01	0.1
920SP3MR1190	337.00	337.40	0.03	0.3
920SP3MR1190	337.40	338.20	1.33	2.5
920SP3MR1190	338.20	338.90	0.78	2.2
920SP3MR1190	338.90	339.90	1.14	13.3
920SP3MR1190	339.90	340.50	0.48	2.1
920SP3MR1190	340.50	341.70	0.69	1.8
920SP3MR1190	341.70	342.70	3.95	3.5
920SP3MR1190	342.70	343.70	0.28	1.4
920SP3MR1190	343.70	344.40	1.05	1.8
920SP3MR1190	344.70	345.60	0.01	0.5
920SP3MR1190	345.60	346.20	<0.01	<0.1
920SP3MR1190	346.20	347.00	0.04	0.5
920SP3MR1190	347.00	347.90	0.04	1.0
920SP3MR1190	347.90	349.10	0.03	0.6
920SP3MR1190	349.10	350.00	0.32	1.2
920SP3MR1190	350.00	350.40	0.05	1.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MR1190	350.90	351.50	0.03	0.8
920SP3MR1190	352.10	352.60	0.05	0.7
920SP3MR1190	353.70	354.00	0.26	0.8
920SP3MR1190	354.60	354.80	2.43	3.5
920SP3MR1190	355.00	355.50	1.33	2.8
920SP3MR1190	355.50	356.60	0.71	1.5
920SP3MR1190	356.60	357.80	0.14	1.2
920SP3MR1190	357.80	359.10	0.65	1.5
920SP3MR1190	359.10	360.30	0.81	4.6
920SP3MR1190	360.30	361.40	0.01	0.6
920SP3MR1190	361.40	361.80	1.09	3.7
920SP3MR1190	361.80	362.90	0.01	2.3
920SP3MR1190	362.90	363.30	0.02	1.2
920SP3MR1190	363.30	364.50	1.90	7.4
920SP3MR1190	364.50	365.50	0.02	1.4
920SP3MR1190	365.50	366.10	0.01	1.2
920SP3MR1190	367.40	367.90	2.03	4.6
920SP3MR1190	368.30	369.20	0.68	3.8
920SP3MR1190	369.20	370.00	0.20	1.2
920SP3MR1190	370.00	370.80	4.20	4.8
920SP3MR1190	370.80	371.50	0.27	0.5
920SP3MR1190	371.50	372.30	0.15	0.9
920SP3MR1190	372.30	373.10	0.16	0.9
920SP3MR1190	373.10	374.00	2.68	3.4
920SP3MR1190	374.00	374.60	1.96	3.4
920SP3MR1190	374.60	375.00	0.35	1.0
920SP3MR1190	375.00	376.20	0.41	1.1
920SP3MR1190	376.20	377.10	0.88	1.4
920SP3MR1190	377.10	377.90	2.96	2.9
920SP3MR1190	377.90	378.30	0.03	0.5
920SP3MR1190	378.30	378.80	2.25	4.0
920SP3MR1190	378.80	379.85	0.24	2.0
920SP3MR1190	379.85	381.05	5.38	5.3
920SP3MR1190	381.05	382.10	0.22	0.9
920SP3MR1190	382.10	383.30	0.08	0.9
920SP3MR1190	383.30	384.50	0.03	0.9
920SP3MR1190	384.50	385.70	0.21	1.9
920SP3MR1190	385.70	386.60	0.88	3.0
920SP3MR1190	386.60	387.80	0.06	0.6
920SP3MR1190	387.80	388.40	1.73	8.0
920SP3MR1190	388.40	389.40	0.03	0.8
920SP3MR1190	389.40	390.40	<0.01	0.7
920SP3MR1190	390.40	391.20	<0.01	0.5
920SP3MR1190	391.20	391.80	0.11	0.7
920SP3MR1190	391.80	392.20	27.40	23.0
920SP3MR1190	392.20	393.30	0.40	19.1
920SP3MR1190	393.30	394.50	0.02	3.1
920SP3MR1190	394.50	395.25	0.01	1.4
920SP3MR1190	395.25	395.80	<0.01	1.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MR1190	402.20	402.90	0.23	1.0
920SP3MR1190	402.90	403.30	<0.01	0.6
920SP3MR1190	403.30	403.60	<0.01	0.9
920SP3MR1192	6.10	7.30	<0.01	<0.1
920SP3MR1192	7.80	9.05	<0.01	<0.1
920SP3MR1192	17.40	17.70	<0.01	<0.1
920SP3MR1192	20.80	21.90	<0.01	<0.1
920SP3MR1192	21.90	23.00	<0.01	0.1
920SP3MR1192	40.55	40.85	<0.01	<0.1
920SP3MR1192	66.40	67.20	<0.01	0.1
920SP3MR1192	68.30	68.70	<0.01	0.1
920SP3MR1192	92.20	92.80	<0.01	0.3
920SP3MR1192	104.00	104.90	<0.01	1.6
920SP3MR1192	121.20	121.70	<0.01	0.5
920SP3MR1192	153.85	154.15	0.02	0.4
920SP3MR1192	157.60	158.15	0.27	2.7
920SP3MR1192	159.40	160.40	0.16	1.2
920SP3MR1192	165.30	165.60	0.17	1.1
920SP3MR1192	165.60	166.40	<0.01	0.5
920SP3MR1192	166.40	167.00	0.03	0.5
920SP3MR1192	196.00	197.10	<0.01	1.2
920SP3MR1192	197.10	198.30	<0.01	2.3
920SP3MR1192	198.30	198.60	1.18	36.5
920SP3MR1192	198.60	199.60	0.01	2.1
920SP3MR1192	199.60	200.80	<0.01	1.2
920SP3MR1192	200.80	201.90	<0.01	1.0
920SP3MR1192	201.90	203.10	<0.01	1.3
920SP3MR1192	204.45	205.30	0.02	1.7
920SP3MR1192	205.90	206.50	<0.01	2.2
920SP3MR1192	206.50	207.60	<0.01	0.9
920SP3MR1192	208.30	209.50	<0.01	0.4
920SP3MR1192	209.50	210.40	0.04	0.8
920SP3MR1192	210.40	211.20	0.05	0.7
920SP3MR1192	211.20	212.20	0.02	0.3
920SP3MR1192	213.30	213.70	<0.01	0.5
920SP3MR1192	214.20	215.40	<0.01	0.4
920SP3MR1192	215.40	216.40	<0.01	0.5
920SP3MR1192	216.40	217.30	0.02	0.8
920SP3MR1192	217.70	218.10	0.03	1.8
920SP3MR1192	218.20	219.40	0.03	1.0
920SP3MR1192	219.40	220.50	0.01	0.8
920SP3MR1192	220.50	221.70	0.01	0.4
920SP3MR1192	221.70	222.90	0.01	0.3
920SP3MR1192	222.90	224.00	0.01	0.4
920SP3MR1192	224.00	225.00	<0.01	0.3
920SP3MR1192	225.00	226.10	<0.01	0.2
920SP3MR1192	226.10	227.20	<0.01	0.8
920SP3MR1192	227.20	228.40	0.01	0.4
920SP3MR1192	228.40	229.55	0.02	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MR1192	229.55	230.20	<0.01	0.3
920SP3MR1192	230.20	231.40	0.01	0.4
920SP3MR1192	231.80	233.00	<0.01	0.3
920SP3MR1192	233.00	234.00	0.02	0.9
920SP3MR1192	234.00	235.00	0.03	0.7
920SP3MR1192	235.00	235.80	<0.01	1.8
920SP3MR1192	235.80	236.50	<0.01	1.7
920SP3MR1192	236.50	236.90	<0.01	0.9
920SP3MR1192	237.30	238.50	<0.01	0.5
920SP3MR1192	238.50	239.20	<0.01	0.4
920SP3MR1192	239.20	240.30	<0.01	0.3
920SP3MR1192	240.30	241.40	<0.01	<0.1
920SP3MR1192	241.40	242.40	<0.01	0.2
920SP3MR1192	242.40	243.60	0.01	0.5
920SP3MR1192	243.60	244.45	<0.01	0.7
920SP3MR1192	244.45	245.60	<0.01	0.7
920SP3MR1192	245.60	246.80	<0.01	0.6
920SP3MR1192	246.80	248.00	<0.01	0.7
920SP3MR1192	248.00	249.05	<0.01	0.5
920SP3MR1192	249.05	249.70	0.01	1.4
920SP3MR1192	249.70	250.60	0.07	1.6
920SP3MR1192	250.60	251.10	<0.01	0.7
920SP3MR1192	251.10	251.70	0.01	0.6
920SP3MR1192	251.70	252.70	<0.01	1.3
920SP3MR1192	252.70	253.90	<0.01	0.7
920SP3MR1192	253.90	254.35	<0.01	0.5
920SP3MR1192	254.35	255.40	<0.01	0.3
920SP3MR1192	255.40	256.60	0.01	0.4
920SP3MR1192	256.60	257.50	0.02	0.3
920SP3MR1192	257.50	258.40	<0.01	0.6
920SP3MR1192	258.40	259.10	0.02	0.4
920SP3MR1192	259.70	260.80	0.07	1.1
920SP3MR1192	260.80	262.00	0.04	0.6
920SP3MR1192	262.00	263.00	0.01	0.4
920SP3MR1192	263.00	264.20	0.02	0.3
920SP3MR1192	264.20	265.20	<0.01	0.3
920SP3MR1192	265.20	266.20	0.02	0.3
920SP3MR1192	266.20	266.70	<0.01	0.3
920SP3MR1192	266.70	267.90	0.02	0.3
920SP3MR1192	267.90	268.70	<0.01	0.3
920SP3MR1192	268.70	269.70	0.01	0.4
920SP3MR1192	269.70	270.90	<0.01	0.3
920SP3MR1192	270.90	272.00	<0.01	0.3
920SP3MR1192	272.00	273.20	<0.01	0.2
920SP3MR1192	273.20	273.50	<0.01	0.4
920SP3MR1192	273.50	274.70	<0.01	0.2
920SP3MR1192	274.70	275.90	<0.01	0.3
920SP3MR1192	275.90	277.00	<0.01	0.3
920SP3MR1192	277.00	278.20	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MR1192	278.20	279.00	<0.01	1.0
920SP3MR1192	279.00	279.70	<0.01	0.4
920SP3MR1192	279.70	280.80	<0.01	0.3
920SP3MR1192	280.80	281.70	<0.01	0.4
920SP3MR1192	281.70	282.90	<0.01	0.3
920SP3MR1192	282.90	284.10	<0.01	0.5
920SP3MR1192	284.10	285.20	0.01	1.0
920SP3MR1192	285.20	286.10	<0.01	0.6
920SP3MR1192	286.10	286.55	<0.01	0.8
920SP3MR1192	286.55	287.45	<0.01	1.2
920SP3MR1192	287.45	288.30	0.02	3.3
920SP3MR1192	288.30	289.50	<0.01	2.9
920SP3MR1192	289.50	290.70	0.01	2.8
920SP3MR1192	290.70	291.90	0.02	2.0
920SP3MR1192	291.90	292.70	0.02	2.5
920SP3MR1192	292.70	293.50	0.02	5.4
920SP3MR1192	293.50	293.95	0.04	2.0
920SP3MR1192	293.95	295.00	0.02	3.9
920SP3MR1192	295.00	295.40	<0.01	1.3
920SP3MR1192	295.40	296.60	<0.01	1.8
920SP3MR1192	296.60	297.30	<0.01	2.1
920SP3MR1192	297.30	297.90	0.09	7.0
920SP3MR1192	297.90	299.10	0.05	3.4
920SP3MR1192	299.10	300.30	<0.01	1.6
920SP3MR1192	300.30	301.10	0.03	1.1
920SP3MR1192	301.10	302.05	0.05	1.3
920SP3MR1192	302.05	302.95	<0.01	1.8
920SP3MR1192	302.95	304.15	0.14	5.0
920SP3MR1192	304.15	304.55	6.71	52.3
920SP3MR1192	304.55	305.70	0.02	2.6
920SP3MR1192	305.70	306.90	0.02	2.0
920SP3MR1192	306.90	307.30	0.02	1.9
920SP3MR1192	307.30	308.45	0.02	1.9
920SP3MR1192	308.45	309.50	<0.01	0.8
920SP3MR1192	309.50	310.65	0.02	1.8
920SP3MR1192	310.65	311.20	0.01	1.2
920SP3MR1192	311.20	312.40	0.06	2.2
920SP3MR1192	312.40	313.20	0.03	2.8
920SP3MR1192	313.20	313.50	<0.01	1.4
920SP3MR1192	313.50	314.70	0.02	2.2
920SP3MR1192	314.70	315.90	0.04	2.2
920SP3MR1192	315.90	317.10	0.02	1.7
920SP3MR1192	317.10	318.30	0.13	2.3
920SP3MR1192	318.30	319.00	0.03	2.0
920SP3MR1192	319.00	320.00	0.02	2.1
920SP3MR1192	320.00	321.20	0.02	1.3
920SP3MR1192	321.20	322.10	0.02	1.6
920SP3MR1192	322.10	323.10	0.03	1.8
920SP3MR1192	323.10	324.20	0.03	1.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MR1192	324.20	325.20	0.07	1.8
920SP3MR1192	326.70	327.00	<0.01	2.4
920SP3MR1192	327.00	327.40	<0.01	1.1
920SP3MR1192	328.20	328.40	0.03	1.9
920SP3MR1192	329.70	330.10	0.02	3.0
920SP3MR1192	330.70	331.70	0.01	2.2
920SP3MR1192	331.70	332.70	0.02	2.6
920SP3MR1192	332.70	333.30	<0.01	0.7
920SP3MR1192	333.30	334.10	<0.01	0.7
920SP3MR1192	334.10	335.20	0.03	0.4
920SP3MR1192	335.20	336.40	0.01	0.7
920SP3MR1192	336.40	336.85	0.01	0.6
920SP3MR1192	336.85	338.00	0.10	0.6
920SP3MR1192	338.00	339.10	0.59	22.1
920SP3MR1192	339.10	339.90	0.53	9.9
920SP3MR1192	339.90	340.60	2.75	8.3
920SP3MR1192	340.60	341.70	5.64	15.0
920SP3MR1192	341.70	342.40	1.36	11.7
920SP3MR1192	342.40	343.00	1.99	5.0
920SP3MR1192	343.00	343.80	4.24	9.5
920SP3MR1192	343.80	344.70	5.83	10.5
920SP3MR1192	344.70	345.50	8.78	12.0
920SP3MR1192	345.50	346.10	0.02	0.9
920SP3MR1192	346.10	347.00	7.98	8.0
920SP3MR1192	347.00	347.90	1.07	2.0
920SP3MR1192	347.90	348.65	0.39	1.4
920SP3MR1192	348.65	349.90	2.92	4.4
920SP3MR1192	349.90	350.75	0.31	1.3
920SP3MR1192	350.75	351.20	1.48	2.0
920SP3MR1192	351.20	352.10	0.61	1.0
920SP3MR1192	352.10	352.60	2.35	3.1
920SP3MR1192	352.60	353.40	2.48	3.4
920SP3MR1192	353.40	354.50	3.04	8.9
920SP3MR1192	354.50	355.10	1.94	5.8
920SP3MR1192	355.10	356.10	7.81	26.7
920SP3MR1192	356.10	357.10	0.15	3.0
920SP3MR1192	357.10	357.40	0.29	4.6
920SP3MR1192	357.40	358.60	0.03	1.2
920SP3MR1192	358.60	359.30	0.70	2.6
920SP3MR1192	359.30	360.40	2.19	2.9
920SP3MR1192	360.40	361.00	0.16	0.6
920SP3MR1192	361.00	362.00	0.21	0.4
920SP3MR1192	362.00	362.90	0.01	0.1
920SP3MR1192	362.90	363.60	0.16	0.4
920SP3MR1192	363.60	364.30	0.01	0.2
920SP3MR1192	364.30	365.35	<0.01	0.3
920SP3MR1192	365.35	366.40	0.17	0.4
920SP3MR1192	366.40	367.50	0.12	0.3
920SP3MR1192	367.50	368.40	2.27	2.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP3MR1192	368.40	369.30	0.07	0.5
920SP3MR1192	369.30	370.50	0.46	1.2
920SP3MR1192	370.50	371.20	13.50	13.7
920SP3MR1192	371.20	372.00	9.81	8.5
920SP3MR1192	372.00	372.45	6.86	7.7
920SP3MR1192	372.45	372.85	0.17	1.0
920SP3MR1192	372.85	373.70	3.67	5.2
920SP3MR1192	373.70	374.40	0.18	1.2
920SP3MR1192	374.40	375.50	0.05	1.3
920SP3MR1192	375.50	375.80	0.33	1.4
920SP3MR1192	375.80	376.80	0.16	2.3
920SP3MR1192	376.80	377.50	2.35	3.5
920SP3MR1192	377.50	378.70	0.03	1.1
920SP3MR1192	378.70	379.90	0.02	1.7
920SP3MR1192	379.90	381.10	0.02	1.7
920SP3MR1192	381.10	382.25	0.05	0.8
920SP3MR1192	382.25	383.30	0.04	1.0
920SP3MR1192	383.30	384.40	0.22	1.3
920SP3MR1192	384.40	385.20	<0.01	0.4
920SP3MR1192	385.20	385.70	<0.01	0.6
920SP3MR1192	385.70	386.80	0.17	1.0
920SP3MR1192	386.80	387.70	<0.01	2.0
920SP3MR1192	387.70	388.90	<0.01	2.4
920SP3MR1192	388.90	390.10	<0.01	1.9
920SP3MR1192	390.10	391.00	<0.01	1.7
920SP3MR1192	391.00	392.00	<0.01	2.4
920SP3MR1192	392.00	393.00	<0.01	1.8
920SP3MR1192	393.00	394.10	0.06	2.3
920SP4MN1175	2.50	3.10	<0.01	1.1
920SP4MN1175	15.00	16.10	<0.01	0.6
920SP4MN1175	24.50	25.50	<0.01	0.4
920SP4MN1175	28.60	29.00	<0.01	1.2
920SP4MN1175	29.00	29.80	<0.01	1.0
920SP4MN1175	29.80	30.10	<0.01	1.3
920SP4MN1175	42.40	43.00	<0.01	1.3
920SP4MN1175	45.80	46.40	<0.01	0.7
920SP4MN1175	46.40	47.00	<0.01	1.5
920SP4MN1175	47.00	47.30	<0.01	2.3
920SP4MN1175	47.30	47.60	2.96	94.0
920SP4MN1175	47.60	48.00	0.03	2.3
920SP4MN1175	51.80	52.20	0.02	1.3
920SP4MN1175	52.20	52.50	<0.01	1.0
920SP4MN1175	52.50	53.70	0.03	1.1
920SP4MN1175	53.70	54.00	0.03	1.2
920SP4MN1175	54.00	55.00	<0.01	1.4
920SP4MN1175	62.90	63.20	<0.01	1.3
920SP4MN1175	65.20	66.20	<0.01	1.2
920SP4MN1175	68.10	68.40	<0.01	1.3
920SP4MN1175	75.20	75.50	<0.01	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP4MN1175	88.00	89.00	0.01	0.8
920SP4MN1175	89.00	90.00	<0.01	0.4
920SP4MN1175	90.00	91.00	0.05	11.3
920SP4MN1175	91.00	91.70	<0.01	0.6
920SP4MN1175	91.70	92.30	<0.01	1.7
920SP4MN1175	92.30	93.10	0.02	7.3
920SP4MN1175	93.10	94.00	<0.01	1.2
920SP4MN1175	94.00	94.50	<0.01	1.5
920SP4MN1175	94.50	95.00	<0.01	0.4
920SP4MN1175	98.00	99.00	<0.01	0.4
920SP4MN1175	99.00	99.50	0.39	1.7
920SP4MN1175	99.50	100.00	<0.01	0.6
920SP4MN1175	124.00	124.70	0.02	2.0
920SP4MN1175	124.70	125.00	0.58	2.3
920SP4MN1175	128.00	128.50	0.10	0.9
920SP4MN1175	128.50	129.20	0.84	7.4
920SP4MN1175	129.20	130.00	0.14	3.8
920SP4MN1175	130.00	131.00	0.04	1.5
920SP4MN1175	131.00	132.00	0.03	2.6
920SP4MN1175	132.00	133.00	0.02	2.5
920SP4MN1175	133.00	134.00	0.09	1.7
920SP4MN1175	134.00	135.00	0.52	3.3
920SP4MN1175	135.00	135.30	0.05	2.8
920SP4MN1175	135.60	135.90	0.26	4.2
920SP4MN1175	137.00	137.40	0.02	1.2
920SP4MN1175	137.40	137.90	20.80	106.0
920SP4MN1175	137.90	138.50	28.60	391.0
920SP4MN1175	139.90	140.10	2.04	9.0
920SP4MN1175	140.10	141.10	0.22	4.0
920SP4MN1175	142.80	143.30	0.06	2.6
920SP4MN1175	146.60	147.10	0.75	3.3
920SP4MN1175	147.10	148.00	0.02	1.5
920SP4MN1175	149.80	150.20	0.03	2.4
920SP4MN1175	151.40	151.60	0.01	1.6
920SP4MN1175	151.60	152.60	0.02	1.3
920SP4MN1175	152.60	153.10	0.03	1.6
920SP4MN1175	153.10	154.00	0.02	0.7
920SP4MN1181	8.80	9.40	<0.01	0.6
920SP4MN1181	15.10	15.40	<0.01	0.4
920SP4MN1181	20.20	20.80	<0.01	0.6
920SP4MN1181	20.80	21.60	<0.01	0.5
920SP4MN1181	21.60	22.80	<0.01	0.3
920SP4MN1181	26.70	27.00	<0.01	0.3
920SP4MN1181	27.60	28.10	<0.01	0.6
920SP4MN1181	29.30	29.60	<0.01	1.0
920SP4MN1181	30.60	31.50	<0.01	1.5
920SP4MN1181	34.10	34.50	<0.01	2.0
920SP4MN1181	34.50	35.30	0.73	6.0
920SP4MN1181	36.20	36.80	<0.01	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP4MN1181	36.80	37.60	<0.01	1.8
920SP4MN1181	40.50	41.00	<0.01	2.6
920SP4MN1181	41.00	41.70	<0.01	2.8
920SP4MN1181	41.70	42.10	<0.01	2.2
920SP4MN1181	44.60	44.90	<0.01	2.6
920SP4MN1181	45.25	45.70	0.04	7.7
920SP4MN1181	45.70	46.10	0.02	3.6
920SP4MN1181	47.70	48.00	1.87	87.1
920SP4MN1181	48.00	48.40	0.01	3.1
920SP4MN1181	51.25	51.60	1.30	44.5
920SP4MN1181	51.60	51.90	0.02	2.6
920SP4MN1181	53.90	55.10	<0.01	1.7
920SP4MN1181	55.10	56.30	<0.01	0.9
920SP4MN1181	56.30	57.00	<0.01	2.0
920SP4MN1181	57.00	58.20	0.02	0.8
920SP4MN1181	58.20	58.90	<0.01	2.8
920SP4MN1181	58.90	59.30	0.01	3.3
920SP4MN1181	59.30	60.00	<0.01	4.4
920SP4MN1181	60.00	61.00	<0.01	3.6
920SP4MN1181	61.00	61.60	0.01	4.0
920SP4MN1181	61.60	62.00	0.03	1.5
920SP4MN1181	62.00	62.50	0.02	1.3
920SP4MN1181	62.60	63.80	<0.01	1.2
920SP4MN1181	63.80	65.00	0.06	1.3
920SP4MN1181	65.00	65.45	<0.01	1.7
920SP4MN1181	65.45	66.00	0.01	2.1
920SP4MN1181	66.00	67.20	0.04	2.5
920SP4MN1181	67.20	68.40	<0.01	1.0
920SP4MN1181	68.40	69.60	<0.01	1.8
920SP4MN1181	69.60	70.50	<0.01	1.6
920SP4MN1181	70.50	71.60	0.01	1.8
920SP4MN1181	71.60	72.80	0.06	2.2
920SP4MN1181	72.80	73.40	<0.01	1.0
920SP4MN1181	73.40	74.60	<0.01	2.1
920SP4MN1181	74.60	75.80	<0.01	1.6
920SP4MN1181	75.80	77.00	<0.01	0.8
920SP4MN1181	77.00	78.10	<0.01	1.3
920SP4MN1181	78.10	79.00	<0.01	1.4
920SP4MN1181	83.15	83.45	<0.01	1.2
920SP4MN1181	83.45	84.50	<0.01	1.6
920SP4MN1181	84.50	85.30	<0.01	1.4
920SP4MN1181	85.30	86.20	0.08	17.5
920SP4MN1181	86.20	87.10	<0.01	4.4
920SP4MN1181	87.10	87.40	<0.01	2.5
920SP4MN1181	99.40	99.80	<0.01	2.1
920SP4MN1181	103.45	104.05	0.38	4.4
920SP4MN1181	106.00	106.30	0.12	3.4
920SP4MN1181	107.80	108.10	0.52	3.5
920SP4MN1181	109.20	109.50	0.01	2.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP4MN1181	109.50	110.70	0.02	2.1
920SP4MN1181	110.70	111.90	0.02	2.4
920SP4MN1181	111.90	112.60	0.03	1.9
920SP4MN1181	112.60	113.60	0.02	2.6
920SP4MN1181	113.60	114.10	0.17	4.6
920SP4MN1181	114.10	115.20	<0.01	2.2
920SP4MN1181	115.20	116.15	0.04	1.8
920SP4MN1181	116.15	116.90	5.39	48.2
920SP4MN1181	116.90	118.10	0.37	5.1
920SP4MN1181	118.10	118.60	1.56	4.7
920SP4MN1181	118.60	119.50	0.11	1.0
920SP4MN1181	119.70	120.50	0.05	0.8
920SP4MN1181	120.50	121.00	0.07	1.0
920SP4MN1181	121.00	121.40	0.04	1.3
920SP4MN1181	121.40	122.10	0.03	3.9
920SP4MN1181	122.10	122.80	3.12	3.0
920SP4MN1181	123.40	124.30	0.04	1.1
920SP4MN1181	124.30	124.70	0.02	0.7
920SP4MN1181	124.70	125.10	2.61	2.0
920SP4MN1181	125.10	126.40	0.02	1.1
920SP4MN1181	126.40	127.40	0.04	1.1
920SP4MN1181	127.40	128.10	4.45	1.6
920SP4MN1181	128.10	129.00	1.03	38.0
920SP4MN1181	129.00	130.00	0.15	11.9
920SP4MN1181	130.00	131.10	0.03	0.8
920SP4MN1181	131.10	131.90	0.03	0.7
920SP4MN1181	131.90	133.00	0.03	0.6
920SP4MN1181	135.25	135.70	0.02	1.2
920SP4MN1181	140.10	140.70	0.17	1.5
920SP4MN1181	140.70	141.30	0.07	1.9
920SP4MN1181	142.40	143.00	0.04	2.3
920SP4MN1181	143.00	143.60	0.03	1.4
920SP4MN1181	147.60	147.90	0.02	1.1
920SP4MN1181	147.90	148.90	<0.01	1.1
920SP4MN1181	149.70	150.00	0.02	1.1
920SP4MN1181	150.00	150.50	0.03	2.3
920SP4MN1181	153.40	154.10	0.03	2.2
920SP5MN1184	1.55	2.60	0.02	6.6
920SP5MN1184	2.60	3.00	0.14	21.3
920SP5MN1184	3.00	3.35	3.29	249.0
920SP5MN1184	3.35	4.50	0.05	6.7
920SP5MN1184	24.20	24.75	0.02	6.3
920SP5MN1184	24.75	25.40	0.02	4.3
920SP5MN1184	25.40	26.60	<0.01	4.0
920SP5MN1184	26.60	27.10	0.13	48.1
920SP5MN1184	27.10	27.40	0.01	2.4
920SP5MN1184	31.60	32.80	0.01	2.6
920SP5MN1184	32.80	33.50	<0.01	2.3
920SP5MN1184	33.50	34.50	<0.01	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP5MN1184	34.50	35.00	0.01	1.7
920SP5MN1184	50.65	51.50	<0.01	2.1
920SP5MN1184	52.80	53.40	<0.01	1.6
920SP5MN1184	53.40	54.00	0.01	1.6
920SP5MN1184	55.00	55.30	0.01	1.6
920SP5MN1184	55.30	55.80	0.03	2.7
920SP5MN1184	55.80	56.20	0.03	2.6
920SP5MN1184	58.20	58.60	<0.01	2.4
920SP5MN1184	59.55	60.50	0.02	2.2
920SP5MN1184	62.50	62.90	0.02	3.0
920SP5MN1184	64.35	65.40	0.05	2.8
920SP5MN1184	65.40	66.40	<0.01	2.4
920SP5MN1184	66.40	66.70	0.03	2.4
920SP5MN1184	66.70	67.90	0.02	4.4
920SP5MN1184	67.90	69.10	0.03	5.9
920SP5MN1184	69.10	70.30	0.02	2.3
920SP5MN1184	70.30	71.50	0.01	2.2
920SP5MN1184	71.50	72.40	<0.01	2.3
920SP5MN1184	72.40	72.85	<0.01	3.0
920SP5MN1184	72.85	74.20	0.02	3.3
920SP5MN1184	74.30	75.50	19.20	154.0
920SP5MN1184	75.50	76.95	36.60	1260.0
920SP5MN1184	76.95	77.45	0.04	0.1
920SP5MN1184	77.45	78.35	0.04	0.2
920SP5MN1184	78.35	79.30	0.05	0.1
920SP5MN1184	79.90	81.05	0.02	<0.1
920SP5MN1184	81.05	82.05	0.03	0.2
920SP5MN1184	82.05	83.20	<0.01	0.4
920SP5MN1184	83.20	84.50	0.01	1.7
920SP5MN1184	84.50	85.40	0.03	1.9
920SP5MN1184	85.40	86.15	0.04	2.3
920SP5MN1184	86.15	87.25	0.01	1.9
920SP5MN1184	87.25	88.00	0.02	2.5
920SP5MN1184	88.20	88.95	0.02	5.3
920SP5MN1184	88.95	89.65	0.09	10.9
920SP5MN1184	89.65	90.70	0.01	1.5
920SP5MN1184	90.70	91.40	0.13	11.7
920SP5MN1184	91.40	92.60	0.04	7.3
920SP5MN1184	92.60	93.65	0.27	47.4
920SP5MN1184	93.75	94.90	0.04	2.0
920SP5MN1184	94.90	95.55	0.20	4.7
920SP5MN1184	95.55	96.30	0.06	1.6
920SP5MN1184	96.30	97.60	0.03	1.5
920SP5MN1184	97.60	98.70	0.03	2.5
920SP5MN1184	98.70	99.80	0.03	1.9
920SP5MN1184	99.80	100.20	0.04	5.0
920SP5MN1184	100.20	101.95	0.02	2.6
920SP5MN1184	101.95	102.50	0.01	0.6
920SP5MN1184	102.50	103.80	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP5MN1184	103.80	104.25	<0.01	0.4
920SP5MN1184	110.35	111.30	<0.01	0.5
920SP5MN1184	111.30	112.10	<0.01	0.9
920SP5MN1184	112.10	113.25	<0.01	1.1
920SP5MN1184	113.25	113.90	<0.01	0.3
920SP5MN1184	113.90	115.00	0.01	0.3
920SP5MN1184	115.00	115.90	0.01	0.3
920SP5MN1184	115.90	116.25	<0.01	0.3
920SP5MN1184	116.25	116.50	0.01	0.4
920SP5MN1184	118.60	119.00	<0.01	0.3
920SP5MN1184	119.00	120.25	0.01	0.3
920SP5MN1184	120.25	121.50	<0.01	0.5
920SP5MN1184	121.50	122.70	<0.01	0.6
920SP5MN1184	122.70	123.90	0.01	0.9
920SP5MN1184	123.90	124.70	0.03	1.5
920SP5MN1184	124.70	125.50	0.06	2.7
920SP5MN1184	125.50	126.70	0.04	1.8
920SP5MN1184	126.70	127.85	0.02	0.9
920SP5MN1184	127.85	128.45	0.02	0.6
920SP5MN1184	128.45	129.15	<0.01	0.6
920SP5MN1184	129.15	130.30	0.02	0.5
920SP5MN1184	130.30	131.40	<0.01	0.5
920SP5MN1184	131.40	131.70	0.02	0.5
920SP5MN1184	131.70	132.70	<0.01	0.4
920SP5MN1184	132.70	134.00	<0.01	0.3
920SP5MN1184	134.00	134.60	<0.01	0.4
920SP5MN1184	134.60	134.90	<0.01	0.6
920SP5MN1184	134.90	136.00	<0.01	0.3
920SP5MN1184	136.00	136.75	<0.01	0.5
920SP5MN1184	142.40	143.70	0.02	1.0
920SP5MN1184	143.70	144.20	0.06	2.3
920SP5MN1184	147.80	148.60	0.02	1.5
920SP5MN1184	149.00	149.70	<0.01	1.7
920SP5MN1184	149.70	150.60	<0.01	1.2
920SP5MN1184	150.60	151.20	0.01	0.8
920SP5MN1184	151.20	152.40	0.01	0.5
920SP5MN1184	152.40	153.40	<0.01	0.6
920SP5MN1184	153.40	154.50	<0.01	1.1
920SP5MN1184	154.50	155.00	<0.01	0.7
920SP5MN1184	155.00	156.10	0.01	1.4
920SP5MN1184	156.10	157.30	<0.01	0.6
920SP5MN1184	157.30	158.40	<0.01	0.7
920SP5MN1184	158.40	159.20	<0.01	0.5
920SP5MN1184	159.20	159.60	<0.01	0.4
920SP5MN1184	159.60	160.45	<0.01	0.4
920SP5MN1184	160.45	161.40	<0.01	0.5
920SP5MN1184	161.40	162.30	0.01	0.4
920SP5MN1184	163.25	163.55	0.04	1.4
920SP5MN1184	166.00	166.30	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP5MN1184	174.35	174.65	<0.01	0.1
920SP5MN1184	177.20	178.10	<0.01	0.3
920SP5MN1184	178.10	178.60	<0.01	0.2
920SP5MN1184	178.60	179.60	<0.01	0.1
920SP5MN1184	179.60	179.90	<0.01	0.1
920SP5MN1184	179.90	180.65	<0.01	<0.1
920SP5MN1184	180.65	181.50	<0.01	<0.1
920SP5MN1184	181.50	182.55	<0.01	0.1
920SP5MN1184	182.55	183.20	<0.01	<0.1
920SP5MN1184	183.20	184.00	0.01	0.1
920SP5MN1184	184.00	184.70	<0.01	<0.1
920SP5MN1184	184.70	185.10	<0.01	0.3
920SP5MN1184	185.10	186.20	<0.01	0.2
920SP5MN1184	186.20	186.90	<0.01	0.2
920SP5MN1184	186.90	187.25	<0.01	0.2
920SP5MN1184	187.25	187.90	0.01	0.5
920SP5MN1184	187.90	188.80	<0.01	0.6
920SP5MN1184	188.80	189.95	0.01	0.6
920SP5MN1184	189.95	190.45	0.01	1.4
920SP5MN1184	190.45	191.45	<0.01	0.9
920SP5MN1184	191.45	192.00	<0.01	1.2
920SP5MN1184	192.00	193.20	0.01	0.4
920SP5MN1184	193.20	193.70	<0.01	0.8
920SP5MN1184	193.70	194.80	0.01	0.8
920SP5MN1184	194.80	196.00	0.02	0.9
920SP5MN1184	196.00	197.00	<0.01	0.3
920SP5MN1184	197.00	198.00	0.03	0.3
920SP5MN1184	198.00	199.20	0.01	0.3
920SP5MN1184	199.20	200.20	0.03	0.8
920SP5MN1184	200.20	201.40	0.02	0.4
920SP5MN1184	201.40	202.50	0.03	0.6
920SP5MN1184	206.15	207.00	0.03	0.7
920SP5MN1184	208.50	208.80	0.01	0.5
920SP5MN1184	224.90	225.70	0.01	0.8
920SP5MN1184	234.00	234.30	0.03	0.8
920SP5MN1184	236.00	236.30	0.04	1.1
920SP5MN1184	244.60	245.40	0.02	0.6
920SP5MN1184	245.40	246.30	0.02	0.4
920SP5MN1184	246.30	246.60	0.05	0.4
920SP5MN1184	246.60	247.00	0.02	0.4
920SP5MN1184	247.00	248.20	<0.01	0.3
920SP5MN1184	248.20	249.10	<0.01	0.3
920SP5MN1184	249.10	249.40	<0.01	0.4
920SP5MN1184	249.40	250.60	<0.01	0.6
920SP5MN1184	250.60	251.45	<0.01	0.6
920SP5MN1184	251.45	252.60	<0.01	0.6
920SP5MN1184	252.60	253.80	<0.01	0.6
920SP5MN1184	253.80	255.00	<0.01	0.6
920SP5MN1184	255.00	256.20	<0.01	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP5MN1184	256.20	257.40	<0.01	0.7
920SP5MN1184	257.40	258.60	0.02	1.0
920SP5MN1184	258.60	259.80	<0.01	0.8
920SP5MN1184	259.80	261.00	<0.01	0.7
920SP5MN1184	261.00	262.20	<0.01	0.5
920SP5MN1184	262.20	263.40	0.05	0.3
920SP5MN1184	263.40	264.90	<0.01	0.2
920SP5MN1184	264.90	266.00	<0.01	0.2
920SP5MN1184	266.00	267.20	<0.01	0.2
920SP5MN1184	267.20	268.10	<0.01	0.1
920SP5MN1184	268.10	269.00	<0.01	0.2
920SP5MN1184	269.00	270.40	<0.01	<0.1
920SP5MN1184	270.40	272.60	<0.01	0.1
920SP5MN1184	272.60	273.20	<0.01	<0.1
920SP5MN1184	273.20	274.30	<0.01	<0.1
920SP5MN1184	274.30	275.10	<0.01	<0.1
920SP5MN1184	275.40	275.80	<0.01	<0.1
920SP5MN1184	276.40	276.80	<0.01	0.4
920SP5MN1184	277.20	278.00	<0.01	0.2
920SP5MN1184	278.00	279.00	<0.01	0.1
920SP5MN1184	279.20	280.20	<0.01	0.3
920SP5MN1184	280.20	281.20	<0.01	0.3
920SP5MN1184	281.20	282.40	<0.01	0.3
920SP5MN1184	282.90	283.65	<0.01	0.4
920SP5MN1184	283.65	284.70	<0.01	0.3
920SP5MN1184	284.70	285.20	<0.01	0.6
920SP5MN1184	285.20	286.40	<0.01	0.7
920SP5MN1184	286.40	287.40	0.03	0.2
920SP5MN1184	287.70	288.70	<0.01	<0.1
920SP5MN1184	288.70	289.60	<0.01	<0.1
920SP5MN1184	289.60	291.00	0.03	0.9
920SP5MN1184	291.00	292.50	0.01	0.3
920SP5MN1184	292.50	293.50	0.03	2.5
920SP5MN1184	293.50	294.60	0.10	1.5
920SP5MN1184	294.60	295.40	0.11	0.7
920SP5MN1184	295.40	296.60	0.03	0.6
920SP5MN1184	296.60	297.80	<0.01	0.2
920SP5MN1184	297.80	299.00	0.03	0.2
920SP5MN1184	299.00	299.90	0.05	0.2
920SP5MN1184	300.65	301.60	0.83	7.5
920SP5MN1184	301.60	302.80	3.20	13.7
920SP5MN1184	302.80	304.00	10.20	65.8
920SP5MN1184	304.20	304.65	10.50	18.7
920SP5MN1184	304.65	305.15	9.51	7.7
920SP5MN1184	305.25	306.20	5.79	4.9
920SP5MN1184	306.20	306.80	1.69	1.9
920SP5MN1184	306.80	307.80	4.31	4.4
920SP5MN1184	308.80	310.00	1.95	4.5
920SP5MN1184	310.00	311.00	34.50	22.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP5MN1184	311.00	311.95	48.50	47.2
920SP5MN1184	311.95	313.10	0.34	1.5
920SP5MN1184	313.10	313.75	13.10	22.6
920SP5MN1184	313.75	314.20	0.97	15.7
920SP5MN1184	314.20	314.50	6.26	235.0
920SP5MN1184	314.50	315.05	0.63	6.0
920SP5MN1184	315.30	316.30	4.37	75.5
920SP5MN1184	316.30	316.60	9.86	335.0
920SP5MN1184	316.60	317.80	0.06	0.8
920SP5MN1184	317.80	318.85	0.05	0.6
920SP5MN1184	318.85	319.40	2.35	4.6
920SP5MN1184	319.40	320.00	0.20	0.7
920SP5MN1184	320.00	321.20	0.03	0.6
920SP5MN1184	321.20	322.40	0.04	0.9
920SP5MN1184	322.40	323.60	0.02	0.5
920SP5MN1184	323.60	324.70	0.02	0.3
920SP5MN1184	324.70	325.40	0.19	0.8
920SP5MN1184	325.40	326.60	<0.01	0.4
920SP5MN1184	326.60	327.50	0.01	0.5
920SP5MN1184	327.50	327.80	3.41	2.3
920SP5MN1184	327.80	329.00	0.34	1.5
920SP5MN1184	329.00	330.20	0.10	0.9
920SP5MN1193	1.60	2.10	0.03	3.6
920SP5MN1193	2.40	3.30	0.07	12.3
920SP5MN1193	3.90	4.20	0.34	10.9
920SP5MN1193	5.20	5.50	0.05	5.0
920SP5MN1193	6.20	6.90	3.02	272.0
920SP5MN1193	6.90	8.10	0.19	21.8
920SP5MN1193	8.10	9.00	0.06	5.7
920SP5MN1193	11.20	11.70	0.04	4.0
920SP5MN1193	16.80	17.10	0.15	4.9
920SP5MN1193	19.20	19.50	0.77	7.9
920SP5MN1193	21.20	21.50	0.02	1.6
920SP5MN1193	32.10	32.40	0.06	2.2
920SP5MN1193	35.40	35.70	0.01	3.2
920SP5MN1193	43.40	44.50	0.01	3.2
920SP5MN1193	44.50	45.30	<0.01	1.2
920SP5MN1193	45.30	46.30	<0.01	2.3
920SP5MN1193	52.00	52.50	0.02	1.7
920SP5MN1193	63.60	64.30	0.02	1.1
920SP5MN1193	64.30	65.40	<0.01	0.8
920SP5MN1193	65.40	65.80	0.01	0.4
920SP5MN1193	66.30	66.90	<0.01	0.4
920SP5MN1193	67.10	67.40	0.03	1.2
920SP5MN1193	67.80	68.60	<0.01	0.6
920SP5MN1193	68.60	69.40	0.01	0.2
920SP5MN1193	70.50	71.00	0.02	1.5
920SP5MN1193	71.00	72.20	<0.01	1.9
920SP5MN1193	72.20	72.50	0.01	2.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP5MN1193	77.70	78.20	0.01	1.3
920SP5MN1193	85.50	85.80	<0.01	0.4
920SP5MN1193	86.00	86.50	<0.01	0.8
920SP5MN1193	89.20	90.20	<0.01	2.0
920SP5MN1193	94.40	95.10	<0.01	0.5
920SP5MN1193	104.20	105.40	0.04	1.2
920SP5MN1193	107.60	108.30	0.01	1.2
920SP5MN1193	111.60	112.20	<0.01	1.1
920SP5MN1193	112.20	113.10	<0.01	1.0
920SP5MN1193	113.10	113.80	<0.01	0.9
920SP5MN1193	114.20	114.90	<0.01	1.3
920SP5MN1193	114.90	115.40	<0.01	1.1
920SP5MN1193	115.40	116.20	0.08	3.5
920SP5MN1193	116.20	117.50	0.03	1.6
920SP5MN1193	117.50	118.80	7.38	5.8
920SP5MN1193	122.50	123.20	6.12	36.3
920SP5MN1193	123.90	124.80	2.42	10.6
920SP5MN1193	124.80	125.80	0.30	2.3
920SP5MN1193	125.80	126.30	8.98	7.2
920SP5MN1193	127.10	127.50	<0.01	0.8
920SP5MN1193	128.05	128.20	<0.01	0.3
920SP5MN1193	128.80	129.20	0.01	0.5
920SP5MN1193	130.10	130.40	0.07	1.8
920SP5MN1193	131.30	132.00	0.02	1.1
920SP5MN1193	132.00	132.50	2.21	7.8
920SP5MN1193	132.50	132.90	0.21	6.1
920SP5MN1193	133.40	134.90	0.66	5.7
920SP5MN1193	134.90	135.90	32.40	205.0
920SP5MN1193	136.50	137.50	73.80	416.0
920SP5MN1193	137.50	138.20	58.40	276.0
920SP5MN1193	138.60	139.30	0.33	2.3
920SP5MN1193	139.30	140.60	0.03	1.2
920SP5MN1193	140.60	141.50	0.05	3.7
920SP5MN1193	141.50	142.40	0.03	4.9
920SP5MN1193	142.40	142.70	52.10	449.0
920SP5MN1193	142.70	143.70	0.07	3.2
920SP5MN1193	143.70	144.60	0.07	3.4
920SP5MN1193	144.60	145.40	0.57	77.3
920SP5MN1193	145.40	146.50	0.03	4.7
920SP5MN1193	149.20	149.80	0.05	6.1
920SP5MN1193	149.80	150.20	0.06	7.0
920SP5MN1193	153.80	154.10	0.42	2.9
920SP5MN1193	158.30	158.80	0.35	44.3
920SP5MN1193	165.20	165.50	0.02	3.0
920SP5MN1193	166.50	166.80	0.01	1.2
920SP5MN1193	170.40	171.20	0.02	2.2
920SP5MN1193	171.20	171.70	<0.01	2.3
920SP5MN1193	171.70	172.90	0.01	2.2
920SP5MN1193	172.90	173.70	0.01	2.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
920SP5MN1193	173.70	174.20	0.03	1.7
920SP5MN1193	174.20	174.80	0.04	1.5
920SP5MN1193	174.80	175.20	0.02	1.8
920SP5MN1193	175.20	176.00	0.04	2.5
920SP5MN1193	176.00	177.00	2.82	16.4
920SP5MN1193	177.00	178.20	3.79	5.6
920SP5MN1193	178.20	179.00	0.03	0.8
920SP5MN1193	179.00	180.00	0.01	0.9
920SP5MN1193	180.00	181.00	<0.01	0.6
920SP5MN1193	181.00	182.20	0.04	1.5
920SP5MN1193	182.20	183.00	0.03	0.9
920SP5MN1193	183.00	183.40	<0.01	1.3
920SP5MN1193	183.40	184.50	<0.01	1.5
920SP5MN1193	184.50	185.10	0.02	2.2
920SP5MN1193	185.10	186.00	<0.01	1.7
920SP5MN1193	186.00	186.70	0.22	26.5
920SP5MN1193	186.70	187.90	5.94	98.0
920SP5MN1193	187.90	188.60	0.97	5.0
920SP5MN1193	188.60	189.70	0.21	2.0
920SP5MN1193	189.70	190.80	17.80	53.1
920SP5MN1193	190.80	192.00	0.02	1.8
920SP5MN1193	192.00	192.90	0.01	3.0
920SP5MN1193	192.90	193.80	<0.01	2.2
920SP5MN1193	193.80	194.40	0.01	2.0
920SP5MN1193	194.40	195.90	<0.01	2.0
920SP5MN1193	195.90	196.80	0.17	6.8
920SP5MN1193	197.80	198.40	0.02	0.8
920SP5MN1193	198.40	199.20	0.06	4.4
920SP5MN1193	199.20	200.10	<0.01	0.4
920SP5MN1193	200.10	201.00	1.51	25.8
920SP5MN1193	201.00	202.00	4.19	90.6
920SP5MN1193	202.00	202.60	0.06	2.9
920SP5MN1193	202.60	203.80	0.02	2.4
920SP5MN1193	203.80	205.00	<0.01	2.0
920SP5MN1193	205.00	206.10	0.01	2.1
920SP5MN1193	206.10	207.20	<0.01	2.4
920SP5MN1193	207.20	208.20	<0.01	1.7
920SP5MN1193	208.20	208.90	0.04	1.7
920SP5MN1193	208.90	210.20	<0.01	1.4
920SP5MN1193	196.80	197.80	<0.01	0.7
UW520	19.40	20.00	<0.01	0.2
UW520	20.00	21.00	<0.01	<0.1
UW520	21.00	22.00	<0.01	<0.1
UW520	22.00	23.00	<0.01	<0.1
UW520	23.00	24.00	<0.01	<0.1
UW520	24.00	25.00	<0.01	<0.1
UW520	25.00	26.00	<0.01	<0.1
UW520	26.00	27.00	<0.01	<0.1
UW520	27.00	28.00	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW520	28.00	28.70	<0.01	0.5
UW520	28.70	30.00	<0.01	0.5
UW520	43.10	44.30	0.08	5.5
UW520	44.30	45.50	0.10	4.6
UW520	45.50	46.70	0.08	1.4
UW520	46.70	48.60	0.07	0.9
UW520	48.60	49.80	0.05	2.7
UW520	49.80	51.60	0.04	2.1
UW520	51.60	52.90	0.08	32.0
UW520	52.90	54.70	5.22	288.0
UW520	54.70	56.70	0.04	1.3
UW520	56.70	58.60	0.03	0.9
UW520	58.60	62.60	0.02	0.8
UW520	62.60	64.20	0.04	0.7
UW520	64.20	65.40	0.03	0.7
UW520	65.40	66.60	0.02	0.4
UW520	66.60	67.80	0.05	0.3
UW520	67.80	69.00	0.02	0.7
UW520	69.00	70.20	0.02	0.6
UW520	70.20	71.40	0.01	0.5
UW520	71.40	72.60	0.01	0.5
UW520	72.60	74.50	<0.01	0.5
UW520	74.50	76.60	<0.01	0.4
UW520	76.60	77.80	<0.01	1.7
UW520	77.80	79.30	<0.01	1.5
UW520	79.30	80.60	0.03	0.3
UW520	80.60	82.70	0.02	0.4
UW520	82.70	83.90	0.02	1.4
UW520	83.90	85.00	0.01	1.1
UW520	85.00	85.30	<0.01	8.9
UW520	85.30	86.50	0.02	1.7
UW520	86.50	88.00	0.02	0.7
UW520	88.00	90.20	0.02	0.8
UW520	90.20	91.40	0.03	0.8
UW520	91.40	92.60	0.02	0.9
UW520	92.60	93.30	0.05	2.0
UW520	93.30	93.80	0.03	1.0
UW520	93.80	95.00	0.08	0.7
UW520	95.00	100.00	0.06	0.8
UW520	100.00	101.20	0.03	0.5
UW520	101.20	102.70	0.04	1.6
UW520	102.70	103.90	0.05	0.9
UW520	103.90	105.10	0.03	0.8
UW520	105.10	106.30	0.02	0.7
UW520	106.30	107.50	0.04	2.4
UW520	107.50	108.70	0.04	1.4
UW520	108.70	109.90	0.04	84.2
UW520	109.90	111.10	0.05	2.8
UW520	111.10	112.30	0.03	2.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW520	112.30	112.80	0.05	5.0
UW520	112.80	113.80	2.06	20.9
UW520	113.80	115.90	0.08	13.9
UW520	115.90	116.50	0.04	8.7
UW520	116.50	117.10	0.06	12.9
UW520	117.10	118.30	0.05	8.8
UW520	118.30	119.50	0.03	3.1
UW520	119.50	120.70	0.03	3.4
UW520	120.70	121.90	0.43	26.7
UW520	121.90	123.10	0.16	17.2
UW520	123.10	124.40	0.36	25.2
UW520	124.40	127.00	0.03	4.9
UW520	127.00	128.20	0.02	1.7
UW520	128.20	129.10	0.02	0.6
UW520	129.10	129.60	0.03	1.8
UW520	129.60	130.50	0.02	2.0
UW520	130.50	131.60	0.04	5.3
UW520	131.60	132.80	0.03	1.5
UW520	132.80	134.00	0.02	0.2
UW520	134.00	135.20	0.02	0.1
UW520	135.20	136.40	0.02	<0.1
UW520	136.40	137.60	0.01	<0.1
UW520	137.60	138.80	<0.01	0.2
UW520	138.80	140.00	0.02	3.2
UW520	140.00	141.20	0.02	1.4
UW520	141.20	142.40	<0.01	0.3
UW520	142.40	143.60	0.02	1.8
UW520	143.60	144.80	0.02	1.1
UW520	144.80	146.00	0.02	1.4
UW520	146.00	147.20	0.02	1.1
UW520	147.20	148.40	0.02	0.6
UW520	148.40	149.60	0.04	2.2
UW520	149.60	150.80	0.02	1.4
UW520	150.80	152.00	0.04	1.3
UW520	152.00	153.20	0.01	0.8
UW520	153.20	154.40	0.01	0.3
UW520	154.40	155.60	<0.01	0.2
UW520	155.60	156.80	0.01	2.8
UW520	156.80	157.40	0.02	4.6
UW520	157.40	158.60	0.01	3.8
UW520	158.60	159.80	<0.01	1.5
UW520	159.80	161.00	0.01	0.8
UW520	161.00	162.20	0.01	0.6
UW520	162.20	163.40	0.03	0.3
UW520	163.40	164.60	0.02	1.2
UW520	164.60	165.80	0.04	1.4
UW520	165.80	167.00	0.03	1.0
UW520	167.00	168.20	0.02	1.6
UW520	168.20	169.40	0.02	1.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW520	169.40	170.60	0.03	1.8
UW520	170.60	171.80	0.02	1.6
UW520	171.80	173.00	0.02	1.7
UW520	173.00	174.20	0.01	1.1
UW520	174.20	175.40	0.01	1.6
UW520	175.40	176.40	0.02	2.7
UW520	176.40	177.60	0.02	3.1
UW520	177.60	178.20	0.02	3.6
UW520	178.20	179.40	0.01	0.7
UW520	179.40	180.60	0.02	0.9
UW520	180.60	181.80	0.02	0.9
UW520	181.80	183.00	0.02	0.1
UW520	183.00	184.20	0.02	0.7
UW520	184.20	185.40	0.01	0.9
UW520	185.40	186.60	0.02	1.3
UW520	186.60	187.80	0.03	1.0
UW520	187.80	189.00	0.02	0.7
UW520	189.00	190.20	0.01	0.6
UW520	190.20	191.20	0.02	2.0
UW520	191.20	192.40	0.02	1.4
UW520	192.40	192.90	0.02	0.6
UW520	192.90	194.00	0.02	1.7
UW520	194.00	195.20	0.04	5.5
UW520	195.20	196.40	0.03	2.7
UW520	196.40	197.60	0.02	1.8
UW520	197.60	198.80	0.03	0.6
UW520	198.80	200.00	0.02	0.3
UW520	200.00	201.20	0.02	0.1
UW520	201.20	202.50	0.04	0.4
UW520	202.50	203.70	0.03	1.4
UW520	203.70	204.90	<0.01	0.3
UW520	204.90	206.10	<0.01	0.4
UW520	206.10	207.30	0.07	7.6
UW520	207.30	208.50	0.03	0.9
UW520	208.50	209.70	0.01	0.2
UW520	209.70	210.90	0.01	0.2
UW520	210.90	212.10	0.02	0.8
UW520	212.10	213.30	0.02	0.7
UW520	213.30	214.50	0.02	0.4
UW520	214.50	215.70	0.03	3.1
UW520	215.70	216.90	0.03	2.1
UW520	216.90	218.10	0.02	0.5
UW520	218.10	218.70	1.74	4.1
UW520	218.70	219.10	9.66	21.2
UW520	219.10	219.70	111.00	342.0
UW520	219.70	220.50	24.60	21.3
UW520	220.50	221.00	5.24	8.4
UW520	221.00	222.00	0.07	2.6
UW520	222.00	223.20	0.08	2.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW520	223.20	224.20	0.13	1.5
UW520	224.20	224.80	0.02	1.1
UW520	224.80	226.00	0.03	1.2
UW520	226.00	227.20	0.02	0.9
UW520	227.20	228.40	0.01	1.5
UW520	228.40	229.60	0.03	1.6
UW520	229.60	230.20	0.09	1.3
UW520	230.20	231.30	<0.01	1.5
UW520	231.30	231.80	0.02	1.6
UW520	231.80	233.00	0.01	1.6
UW520	233.00	234.20	0.02	1.4
UW520	234.20	235.40	0.03	0.8
UW520	235.40	236.60	0.03	1.2
UW520	236.60	237.20	0.03	1.0
UW520	237.20	238.40	0.02	1.1
UW520	238.40	239.60	0.06	1.6
UW520	239.60	240.80	0.02	0.7
UW520	240.80	242.00	0.02	0.6
UW520	242.00	243.20	<0.01	1.7
UW520	243.20	244.40	<0.01	0.3
UW520	244.40	245.60	<0.01	0.2
UW520	245.60	246.80	0.02	0.3
UW520	246.80	248.00	0.03	1.0
UW520	248.00	249.20	0.02	0.6
UW520	249.20	250.40	0.01	0.5
UW520	250.40	251.60	0.01	0.5
UW520	251.60	252.80	<0.01	0.4
UW520	252.80	254.00	<0.01	0.4
UW520	254.00	255.20	<0.01	0.4
UW520	255.20	256.40	<0.01	0.3
UW520	256.40	257.60	0.02	0.4
UW520	257.60	258.80	0.02	0.3
UW520	258.80	260.00	0.03	0.4
UW520	260.00	261.00	0.02	0.8
UW520	261.00	262.10	0.02	0.4
UW520	262.10	262.70	0.03	0.5
UW520	262.70	263.40	0.07	0.5
UW520	263.40	264.60	0.03	0.5
UW520	264.60	265.80	0.02	0.5
UW520	265.80	267.00	<0.01	0.8
UW520	267.00	268.20	0.03	0.7
UW520	268.20	269.40	0.05	0.7
UW520	269.40	270.60	0.01	0.4
UW520	270.60	271.80	0.02	0.4
UW520	271.80	272.70	0.01	0.5
UW520	272.70	273.00	0.03	1.4
UW520	273.00	274.20	0.01	0.7
UW520	274.20	275.40	0.02	0.5
UW520	275.40	276.60	0.03	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW520	276.60	277.80	0.03	0.9
UW520	277.80	279.00	0.02	0.7
UW520	279.00	280.20	0.01	0.7
UW520	280.20	281.40	0.01	1.1
UW520	281.40	282.10	<0.01	1.1
UW520	282.10	282.40	0.06	6.6
UW520	282.40	283.60	<0.01	1.5
UW520	283.60	284.80	<0.01	0.9
UW520	284.80	286.00	0.03	0.8
UW520	286.00	287.20	0.02	0.7
UW520	287.20	288.40	0.02	0.7
UW520	288.40	289.60	0.04	0.6
UW520	289.60	290.80	0.02	0.4
UW520	290.80	292.00	0.02	0.2
UW520	292.00	293.20	0.01	0.2
UW520	293.20	294.40	<0.01	0.4
UW520	294.40	295.60	0.01	0.3
UW520	295.60	296.80	0.02	0.6
UW520	296.80	298.00	0.02	0.8
UW520	298.00	299.20	0.07	0.4
UW520	299.20	300.40	0.02	0.5
UW520	300.40	301.60	0.04	0.4
UW520	301.60	302.80	<0.01	0.3
UW520	302.80	304.00	0.01	0.3
UW520	304.00	305.20	0.01	0.4
UW520	305.20	306.40	0.02	0.6
UW520	306.40	307.60	<0.01	0.4
UW520	307.60	308.80	0.01	0.6
UW520	308.80	310.00	<0.01	0.6
UW520	310.00	311.20	<0.01	0.6
UW520	311.20	312.40	<0.01	0.6
UW520	312.40	313.60	<0.01	0.5
UW520	313.60	314.60	<0.01	0.4
UW520	314.60	315.20	<0.01	0.7
UW520	315.20	315.70	0.01	0.6
UW520	315.70	316.90	<0.01	0.8
UW520	316.90	317.80	0.02	0.6
UW520	317.80	318.80	0.04	4.7
UW520	318.80	319.80	<0.01	2.6
UW520	319.80	321.00	0.02	1.0
UW520	321.00	322.20	0.03	1.6
UW520	322.20	323.40	0.01	1.1
UW520	323.40	324.60	<0.01	1.3
UW520	324.60	325.80	<0.01	1.0
UW520	325.80	327.00	<0.01	0.6
UW520	327.00	328.20	0.01	0.6
UW520	328.20	329.40	<0.01	0.7
UW520	329.40	330.60	<0.01	1.2
UW520	330.60	331.80	0.01	1.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW520	331.80	333.00	0.01	1.5
UW520	333.00	334.20	0.02	1.4
UW520	334.20	335.40	<0.01	1.2
UW520	335.40	336.60	0.02	1.1
UW520	336.60	337.80	0.01	1.1
UW520	337.80	339.00	<0.01	1.1
UW520	339.00	340.20	<0.01	0.8
UW520	340.20	341.40	0.01	1.0
UW520	341.40	342.60	<0.01	1.3
UW520	342.60	343.80	<0.01	1.2
UW520	343.80	345.00	<0.01	1.2
UW520	345.00	346.20	<0.01	1.1
UW520	346.20	347.40	<0.01	1.0
UW520	347.40	348.60	<0.01	0.9
UW520	348.60	349.80	<0.01	0.6
UW520	349.80	351.00	<0.01	0.9
UW520	351.00	352.20	<0.01	0.9
UW520	352.20	353.40	0.02	0.9
UW520	353.40	354.60	0.01	0.9
UW520	354.60	355.80	0.01	0.7
UW520	355.80	357.00	0.01	0.8
UW520	357.00	358.20	<0.01	1.1
UW520	358.20	359.40	0.02	0.9
UW520	359.40	360.60	0.02	0.8
UW520	360.60	361.80	<0.01	0.9
UW520	361.80	363.00	0.01	1.1
UW520	363.00	364.20	0.01	1.8
UW520	364.20	365.40	0.01	1.3
UW520	365.40	366.60	<0.01	1.3
UW520	366.60	367.80	0.01	1.5
UW520	367.80	369.00	<0.01	1.7
UW520	369.00	370.20	<0.01	1.8
UW520	370.20	371.40	<0.01	1.7
UW520	371.40	372.60	<0.01	1.2
UW520	372.60	373.60	0.02	0.9
UW520	373.60	374.20	0.01	0.7
UW520	374.20	375.40	<0.01	1.1
UW520	375.40	376.60	0.01	1.0
UW520	376.60	377.80	<0.01	2.1
UW520	377.80	379.00	<0.01	1.9
UW520	379.00	380.20	0.02	1.2
UW520	380.20	381.40	0.02	1.2
UW520	381.40	382.60	0.01	1.2
UW520	382.60	383.80	0.02	2.2
UW520	383.80	385.20	0.01	1.5
UW520	385.20	386.40	0.01	1.4
UW520	386.40	387.60	0.01	1.0
UW520	387.60	388.40	0.02	1.5
UW520	388.40	389.10	0.04	1.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW520	389.10	390.30	<0.01	1.5
UW520	390.30	391.50	0.01	2.4
UW520	391.50	392.70	<0.01	2.5
UW520	392.70	393.90	<0.01	1.6
UW520	393.90	395.10	<0.01	1.2
UW520	395.10	396.30	<0.01	1.5
UW520	396.30	397.50	0.01	1.2
UW520	397.50	398.60	0.01	1.0
UW520	398.60	399.40	<0.01	0.7
UW520	399.40	400.60	<0.01	0.5
UW520	400.60	401.80	<0.01	0.5
UW520	401.80	403.00	<0.01	0.6
UW520	403.00	404.20	0.02	0.7
UW520	404.20	405.40	0.05	0.8
UW520	405.40	406.60	0.02	0.9
UW520	406.60	407.80	0.01	1.5
UW520	407.80	409.00	0.01	1.2
UW520	409.00	410.20	0.01	2.3
UW520	410.20	411.40	0.02	2.0
UW520	411.40	412.60	0.02	1.2
UW520	412.60	413.80	<0.01	1.2
UW520	413.80	414.50	0.01	1.3
UW520	414.50	415.30	0.01	0.8
UW520	415.30	416.50	0.03	0.8
UW520	416.50	417.70	0.01	1.1
UW520	417.70	418.90	0.01	1.1
UW520	418.90	420.10	0.01	0.6
UW520	420.10	421.30	0.02	0.6
UW520	421.30	422.50	0.02	0.7
UW520	422.50	423.70	0.01	0.6
UW520	423.70	424.90	0.01	0.5
UW520	424.90	426.10	0.01	0.5
UW520	426.10	427.30	<0.01	0.6
UW520	427.30	428.50	<0.01	0.7
UW520	428.50	429.20	<0.01	0.8
UW520	429.20	430.10	0.01	0.9
UW520	430.10	431.00	<0.01	1.2
UW520	431.00	431.50	<0.01	0.8
UW520	431.50	432.00	<0.01	0.6
UW520	432.00	433.20	<0.01	0.6
UW520	433.20	433.80	<0.01	0.6
UW520	433.80	434.80	0.02	0.6
UW520	434.80	435.90	<0.01	0.6
UW520	435.90	436.30	<0.01	1.0
UW520	436.30	437.00	<0.01	1.8
UW520	437.00	438.10	0.01	1.2
UW520	438.10	439.30	<0.01	1.4
UW520	439.30	440.50	<0.01	1.0
UW520	440.50	441.50	<0.01	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW520	441.50	442.10	0.01	0.7
UW520	442.10	443.30	0.01	0.7
UW520	443.30	444.50	<0.01	1.0
UW520	444.50	445.70	<0.01	0.9
UW520	445.70	446.70	0.02	0.3
UW520	446.70	447.90	0.03	0.4
UW520	447.90	449.10	0.01	0.4
UW520	449.10	450.30	0.01	0.5
UW520	450.30	451.30	<0.01	0.5
UW520	451.30	452.40	<0.01	0.9
UW520	452.40	453.60	0.01	0.8
UW520	453.60	454.30	0.02	0.7
UW520	454.30	455.50	0.01	0.5
UW520	455.50	456.70	0.02	0.7
UW520	456.70	457.70	0.02	0.5
UW520	457.70	458.20	0.04	1.1
UW520	458.20	459.40	0.01	0.8
UW520	459.40	460.60	0.02	0.8
UW520	460.60	461.30	0.07	1.2
UW520	461.30	462.50	0.02	1.1
UW520	462.50	463.70	0.01	1.3
UW520	463.70	464.90	0.05	0.7
UW520	464.90	466.10	<0.01	0.9
UW520	466.10	467.30	<0.01	1.1
UW520	467.30	468.50	<0.01	0.9
UW520	468.50	469.70	<0.01	0.5
UW520	469.70	470.90	<0.01	0.4
UW520	470.90	471.80	<0.01	0.2
UW520	471.80	472.80	<0.01	0.2
UW520	472.80	474.00	0.02	0.6
UW520	474.00	474.80	0.02	1.2
UW520	474.80	476.00	0.01	1.1
UW520	476.00	477.20	<0.01	1.0
UW520	477.20	478.20	<0.01	0.7
UW520	478.20	479.40	<0.01	0.2
UW520	479.40	480.60	0.01	0.3
UW520	480.60	481.00	0.04	0.4
UW520	481.00	481.80	0.05	0.4
UW520	481.80	482.20	0.02	0.3
UW520	482.20	483.40	<0.01	0.3
UW520	483.40	484.60	0.01	0.2
UW520	484.60	485.80	<0.01	0.1
UW520	485.80	487.00	<0.01	0.2
UW520	487.00	488.20	<0.01	0.2
UW520	488.20	489.40	0.01	0.5
UW520	489.40	490.60	<0.01	0.3
UW520	490.60	491.40	0.01	0.2
UW520	491.40	492.00	<0.01	0.2
UW520	492.00	493.20	0.01	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW520	493.20	494.40	0.01	0.1
UW520	494.40	495.60	<0.01	0.3
UW520	495.60	496.80	<0.01	0.2
UW520	496.80	498.00	<0.01	0.2
UW520	498.00	499.00	<0.01	0.1
UW520	499.00	499.50	<0.01	0.1
UW522	9.50	10.30	0.02	0.2
UW522	10.30	11.00	0.01	0.2
UW522	11.00	12.40	<0.01	<0.1
UW522	12.40	13.00	<0.01	<0.1
UW522	13.00	14.00	<0.01	0.2
UW522	14.00	15.00	0.01	<0.1
UW522	15.00	16.00	0.02	<0.1
UW522	16.00	17.00	0.04	0.1
UW522	17.00	18.00	0.02	<0.1
UW522	18.00	19.00	<0.01	0.1
UW522	19.00	20.40	0.01	<0.1
UW522	20.40	21.90	<0.01	0.1
UW522	21.90	23.00	<0.01	<0.1
UW522	23.00	24.10	<0.01	<0.1
UW522	24.10	25.00	<0.01	<0.1
UW522	25.00	26.00	<0.01	<0.1
UW522	26.00	27.50	<0.01	<0.1
UW522	27.50	28.40	<0.01	<0.1
UW522	28.40	29.40	<0.01	<0.1
UW522	29.40	30.50	0.02	<0.1
UW522	30.50	31.50	0.01	<0.1
UW522	31.50	32.50	0.02	<0.1
UW522	32.50	33.50	0.01	<0.1
UW522	33.50	34.50	0.01	<0.1
UW522	36.50	37.50	0.01	0.5
UW522	37.50	38.50	<0.01	0.2
UW522	40.00	40.50	0.03	1.0
UW522	41.50	42.50	0.01	0.2
UW522	44.70	45.70	0.01	0.1
UW522	47.70	48.10	0.01	<0.1
UW522	48.10	48.50	0.16	0.8
UW522	48.50	49.65	6.80	133.0
UW522	49.65	50.50	0.23	7.0
UW522	50.50	51.50	0.12	0.8
UW522	51.50	52.50	0.18	1.4
UW522	52.50	53.30	0.03	0.4
UW522	53.30	54.00	0.02	0.2
UW522	54.00	54.95	0.09	0.6
UW522	54.95	56.00	0.03	0.5
UW522	56.00	57.10	0.30	1.8
UW522	57.10	58.10	2.96	8.7
UW522	58.10	59.00	0.16	0.9
UW522	59.00	60.00	1.71	6.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW522	60.00	61.00	0.29	2.0
UW522	61.00	62.00	0.07	0.8
UW522	62.00	62.70	0.03	0.6
UW522	62.70	63.50	0.07	1.5
UW522	63.50	64.50	0.07	1.0
UW522	66.50	67.50	0.06	1.8
UW522	67.50	68.00	0.06	2.6
UW522	68.00	69.00	0.11	3.6
UW522	71.00	72.00	0.09	0.4
UW522	75.00	75.70	0.04	0.2
UW522	75.70	76.75	0.08	1.5
UW522	80.50	81.50	0.04	0.7
UW522	81.50	82.00	0.07	1.4
UW522	82.00	82.65	0.13	4.2
UW522	82.65	83.50	0.08	3.0
UW522	83.50	84.05	0.54	14.7
UW522	85.00	86.00	0.04	2.7
UW522	86.00	87.00	0.02	1.4
UW522	87.00	88.00	0.02	1.0
UW522	88.00	89.00	0.07	3.1
UW522	89.00	90.00	0.05	2.5
UW522	90.00	91.00	0.03	1.2
UW522	91.00	92.00	0.01	2.0
UW522	92.50	93.00	0.21	3.9
UW522	94.00	95.00	0.03	0.9
UW522	95.00	96.00	0.08	3.0
UW522	96.00	97.00	0.03	0.8
UW522	97.00	98.00	0.03	1.3
UW522	98.00	99.00	0.03	0.8
UW522	99.00	100.00	0.03	0.9
UW522	100.00	101.00	0.03	0.8
UW522	101.00	101.45	0.04	1.0
UW522	101.45	102.00	1.63	25.3
UW522	102.00	103.00	8.91	50.7
UW522	103.00	104.00	6.73	70.5
UW522	104.00	105.00	21.20	147.0
UW522	105.00	105.90	9.93	108.0
UW522	105.90	106.55	0.10	1.7
UW522	106.55	107.50	0.08	2.0
UW522	107.50	108.00	0.05	1.9
UW522	108.00	109.00	0.03	1.1
UW522	109.00	110.00	0.04	0.9
UW522	110.00	111.00	0.04	0.5
UW522	111.00	112.00	0.04	1.3
UW522	112.00	113.00	0.02	0.5
UW522	114.00	115.00	0.03	0.3
UW522	116.00	117.20	0.03	0.6
UW522	117.20	118.10	0.03	1.3
UW522	118.10	119.10	0.03	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW522	119.10	120.10	0.40	5.5
UW522	120.10	121.10	0.03	0.4
UW522	121.10	121.80	0.03	1.6
UW522	121.80	122.50	0.03	1.2
UW522	122.50	123.50	0.05	0.6
UW522	123.50	124.50	0.02	0.9
UW522	124.50	125.20	0.03	1.4
UW522	127.50	128.50	<0.01	0.3
UW522	128.50	129.45	<0.01	0.3
UW522	131.50	132.50	<0.01	0.2
UW522	132.50	133.50	0.03	<0.1
UW522	133.50	134.50	0.42	0.7
UW522	134.50	135.50	0.26	0.6
UW522	138.50	139.50	0.06	0.2
UW522	139.50	140.00	0.46	1.4
UW522	140.00	141.50	0.05	1.3
UW522	142.50	143.50	0.05	0.3
UW522	144.50	145.50	0.03	0.6
UW522	146.15	146.55	0.03	0.3
UW522	151.60	152.20	0.03	0.8
UW522	152.20	153.40	0.03	0.4
UW522	153.40	153.80	<0.01	0.2
UW522	158.80	159.80	<0.01	0.1
UW522	162.80	163.70	0.02	0.3
UW522	163.70	164.70	0.03	0.5
UW522	164.70	165.50	0.02	0.7
UW522	169.50	170.40	0.01	0.3
UW522	171.50	172.50	0.01	0.2
UW522	173.50	174.00	<0.01	0.1
UW522	174.80	175.30	<0.01	0.2
UW522	176.30	177.30	0.01	0.2
UW522	182.30	183.30	0.02	0.4
UW522	183.30	184.30	0.01	0.5
UW522	184.30	185.30	0.01	0.6
UW522	187.30	188.30	0.01	0.1
UW522	199.30	200.00	0.01	0.2
UW522	200.00	201.00	0.01	0.4
UW522	205.00	206.00	0.01	0.5
UW522	208.00	209.00	0.01	0.4
UW522	210.00	211.00	<0.01	0.2
UW522	215.00	216.00	0.03	0.2
UW522	217.00	218.00	<0.01	0.5
UW522	218.00	219.00	<0.01	0.4
UW522	219.00	220.00	<0.01	0.4
UW522	222.00	223.00	0.04	0.3
UW522	224.20	225.05	0.03	0.4
UW522	225.05	225.50	0.03	0.4
UW522	225.50	226.10	0.01	0.2
UW522	226.10	226.65	0.06	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW522	226.65	227.45	0.06	1.4
UW522	227.45	228.50	0.02	1.1
UW522	228.50	229.50	0.03	0.6
UW522	229.50	230.10	0.01	1.0
UW522	231.00	232.00	0.02	0.8
UW522	232.00	233.00	0.02	0.7
UW522	233.00	234.00	0.02	0.9
UW522	234.00	235.00	0.02	0.8
UW522	235.00	236.00	0.03	0.7
UW522	236.00	237.00	0.02	1.1
UW522	240.00	241.00	<0.01	0.8
UW522	242.00	243.00	<0.01	0.6
UW522	243.00	244.00	<0.01	0.2
UW522	245.00	246.00	0.02	0.3
UW522	248.00	249.00	<0.01	0.7
UW522	249.00	250.00	<0.01	0.5
UW522	250.00	250.45	<0.01	1.2
UW522	251.50	252.50	<0.01	1.0
UW522	252.50	253.00	<0.01	1.0
UW522	253.00	254.00	<0.01	0.9
UW522	254.00	255.00	0.02	1.7
UW522	255.00	255.55	0.18	2.4
UW522	262.80	263.50	0.01	1.4
UW522	263.50	264.35	0.01	1.2
UW522	264.35	264.75	<0.01	1.2
UW522	264.75	265.75	<0.01	1.0
UW522	265.75	266.20	<0.01	0.9
UW522	269.00	270.00	<0.01	0.7
UW522	271.00	272.00	0.01	1.0
UW522	272.00	273.00	0.02	0.8
UW522	273.00	274.00	0.02	0.8
UW522	274.00	275.00	0.02	1.0
UW522	275.00	276.00	0.01	0.8
UW522	276.00	277.00	0.07	1.1
UW522	277.00	278.00	0.04	0.8
UW522	284.00	285.00	0.05	0.8
UW522	285.00	286.00	0.03	0.7
UW522	286.00	287.00	0.03	0.7
UW522	287.00	288.00	<0.01	0.7
UW522	288.00	289.00	0.02	0.8
UW522	289.00	289.50	0.01	1.1
UW522	289.50	290.50	<0.01	0.7
UW522	290.50	291.20	0.01	0.7
UW522	291.20	292.00	0.01	0.5
UW522	295.00	296.00	0.02	0.7
UW522	296.00	297.00	<0.01	0.6
UW522	298.00	299.00	0.02	0.4
UW522	299.00	300.00	0.01	0.8
UW522	300.00	300.80	<0.01	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW522	300.80	301.40	<0.01	1.0
UW522	301.40	302.30	0.03	0.8
UW522	302.30	303.00	0.02	1.2
UW522	303.00	304.00	0.02	1.0
UW522	309.00	309.50	<0.01	0.8
UW522	309.50	310.00	0.02	0.4
UW522	310.00	311.00	<0.01	0.6
UW522	311.00	312.00	<0.01	0.3
UW522	312.00	313.00	<0.01	0.2
UW522	317.00	318.00	<0.01	0.2
UW522	318.00	319.00	<0.01	0.2
UW522	321.00	322.00	0.03	0.1
UW522	322.00	322.60	<0.01	0.2
UW522	324.60	325.10	<0.01	0.2
UW522	327.00	328.00	0.02	<0.1
UW522	330.00	331.00	0.01	<0.1
UW522	333.00	334.00	<0.01	0.1
UW522	334.00	335.00	0.01	<0.1
UW522	335.00	336.00	<0.01	0.2
UW522	336.00	336.50	<0.01	0.1
UW522	336.50	337.00	0.03	0.2
UW522	337.00	337.65	0.05	2.2
UW522	337.65	338.70	0.01	0.1
UW522	338.70	339.30	0.24	2.6
UW522	339.30	339.90	3.89	12.6
UW522	339.90	340.45	0.09	1.1
UW522	340.45	341.00	0.03	0.2
UW522	341.00	341.60	0.02	0.4
UW522	341.60	342.15	0.02	0.1
UW522	342.15	343.00	0.01	<0.1
UW522	343.00	344.00	0.02	0.2
UW522	344.00	344.70	<0.01	0.2
UW522	344.70	345.20	<0.01	0.3
UW522	345.20	346.05	0.01	0.4
UW522	346.05	347.00	<0.01	0.2
UW522	347.00	348.00	<0.01	0.1
UW522	348.00	349.00	<0.01	0.2
UW522	349.00	350.00	<0.01	0.2
UW522	350.00	351.00	<0.01	0.1
UW522	351.00	352.00	<0.01	0.2
UW522	352.00	353.00	<0.01	0.3
UW522	353.00	354.00	0.01	0.3
UW522	354.00	355.00	<0.01	0.3
UW522	355.00	356.00	<0.01	0.5
UW522	357.20	358.20	<0.01	0.3
UW522	358.20	359.40	<0.01	<0.1
UW522	359.40	359.90	<0.01	1.8
UW522	363.40	364.20	<0.01	0.4
UW522	364.20	365.00	<0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW522	365.00	366.10	0.04	0.5
UW522	366.10	367.05	<0.01	<0.1
UW522	367.05	368.00	<0.01	<0.1
UW535	122.50	123.20	0.02	<0.1
UW535	126.00	127.00	0.03	<0.1
UW535	127.00	128.00	0.01	<0.1
UW535	128.00	129.00	0.01	<0.1
UW535	135.00	136.00	0.01	<0.1
UW535	136.00	137.00	0.01	<0.1
UW535	137.00	138.00	0.01	<0.1
UW535	138.00	139.00	<0.01	<0.1
UW535	140.00	141.00	<0.01	<0.1
UW535	141.00	142.00	<0.01	<0.1
UW535	142.00	142.50	<0.01	<0.1
UW535	142.50	143.00	0.01	<0.1
UW535	143.00	144.00	<0.01	<0.1
UW535	144.00	145.00	<0.01	<0.1
UW535	145.00	146.00	<0.01	<0.1
UW535	149.00	150.00	<0.01	<0.1
UW535	151.00	152.00	<0.01	<0.1
UW535	152.00	153.00	0.02	<0.1
UW535	155.00	156.00	<0.01	0.2
UW535	160.00	161.00	0.01	0.1
UW535	161.00	162.00	<0.01	<0.1
UW535	162.00	163.00	<0.01	0.3
UW535	164.85	165.85	<0.01	0.2
UW535	171.00	172.00	<0.01	<0.1
UW535	175.65	176.50	<0.01	0.2
UW535	176.50	177.00	<0.01	0.1
UW535	177.00	177.30	<0.01	0.3
UW535	177.30	178.00	<0.01	<0.1
UW535	178.00	179.00	<0.01	0.1
UW535	179.00	179.90	<0.01	<0.1
UW535	179.90	180.80	<0.01	0.2
UW535	180.80	181.65	<0.01	0.6
UW535	184.70	185.75	0.01	1.5
UW535	185.75	186.45	0.01	0.2
UW535	186.45	187.20	0.01	0.3
UW535	187.20	187.90	0.01	0.3
UW535	187.90	189.00	<0.01	0.4
UW535	189.00	189.90	0.01	0.5
UW535	189.90	190.50	0.01	0.8
UW535	190.50	191.50	<0.01	0.4
UW535	191.50	192.25	<0.01	0.3
UW535	192.25	193.00	0.01	0.2
UW535	195.00	195.65	<0.01	2.0
UW535	195.65	196.30	0.02	2.6
UW535	196.30	196.95	0.19	2.8
UW535	196.95	197.75	0.39	4.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW535	197.75	198.80	0.23	4.1
UW535	198.80	199.40	0.06	0.6
UW535	199.40	200.15	0.01	0.8
UW535	200.15	201.00	0.03	1.6
UW535	201.00	201.55	0.01	0.7
UW535	201.55	202.50	<0.01	0.6
UW535	202.50	203.50	<0.01	0.7
UW535	203.50	204.70	<0.01	2.5
UW535	204.70	205.40	<0.01	2.5
UW535	205.40	206.10	0.01	0.8
UW535	206.10	207.00	<0.01	0.4
UW535	208.00	209.00	<0.01	0.9
UW535	209.70	210.30	<0.01	0.5
UW535	210.30	211.00	<0.01	5.2
UW535	211.00	211.60	<0.01	2.0
UW535	212.00	213.10	<0.01	1.6
UW535	213.10	214.20	0.03	1.8
UW535	214.20	215.10	<0.01	1.8
UW535	215.10	216.30	0.02	2.2
UW535	216.30	217.30	<0.01	0.7
UW535	217.30	218.40	<0.01	0.8
UW535	218.40	219.20	0.01	3.3
UW535	219.20	220.20	<0.01	0.8
UW535	223.20	224.00	<0.01	0.2
UW535	224.00	225.00	<0.01	0.7
UW535	225.00	226.00	0.01	1.8
UW535	226.00	227.00	<0.01	0.6
UW535	227.00	228.00	0.02	2.2
UW535	228.00	229.00	0.01	1.6
UW535	229.00	230.00	0.03	3.2
UW535	230.00	231.00	<0.01	2.7
UW535	235.00	236.00	<0.01	3.4
UW535	236.00	236.50	0.23	4.1
UW535	239.90	241.20	0.03	1.7
UW535	241.20	242.30	0.05	3.7
UW535	242.30	243.50	0.20	5.8
UW535	247.50	248.50	0.02	1.8
UW535	248.50	249.50	0.02	2.0
UW535	249.50	250.40	0.03	5.3
UW535	250.40	251.00	0.02	3.5
UW535	251.00	252.10	0.20	2.9
UW535	252.10	252.70	<0.01	1.4
UW535	252.70	253.10	0.14	1.5
UW535	253.10	254.00	<0.01	2.9
UW535	254.00	255.00	<0.01	2.5
UW535	255.00	256.00	<0.01	1.6
UW535	256.00	256.80	0.08	3.9
UW535	256.80	258.00	0.01	3.4
UW535	261.00	262.00	0.02	2.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW535	266.00	267.00	<0.01	0.3
UW535	274.00	275.00	0.01	2.4
UW535	277.00	278.00	0.03	1.9
UW535	279.00	280.00	0.01	1.1
UW535	291.00	292.00	<0.01	1.8
UW535	299.00	300.00	<0.01	1.4
UW535	302.00	303.00	<0.01	1.7
UW535	304.00	305.00	0.01	2.0
UW535	305.00	306.00	<0.01	2.9
UW535	306.00	307.00	<0.01	3.6
UW535	307.00	308.00	<0.01	1.3
UW535	314.00	315.00	<0.01	1.0
UW535	321.00	322.00	0.03	1.6
UW535	322.00	323.20	<0.01	0.9
UW535	323.20	323.80	<0.01	1.3
UW535	323.80	325.00	<0.01	2.6
UW535	325.00	326.00	<0.01	2.7
UW535	327.00	328.00	<0.01	2.1
UW535	328.00	329.00	<0.01	1.2
UW535	332.00	333.00	<0.01	1.2
UW535	334.00	335.00	<0.01	2.0
UW535	335.00	335.80	<0.01	2.9
UW535	335.80	336.80	0.02	1.8
UW535	336.80	337.80	0.02	2.3
UW535	337.80	338.80	0.02	2.2
UW535	338.80	339.45	0.02	2.9
UW535	344.50	345.50	0.01	0.7
UW535	345.50	346.00	0.01	0.7
UW535	348.00	349.00	0.02	2.1
UW535	349.00	350.00	0.02	1.9
UW535	356.00	357.00	<0.01	1.4
UW535	357.00	358.00	0.01	1.8
UW535	358.80	359.55	0.03	2.4
UW535	362.50	363.55	<0.01	1.5
UW535	363.55	364.00	0.02	1.2
UW535	368.00	369.00	<0.01	0.9
UW535	369.00	370.00	<0.01	0.9
UW539	5.90	7.00	<0.01	0.8
UW539	7.00	7.80	<0.01	0.3
UW539	7.80	8.50	0.01	2.5
UW539	8.50	9.30	<0.01	4.7
UW539	9.30	10.30	<0.01	0.7
UW539	10.30	11.00	<0.01	5.0
UW539	11.00	12.30	<0.01	0.6
UW539	12.30	13.60	<0.01	1.0
UW539	13.60	14.00	0.01	0.4
UW539	14.00	15.00	0.01	1.7
UW539	15.00	16.00	0.01	1.1
UW539	16.00	16.80	0.01	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	16.80	17.60	0.02	0.4
UW539	17.60	18.30	0.01	0.6
UW539	20.40	21.30	<0.01	0.6
UW539	21.30	22.00	0.02	1.1
UW539	22.00	23.00	0.01	1.5
UW539	23.00	24.00	0.02	0.6
UW539	24.00	25.00	0.01	0.6
UW539	25.00	26.00	0.01	0.2
UW539	26.00	27.00	0.01	0.1
UW539	27.00	28.00	0.01	1.2
UW539	28.00	29.00	0.01	0.3
UW539	29.00	30.00	0.01	0.1
UW539	30.00	31.00	0.02	1.0
UW539	31.00	32.00	0.02	0.2
UW539	32.00	33.00	0.02	0.1
UW539	33.00	34.00	0.02	<0.1
UW539	34.00	35.00	0.02	0.1
UW539	35.00	36.00	0.01	0.2
UW539	36.00	37.00	0.01	0.3
UW539	37.00	38.00	0.02	0.1
UW539	38.00	39.00	0.02	0.1
UW539	39.00	40.00	0.04	1.0
UW539	40.00	41.00	0.03	<0.1
UW539	41.00	42.00	0.03	0.1
UW539	42.00	43.00	0.02	1.8
UW539	43.00	44.00	0.03	2.1
UW539	44.00	45.00	0.03	3.0
UW539	45.00	46.20	0.04	2.9
UW539	46.20	47.40	0.29	1.7
UW539	47.40	48.30	1.80	10.4
UW539	48.30	50.00	0.14	4.2
UW539	50.00	51.00	0.80	6.8
UW539	51.00	52.00	0.19	3.6
UW539	52.00	53.00	0.40	3.7
UW539	53.00	54.00	0.03	1.0
UW539	54.00	55.00	0.03	1.2
UW539	55.00	56.00	0.03	1.0
UW539	56.00	57.00	0.03	2.0
UW539	57.00	58.00	0.04	3.0
UW539	58.00	59.00	0.05	0.6
UW539	59.00	60.00	0.08	10.7
UW539	60.00	61.00	1.25	5.9
UW539	61.00	62.00	0.09	1.8
UW539	62.00	63.00	0.13	2.8
UW539	63.00	64.00	0.08	2.7
UW539	64.00	65.00	0.05	0.2
UW539	65.00	66.00	<0.01	0.1
UW539	66.00	67.00	0.02	0.7
UW539	67.00	68.00	<0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	68.00	69.00	<0.01	0.5
UW539	69.00	70.00	<0.01	0.5
UW539	70.00	70.40	<0.01	0.5
UW539	70.40	71.30	<0.01	0.8
UW539	71.30	72.00	0.02	0.3
UW539	72.00	73.00	<0.01	1.2
UW539	73.00	74.00	0.02	0.7
UW539	74.00	75.00	0.04	0.5
UW539	75.00	76.00	0.08	0.9
UW539	76.00	77.20	0.56	3.4
UW539	77.20	77.90	9.40	152.0
UW539	77.90	79.00	0.26	1.6
UW539	79.00	80.00	0.17	1.0
UW539	80.00	81.00	0.04	0.5
UW539	81.00	82.00	0.38	1.3
UW539	82.00	82.50	0.14	1.8
UW539	82.50	83.00	0.27	3.5
UW539	83.00	84.30	2.31	7.1
UW539	84.30	85.00	0.06	1.5
UW539	85.00	86.00	0.05	1.3
UW539	86.00	87.00	0.32	1.7
UW539	87.00	88.00	0.04	0.9
UW539	88.00	89.00	0.03	0.6
UW539	89.00	90.20	0.03	0.5
UW539	90.20	91.10	0.04	1.0
UW539	91.10	91.80	0.04	0.6
UW539	91.80	93.00	0.03	0.7
UW539	93.00	94.00	0.02	0.9
UW539	94.00	95.00	0.04	1.2
UW539	95.00	96.20	0.24	1.5
UW539	96.20	96.60	12.60	40.1
UW539	96.60	97.00	0.24	1.6
UW539	97.00	98.00	0.93	5.5
UW539	98.00	99.00	0.38	2.7
UW539	99.00	99.30	0.23	2.2
UW539	99.30	99.80	0.40	2.9
UW539	99.80	101.00	0.09	1.0
UW539	101.00	102.20	0.07	1.1
UW539	102.20	103.00	0.06	1.2
UW539	103.00	104.00	0.05	0.8
UW539	104.00	104.60	0.04	1.0
UW539	104.60	105.20	0.12	2.1
UW539	105.20	106.00	0.08	1.2
UW539	106.00	107.00	0.09	1.3
UW539	107.00	108.00	0.03	0.4
UW539	108.00	109.10	0.03	0.3
UW539	109.10	110.00	0.10	1.6
UW539	110.00	111.00	0.10	1.8
UW539	111.00	112.00	0.12	1.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	112.00	112.60	0.29	1.6
UW539	112.60	113.10	16.20	14.3
UW539	113.10	114.00	0.09	2.0
UW539	114.00	115.00	0.05	0.9
UW539	115.00	116.10	0.05	0.7
UW539	116.10	117.30	0.09	1.0
UW539	117.30	118.00	0.05	2.0
UW539	118.00	118.80	0.12	1.3
UW539	118.80	119.70	0.99	6.2
UW539	119.70	120.10	6.66	4.4
UW539	120.10	120.90	1.15	11.6
UW539	120.90	121.30	1.43	6.0
UW539	121.30	122.00	11.10	9.3
UW539	122.00	122.90	0.36	2.8
UW539	122.90	124.10	0.16	1.7
UW539	125.80	126.30	0.31	2.7
UW539	126.30	127.40	0.06	1.4
UW539	127.40	128.20	0.08	1.5
UW539	128.20	129.00	1.00	3.2
UW539	129.00	130.50	0.37	2.7
UW539	130.50	131.20	2.90	9.0
UW539	131.20	132.10	0.45	2.6
UW539	132.10	132.60	0.19	0.8
UW539	132.60	133.50	0.03	0.3
UW539	133.50	134.50	0.36	0.7
UW539	134.50	135.70	0.16	0.8
UW539	135.70	137.00	0.16	0.5
UW539	137.00	138.10	<0.01	0.2
UW539	138.10	139.00	0.02	0.2
UW539	139.00	139.80	0.08	0.1
UW539	139.80	140.20	0.23	0.9
UW539	140.20	140.90	0.05	0.4
UW539	140.90	141.30	<0.01	0.3
UW539	141.30	142.10	<0.01	0.1
UW539	143.00	143.40	<0.01	<0.1
UW539	143.40	144.30	<0.01	0.3
UW539	144.30	145.00	<0.01	0.1
UW539	145.00	146.20	<0.01	<0.1
UW539	146.20	147.00	<0.01	<0.1
UW539	149.00	150.00	<0.01	<0.1
UW539	150.00	151.00	<0.01	<0.1
UW539	169.00	170.00	<0.01	<0.1
UW539	170.00	170.60	<0.01	<0.1
UW539	170.60	171.60	0.01	0.1
UW539	171.60	172.40	0.01	<0.1
UW539	172.40	173.00	<0.01	<0.1
UW539	173.00	174.00	<0.01	<0.1
UW539	186.60	187.10	<0.01	<0.1
UW539	189.60	190.00	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	190.60	191.60	0.01	<0.1
UW539	191.60	192.40	0.01	0.2
UW539	197.00	198.00	<0.01	<0.1
UW539	198.00	198.90	<0.01	<0.1
UW539	198.90	199.30	<0.01	<0.1
UW539	199.30	200.00	0.02	<0.1
UW539	202.00	203.00	<0.01	<0.1
UW539	217.00	218.00	0.01	<0.1
UW539	218.00	218.30	<0.01	0.1
UW539	218.30	219.10	<0.01	<0.1
UW539	219.10	220.00	0.01	<0.1
UW539	220.00	220.80	<0.01	0.2
UW539	221.50	222.00	0.01	0.2
UW539	222.00	223.00	<0.01	<0.1
UW539	223.00	223.50	0.01	0.2
UW539	223.50	224.10	0.01	0.1
UW539	226.80	227.40	0.02	0.1
UW539	227.40	228.30	0.01	0.2
UW539	228.30	229.20	0.03	0.9
UW539	232.00	232.80	0.03	1.8
UW539	232.80	233.30	0.02	1.1
UW539	233.30	234.00	0.02	1.2
UW539	235.70	236.00	0.33	1.2
UW539	236.00	237.00	0.02	0.3
UW539	242.50	243.10	0.05	1.4
UW539	243.10	244.00	0.05	1.8
UW539	244.00	244.80	0.04	0.9
UW539	246.00	247.00	0.03	2.2
UW539	247.00	248.00	0.05	1.8
UW539	254.00	254.80	0.01	1.1
UW539	254.80	255.30	0.08	1.5
UW539	255.30	256.50	0.03	1.3
UW539	256.50	257.00	0.09	2.1
UW539	257.00	257.50	0.07	2.1
UW539	257.50	258.50	0.04	1.4
UW539	264.80	265.30	0.11	3.1
UW539	265.30	266.30	0.05	2.2
UW539	266.30	267.00	0.07	2.4
UW539	267.00	267.90	0.16	6.6
UW539	267.90	268.60	0.11	3.1
UW539	268.60	269.10	0.03	1.5
UW539	269.10	270.00	<0.01	0.5
UW539	270.00	270.70	<0.01	0.2
UW539	270.70	271.10	0.02	0.3
UW539	277.00	278.00	0.04	0.3
UW539	280.00	281.00	0.01	<0.1
UW539	281.00	282.00	0.04	0.8
UW539	282.00	283.30	0.03	0.9
UW539	283.30	284.00	0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	284.00	285.00	0.09	1.1
UW539	285.00	286.00	0.01	0.3
UW539	288.00	289.00	<0.01	0.1
UW539	289.00	289.30	0.03	1.3
UW539	289.30	290.50	0.01	1.5
UW539	290.50	290.80	0.06	1.0
UW539	290.80	291.30	0.02	0.8
UW539	292.80	293.10	0.02	2.1
UW539	293.10	293.60	0.02	1.5
UW539	293.60	294.10	0.02	1.7
UW539	294.10	295.00	0.03	1.6
UW539	298.00	298.70	0.02	2.1
UW539	298.70	299.00	0.02	1.8
UW539	318.20	318.70	0.03	0.9
UW539	318.70	319.40	0.02	1.4
UW539	319.40	319.70	0.01	1.5
UW539	319.70	320.00	0.03	1.5
UW539	320.00	320.50	0.01	1.2
UW539	320.50	320.80	0.11	2.1
UW539	320.80	321.30	0.01	0.5
UW539	321.30	322.10	6.92	11.1
UW539	322.10	322.80	28.90	44.1
UW539	322.80	323.20	29.10	33.5
UW539	323.20	323.70	1.77	17.4
UW539	323.70	324.00	0.07	5.6
UW539	324.00	324.60	0.12	6.3
UW539	324.60	325.00	0.17	2.9
UW539	325.00	325.30	1.89	2.8
UW539	325.30	326.30	0.05	1.2
UW539	326.30	326.60	0.99	1.8
UW539	326.60	326.90	0.31	1.1
UW539	326.90	327.70	0.01	2.5
UW539	327.70	328.00	0.05	3.5
UW539	328.00	329.00	0.01	1.4
UW539	329.00	330.00	0.02	1.0
UW539	334.00	334.30	0.02	1.7
UW539	334.30	334.60	12.50	11.0
UW539	334.60	335.00	0.05	1.7
UW539	335.00	336.00	0.03	1.6
UW539	337.00	338.00	0.03	3.9
UW539	338.00	339.00	0.02	1.5
UW539	342.40	343.50	0.05	1.0
UW539	343.50	344.00	0.04	0.6
UW539	346.00	347.00	0.02	1.2
UW539	347.00	347.30	0.02	1.0
UW539	347.30	347.60	0.02	1.1
UW539	347.60	348.00	0.02	1.4
UW539	299.00	299.70	<0.01	0.7
UW539	303.10	303.40	<0.01	1.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	303.40	304.60	<0.01	1.6
UW539	304.60	305.40	0.02	1.1
UW539	305.40	306.40	<0.01	1.0
UW539	306.40	307.00	0.01	1.3
UW539	307.00	308.00	<0.01	1.4
UW539	308.00	309.00	0.01	1.9
UW539	309.00	309.60	0.02	1.6
UW539	309.60	310.50	0.03	2.0
UW539	310.50	311.00	<0.01	1.7
UW539	312.00	313.00	<0.01	0.6
UW539	313.00	314.00	<0.01	0.3
UW539	314.00	315.00	<0.01	0.3
UW539	315.00	316.00	<0.01	0.4
UW539	316.00	317.00	0.01	1.3
UW539	317.00	318.20	<0.01	0.5
UW648	6.00	7.00	0.02	0.2
UW648	12.00	13.00	0.02	0.1
UW648	16.00	17.00	0.04	<0.1
UW648	20.70	21.50	0.05	<0.1
UW648	21.50	22.20	0.05	<0.1
UW648	22.20	23.00	0.05	<0.1
UW648	23.00	24.00	0.04	<0.1
UW648	24.00	25.00	0.04	0.3
UW648	25.00	26.00	0.05	0.2
UW648	26.00	27.00	0.05	0.3
UW648	27.00	27.50	0.03	0.2
UW648	27.90	28.40	0.04	0.9
UW648	28.40	29.00	0.03	1.2
UW648	29.00	29.90	0.03	2.7
UW648	29.90	30.90	0.03	7.9
UW648	30.90	31.90	0.02	0.8
UW648	31.90	32.90	0.02	0.4
UW648	32.90	33.90	0.02	0.3
UW648	33.90	34.90	0.01	0.7
UW648	34.90	35.90	0.03	1.6
UW648	35.90	36.50	0.05	0.4
UW648	36.50	37.40	0.06	0.3
UW648	37.40	38.40	0.03	2.9
UW648	38.40	39.00	0.02	2.8
UW648	39.90	40.50	0.01	1.1
UW648	40.50	41.00	0.02	0.3
UW648	42.50	43.30	0.02	0.2
UW648	43.30	43.80	0.02	0.2
UW648	43.80	44.20	0.02	26.5
UW648	44.20	44.60	0.01	6.6
UW648	44.60	45.50	0.02	1.0
UW648	46.40	47.00	0.06	0.3
UW648	48.00	48.50	0.03	0.2
UW648	48.50	50.00	0.02	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW648	50.00	50.80	0.02	9.2
UW648	50.80	51.50	0.02	0.7
UW648	51.50	52.50	0.03	0.4
UW648	52.50	53.50	0.02	0.3
UW648	53.50	54.50	0.03	0.3
UW648	54.50	55.40	0.12	10.8
UW648	55.40	56.20	9.37	35.7
UW648	56.20	57.00	4.24	17.3
UW648	57.00	58.00	0.16	4.9
UW648	58.00	59.00	4.17	6.5
UW648	59.00	59.90	0.60	1.6
UW648	59.90	60.60	0.16	0.5
UW648	60.60	61.20	0.42	1.0
UW648	61.20	61.80	2.16	5.3
UW648	61.80	62.80	0.22	1.4
UW648	62.80	63.50	0.39	1.8
UW648	63.50	64.00	3.07	9.5
UW648	64.00	64.60	0.10	1.8
UW648	64.60	65.30	0.04	2.7
UW648	65.30	66.20	0.02	0.8
UW648	66.20	67.00	0.05	1.8
UW648	67.00	68.00	0.07	4.0
UW648	68.00	68.90	0.15	6.6
UW648	68.90	69.40	0.13	4.1
UW648	69.40	70.00	0.29	7.3
UW648	70.00	71.00	0.53	5.1
UW648	71.00	71.40	0.24	3.9
UW648	71.40	72.00	0.03	1.0
UW648	72.00	73.00	0.17	2.4
UW648	73.00	73.30	0.07	4.5
UW648	73.30	74.00	0.05	2.2
UW648	74.00	74.90	0.05	2.0
UW648	74.90	75.80	0.04	1.4
UW648	75.80	76.30	0.06	1.7
UW648	76.30	77.00	0.20	6.8
UW648	77.00	77.50	0.25	7.7
UW648	77.50	78.00	0.26	5.6
UW648	78.00	78.50	0.13	5.1
UW648	78.50	79.00	0.06	1.7
UW648	80.00	80.50	8.61	6.9
UW648	80.50	80.90	10.10	29.6
UW648	81.30	81.60	0.09	2.8
UW648	82.00	82.30	0.14	2.3
UW648	84.60	84.90	0.01	0.5
UW648	90.00	90.40	0.05	1.1
UW648	92.00	93.00	0.14	3.0
UW648	93.00	93.50	0.02	0.9
UW648	93.50	94.10	0.21	0.6
UW648	98.15	98.60	7.38	23.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW648	98.60	99.30	4.47	21.6
UW648	99.30	99.90	0.19	3.7
UW648	99.90	100.60	0.51	1.1
UW648	100.60	101.50	1.21	2.9
UW648	102.80	103.10	0.44	1.2
UW648	103.60	104.25	0.46	1.3
UW648	104.25	105.10	0.02	0.5
UW648	105.10	106.00	0.08	0.7
UW648	106.00	106.30	1.01	3.4
UW648	106.30	107.00	0.13	0.8
UW648	108.10	108.60	0.32	1.5
UW648	109.40	109.90	0.11	3.0
UW648	110.60	111.00	0.45	2.8
UW648	111.00	112.00	0.50	1.2
UW648	112.00	113.00	0.01	0.3
UW648	113.00	114.00	0.04	0.3
UW648	114.00	114.50	1.27	2.1
UW648	114.50	115.50	0.08	0.4
UW648	115.50	116.45	0.06	0.9
UW648	116.45	117.00	0.20	1.9
UW648	117.00	117.50	0.09	1.8
UW648	117.50	118.30	0.88	6.7
UW648	118.30	119.00	14.50	33.2
UW648	119.00	120.00	0.17	2.4
UW648	120.00	120.90	0.19	1.5
UW648	120.90	121.60	0.17	1.7
UW648	121.60	122.00	3.50	3.4
UW648	122.00	122.50	0.11	2.2
UW648	122.50	123.10	0.07	2.1
UW648	123.10	123.50	0.63	9.8
UW648	123.50	124.50	13.60	51.2
UW648	124.50	125.50	0.62	5.8
UW648	125.50	125.95	0.06	2.8
UW648	125.95	126.60	0.13	6.8
UW648	126.60	127.60	0.29	2.6
UW648	127.60	128.00	0.05	2.3
UW648	128.00	129.00	0.22	2.6
UW648	129.00	129.50	0.07	2.6
UW648	129.50	130.20	2.78	6.5
UW648	130.20	131.00	1.34	4.0
UW648	131.00	132.00	1.49	9.5
UW648	132.00	133.00	0.25	3.8
UW648	133.00	134.00	0.11	2.0
UW648	134.00	135.00	0.09	2.5
UW648	135.00	135.50	0.04	1.8
UW648	135.50	136.30	0.05	2.2
UW648	136.30	137.30	0.03	1.3
UW648	137.30	138.20	0.04	0.8
UW648	138.20	138.80	0.05	1.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW648	138.80	139.20	0.02	1.6
UW648	139.20	140.00	0.03	4.3
UW648	140.00	141.00	0.03	4.3
UW648	141.00	142.00	0.05	4.7
UW648	142.00	143.00	0.05	3.2
UW648	143.00	144.00	0.03	3.2
UW648	144.00	145.00	0.04	1.8
UW648	145.00	146.00	0.03	0.8
UW648	146.00	147.00	0.03	2.7
UW648	147.00	148.00	0.02	1.9
UW648	151.40	152.00	2.09	9.9
UW648	152.55	152.85	0.06	3.4
UW648	153.30	153.60	0.04	3.4
UW648	154.30	155.00	0.06	4.5
UW648	155.70	156.00	0.11	6.1
UW648	156.40	157.00	0.17	51.7
UW648	157.00	157.70	0.29	46.7
UW648	158.00	158.90	0.16	17.4
UW648	160.50	161.00	0.04	4.0
UW648	162.60	163.50	0.04	3.6
UW648	163.50	164.50	0.04	2.9
UW648	164.50	165.50	0.02	1.7
UW648	166.20	167.00	0.05	2.7
UW648	167.00	168.00	0.09	4.6
UW648	168.00	168.50	0.08	3.7
UW648	168.50	170.00	0.25	4.6
UW648	170.00	170.80	0.30	4.3
UW648	170.80	171.50	0.50	5.4
UW648	171.50	172.20	0.71	5.6
UW648	172.20	172.90	0.50	4.5
UW648	172.90	173.60	1.46	8.0
UW648	173.60	174.50	0.11	3.2
UW648	174.50	175.10	0.07	2.3
UW648	175.10	175.80	0.10	3.4
UW648	175.80	176.50	0.09	3.9
UW648	176.50	177.30	0.51	12.9
UW648	177.30	178.10	0.05	2.0
UW648	178.10	179.00	0.12	4.0
UW648	179.00	179.50	0.09	2.0
UW648	179.50	180.40	0.42	4.8
UW648	180.40	181.00	0.21	3.3
UW648	181.00	182.00	0.04	1.0
UW648	182.00	183.00	0.03	0.9
UW648	183.00	184.00	0.02	1.2
UW648	184.00	185.00	0.02	0.7
UW648	185.00	186.00	0.01	0.3
UW648	186.00	186.90	0.02	0.3
UW648	186.90	187.90	0.05	1.8
UW648	187.90	188.50	0.03	3.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW648	188.50	189.60	0.03	2.7
UW648	189.60	190.20	0.14	1.5
UW648	190.20	191.30	0.02	0.8
UW648	191.30	192.30	0.06	0.5
UW648	192.30	193.10	0.18	2.0
UW648	193.10	193.40	0.33	15.6
UW648	193.40	194.40	0.08	1.5
UW648	194.40	195.40	0.05	2.0
UW648	195.40	195.70	0.95	44.9
UW648	195.70	196.70	0.10	3.7
UW648	196.70	197.10	0.06	3.0
UW648	197.10	198.10	1.95	7.4
UW648	198.10	199.10	0.10	3.5
UW648	199.10	199.70	0.22	3.1
UW648	199.70	200.90	0.01	0.7
UW648	200.90	201.90	<0.01	0.6
UW648	201.90	202.60	0.02	0.5
UW648	202.60	203.40	1.10	4.2
UW648	203.40	204.20	0.03	2.8
UW648	204.20	205.00	0.02	0.8
UW648	205.00	205.90	1.34	70.2
UW648	205.90	206.60	0.30	6.9
UW648	206.60	207.40	9.86	10.1
UW648	207.40	208.00	1.18	12.2
UW648	208.00	209.00	0.05	2.5
UW648	209.00	210.20	0.04	2.1
UW648	210.20	211.00	0.02	1.1
UW648	211.00	211.40	0.05	4.8
UW648	211.40	212.00	0.29	9.5
UW648	212.00	213.00	0.09	3.5
UW648	213.00	213.50	0.24	6.4
UW648	213.50	214.10	2.00	55.8
UW648	214.10	214.80	0.02	1.4
UW648	214.80	216.00	0.01	0.6
UW648	216.00	217.20	0.03	1.1
UW648	217.20	218.10	0.16	12.9
UW648	218.10	218.90	0.08	3.8
UW648	218.90	220.00	0.08	1.6
UW648	220.00	220.90	0.03	1.5
UW648	220.90	221.70	0.16	2.3
UW648	221.70	222.10	0.35	16.2
UW648	222.10	223.30	0.03	1.8
UW648	223.30	224.10	0.02	2.5
UW648	224.10	224.90	0.04	2.8
UW648	224.90	226.10	0.04	3.8
UW648	226.10	226.90	0.03	3.1
UW648	226.90	227.80	0.01	5.5
UW648	227.80	228.50	0.05	3.6
UW648	228.50	229.40	0.01	1.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW648	229.40	230.30	0.02	2.0
UW648	230.30	230.70	3.02	9.2
UW648	230.70	231.90	0.04	1.9
UW648	231.90	233.00	0.03	1.5
UW648	233.00	234.00	0.25	1.2
UW648	234.00	234.90	0.15	2.6
UW648	234.90	235.30	0.09	2.2
UW648	235.30	236.30	0.03	2.4
UW648	236.30	237.00	0.03	3.9
UW648	237.00	237.85	0.03	1.9
UW648	237.85	238.15	1.44	4.9
UW648	238.15	239.00	0.16	1.7
UW648	240.00	241.00	0.03	4.1
UW648	241.00	241.70	0.13	7.9
UW648	243.55	243.85	0.02	1.2
UW648	244.10	244.60	0.27	1.7
UW648	0.00	0.90	0.03	0.4
UW648	0.90	1.50	0.33	3.5
UW648	1.50	2.30	<0.01	0.1
UW648	4.00	5.00	0.02	0.1
UW648	5.00	6.00	0.02	0.2
UW648	7.00	8.00	0.01	0.1
UW648	8.00	9.00	0.02	0.1
UW648	9.00	10.00	0.01	0.1
UW648	10.00	11.00	0.01	<0.1
UW648	11.00	12.00	<0.01	0.2
UW648	13.00	14.00	0.01	0.1
UW648	14.00	15.00	0.03	<0.1
UW648	15.30	16.00	0.03	<0.1
UW648	17.00	17.60	0.04	<0.1
UW648	17.60	18.30	0.05	<0.1
UW648	18.40	19.00	0.06	<0.1
UW648	19.00	19.90	0.04	<0.1
UW648	20.10	20.70	0.05	0.1
UW648	39.00	39.50	0.02	0.7
UW648	41.00	42.50	0.03	0.3
UW648	45.50	46.40	0.03	0.5
UW648	47.00	48.00	0.03	0.6
UW648	79.00	80.00	1.62	1.3
UW648	80.90	81.30	0.08	2.1
UW648	81.60	82.00	0.04	0.7
UW648	82.30	83.00	0.06	0.6
UW648	83.00	84.00	0.03	0.6
UW648	84.90	85.80	0.02	0.2
UW648	85.80	86.80	0.02	0.5
UW648	86.80	87.50	0.02	0.8
UW648	87.50	88.00	0.02	1.0
UW648	88.00	89.00	0.01	0.4
UW648	89.00	90.00	0.02	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW648	90.40	91.00	0.02	0.9
UW648	91.00	92.00	0.02	0.3
UW648	94.10	95.00	0.13	1.4
UW648	95.00	95.80	0.02	0.8
UW648	95.80	96.80	0.05	0.4
UW648	96.80	97.50	0.05	0.5
UW648	97.50	98.15	0.29	1.2
UW648	101.50	102.20	0.08	1.2
UW648	102.20	102.80	0.05	0.3
UW648	103.10	103.60	0.27	0.9
UW648	107.00	107.60	0.07	0.6
UW648	107.60	108.10	0.11	0.9
UW648	108.60	109.40	0.04	0.3
UW648	109.90	110.60	0.05	0.5
UW648	148.00	149.00	0.03	1.2
UW648	149.00	149.70	0.03	2.4
UW648	149.70	150.50	0.05	3.3
UW648	150.50	151.40	0.05	4.2
UW648	152.00	152.55	0.04	0.8
UW648	152.85	153.30	0.04	1.6
UW648	153.60	154.30	0.03	2.2
UW648	155.00	155.70	0.09	3.4
UW648	156.00	156.40	0.09	11.5
UW648	157.70	158.00	0.07	8.0
UW648	158.90	159.50	<0.01	4.0
UW648	159.50	160.50	<0.01	2.5
UW648	161.00	162.00	0.02	3.3
UW648	162.00	162.60	0.02	4.0
UW648	239.00	240.00	1.28	65.2
UW648	241.70	242.60	0.03	1.5
UW648	242.60	243.55	0.01	0.6
UW648	243.85	244.10	<0.01	0.3
UW648	244.60	244.90	0.06	0.6
UW654	1.90	2.40	<0.01	0.2
UW654	3.20	4.00	0.01	0.1
UW654	4.00	4.80	0.02	<0.1
UW654	4.80	5.80	0.06	<0.1
UW654	5.80	6.80	0.03	0.1
UW654	6.80	7.80	0.02	<0.1
UW654	7.80	8.80	<0.01	<0.1
UW654	8.80	10.00	<0.01	0.4
UW654	10.00	11.00	<0.01	<0.1
UW654	11.00	12.00	0.01	0.1
UW654	12.00	13.00	0.02	<0.1
UW654	13.00	14.10	0.03	<0.1
UW654	14.10	15.00	0.02	<0.1
UW654	15.00	16.00	0.01	<0.1
UW654	16.00	17.10	0.02	<0.1
UW654	17.10	18.60	0.04	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW654	18.60	19.00	0.04	0.2
UW654	19.00	20.00	0.06	0.1
UW654	20.00	21.00	0.05	0.2
UW654	21.00	21.60	0.07	0.2
UW654	21.60	22.60	0.03	0.2
UW654	22.60	23.60	0.03	0.1
UW654	23.60	24.60	0.02	0.1
UW654	24.60	25.60	0.02	0.1
UW654	25.60	26.60	0.02	0.5
UW654	26.60	27.60	0.01	0.3
UW654	27.60	28.60	0.02	0.3
UW654	28.60	29.40	0.02	0.3
UW654	29.40	30.40	0.03	0.2
UW654	30.40	31.30	0.06	0.7
UW654	31.30	32.10	0.01	0.8
UW654	32.10	33.10	0.03	0.4
UW654	33.10	34.10	0.02	1.5
UW654	34.10	35.10	0.02	1.7
UW654	35.10	36.10	0.01	0.7
UW654	36.10	37.10	0.04	3.0
UW654	37.10	38.10	0.02	5.2
UW654	38.10	39.10	0.03	2.1
UW654	39.10	39.90	0.02	1.0
UW654	39.90	40.55	0.01	3.2
UW654	40.55	41.10	0.02	2.8
UW654	41.10	41.90	0.01	1.5
UW654	41.90	42.60	<0.01	2.4
UW654	42.60	43.60	0.02	1.9
UW654	43.60	44.60	0.02	2.1
UW654	44.60	45.40	0.01	8.7
UW654	45.40	46.00	0.02	6.8
UW654	46.00	46.90	0.02	0.4
UW654	46.90	47.30	0.02	4.2
UW654	47.30	48.30	0.02	1.3
UW654	48.30	49.20	0.01	0.7
UW654	49.20	50.10	0.03	2.0
UW654	50.10	51.10	0.03	2.5
UW654	51.10	52.10	0.04	1.2
UW654	52.10	53.10	0.05	1.5
UW654	53.10	53.75	0.05	2.5
UW654	53.75	54.65	0.04	2.5
UW654	54.65	55.20	0.04	0.6
UW654	55.20	56.00	0.03	1.3
UW654	56.00	57.00	0.02	0.2
UW654	57.00	58.00	0.01	3.8
UW654	58.00	58.85	0.02	8.2
UW654	58.85	59.85	0.03	5.0
UW654	59.85	60.85	0.03	1.4
UW654	60.85	61.60	0.04	2.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW654	61.60	62.60	0.02	2.4
UW654	62.60	63.60	0.02	1.9
UW654	63.60	64.10	0.02	1.9
UW654	64.10	64.50	0.11	3.6
UW654	64.50	65.45	0.08	2.0
UW654	65.45	66.15	0.04	3.4
UW654	66.15	66.70	0.07	2.5
UW654	66.70	67.30	0.08	1.1
UW654	67.30	68.10	0.07	1.7
UW654	68.10	69.10	0.21	0.9
UW654	69.10	69.70	0.14	1.0
UW654	69.70	70.70	5.65	27.6
UW654	70.70	71.70	22.20	105.0
UW654	71.70	72.70	15.40	92.6
UW654	72.70	73.70	0.44	3.8
UW654	73.70	74.30	0.13	3.6
UW654	74.30	75.30	0.10	1.9
UW654	75.30	76.30	0.12	2.1
UW654	76.30	77.00	0.06	1.8
UW654	77.00	78.00	0.15	1.8
UW654	78.00	79.00	0.06	1.6
UW654	79.00	79.50	0.06	0.7
UW654	79.50	80.50	0.03	0.8
UW654	80.50	81.50	0.02	0.6
UW654	81.50	82.50	0.01	0.3
UW654	82.50	82.80	0.04	0.7
UW654	82.80	83.80	0.01	0.4
UW654	83.80	84.80	0.07	0.7
UW654	84.80	85.50	0.02	0.4
UW654	85.50	85.90	0.11	1.1
UW654	85.90	86.75	<0.01	0.3
UW654	86.75	87.75	<0.01	0.4
UW654	87.75	88.75	0.02	0.6
UW654	88.75	89.75	0.02	0.6
UW654	89.75	90.75	0.10	2.0
UW654	90.75	91.75	0.01	0.5
UW654	91.75	92.60	1.51	1.8
UW654	92.60	93.25	0.07	0.8
UW654	93.25	93.65	1.67	4.1
UW654	93.65	94.65	<0.01	0.2
UW654	94.65	95.65	0.01	0.3
UW654	95.65	95.90	0.12	5.3
UW654	95.90	96.70	0.03	0.5
UW654	96.70	97.70	0.03	0.4
UW654	97.70	98.70	0.01	0.4
UW654	98.70	99.70	0.02	0.2
UW654	99.70	100.35	0.02	0.2
UW654	100.35	100.70	0.11	5.5
UW654	100.70	101.10	0.09	2.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW654	101.10	101.40	0.15	3.1
UW654	101.40	102.30	0.03	0.8
UW654	102.30	103.30	0.02	0.4
UW654	103.30	104.30	0.03	0.9
UW654	104.30	105.30	<0.01	0.2
UW654	105.30	106.30	<0.01	0.4
UW654	106.30	107.20	0.01	0.1
UW654	107.20	107.85	<0.01	<0.1
UW654	107.85	108.85	0.09	0.7
UW654	108.85	109.85	0.10	1.7
UW654	109.85	110.50	1.39	2.0
UW654	110.50	111.20	0.13	1.8
UW654	111.20	111.70	5.11	7.3
UW654	111.70	112.70	0.36	3.4
UW654	112.70	113.00	0.13	2.0
UW654	113.00	113.80	0.04	0.6
UW654	113.80	114.60	0.07	1.4
UW654	114.60	115.60	0.02	0.4
UW654	115.60	116.60	<0.01	0.2
UW654	116.60	117.00	<0.01	0.3
UW654	117.00	118.00	0.01	0.2
UW654	118.00	119.00	0.02	0.1
UW654	119.00	120.00	0.03	0.3
UW654	120.00	121.00	0.02	0.2
UW654	121.00	122.00	0.05	1.1
UW654	122.00	123.00	0.07	0.9
UW654	123.00	123.60	0.04	0.9
UW654	123.60	124.60	0.04	0.8
UW654	124.60	125.60	0.05	0.7
UW654	125.60	126.60	0.03	0.7
UW654	126.60	127.60	0.04	0.5
UW654	127.60	128.60	0.04	0.5
UW654	128.60	129.60	0.06	0.4
UW654	129.60	130.60	0.03	0.4
UW654	130.60	131.60	0.03	0.7
UW654	131.60	132.60	0.14	0.7
UW654	132.60	133.70	0.06	0.4
UW654	133.70	134.70	0.05	0.5
UW654	134.70	135.70	0.08	1.2
UW654	135.70	136.70	0.09	1.2
UW654	136.70	137.70	0.04	1.2
UW654	137.70	138.70	0.06	1.5
UW654	138.70	139.50	0.04	0.9
UW654	139.50	140.50	0.04	0.8
UW654	140.50	141.50	0.03	1.2
UW654	141.50	142.50	0.04	1.7
UW654	142.50	143.50	0.03	1.2
UW654	143.50	144.50	0.05	2.6
UW654	144.50	145.50	0.03	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW654	145.50	146.20	<0.01	1.1
UW654	146.20	147.20	0.03	2.3
UW654	147.20	148.00	0.03	3.4
UW654	148.00	149.00	0.03	1.6
UW654	149.00	149.60	0.03	2.1
UW654	149.60	150.15	0.05	2.7
UW654	150.15	151.00	0.03	2.5
UW654	151.00	151.85	0.02	1.9
UW654	151.85	152.50	0.04	3.4
UW654	152.50	153.10	0.05	3.9
UW654	153.10	154.00	0.02	2.7
UW654	154.00	155.00	2.48	25.4
UW654	155.00	155.60	0.37	34.7
UW654	155.60	156.60	0.09	3.3
UW654	156.60	157.60	1.24	4.3
UW654	157.60	158.05	3.14	14.7
UW654	158.05	158.75	13.80	122.0
UW654	158.75	159.70	0.06	3.7
UW654	159.70	160.70	0.04	2.8
UW654	160.70	161.00	0.03	1.2
UW654	161.00	161.25	0.12	7.0
UW654	161.25	162.25	18.10	116.0
UW654	162.25	162.65	0.39	9.5
UW654	162.65	163.00	0.06	3.9
UW654	163.00	164.00	0.04	3.5
UW654	164.00	165.00	0.16	4.5
UW654	165.00	166.00	0.04	2.9
UW654	166.00	166.80	0.03	2.4
UW654	166.80	167.80	0.07	2.8
UW654	167.80	168.85	0.06	3.5
UW654	168.95	169.55	0.06	3.2
UW654	169.55	170.50	0.04	2.8
UW654	170.50	171.50	0.02	1.3
UW654	171.50	172.50	0.01	1.8
UW654	172.50	173.50	0.04	2.8
UW654	173.50	174.50	0.05	3.6
UW654	174.50	175.35	0.06	2.3
UW654	175.35	175.95	0.07	1.9
UW654	175.95	176.95	0.03	1.4
UW654	176.95	177.90	0.03	2.1
UW654	177.90	178.60	0.22	2.2
UW654	178.60	179.60	0.08	1.8
UW654	179.60	180.60	0.07	2.7
UW654	180.60	181.60	0.04	2.8
UW654	181.60	182.60	0.03	2.3
UW654	182.60	183.60	0.05	3.2
UW654	183.60	184.60	0.04	3.0
UW654	184.60	185.00	0.04	4.3
UW654	185.00	186.00	0.05	3.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW654	186.00	186.80	0.03	3.3
UW654	186.80	187.45	0.04	3.0
UW654	187.45	188.40	0.07	6.0
UW654	188.40	188.75	0.84	9.3
UW654	188.75	189.40	9.14	93.3
UW654	189.40	190.25	0.21	24.8
UW654	190.25	191.00	0.08	20.4
UW654	191.00	192.00	0.11	7.2
UW654	192.00	192.50	0.26	7.1
UW654	192.50	193.30	0.15	19.5
UW654	193.30	194.10	0.71	52.2
UW654	194.10	195.10	1.89	99.2
UW654	195.10	196.30	2.75	59.1
UW654	196.30	197.30	0.05	5.1
UW654	197.30	198.25	0.04	4.8
UW654	198.25	199.25	0.11	5.7
UW654	199.25	200.15	0.23	5.9
UW654	200.15	200.90	0.02	1.6
UW654	200.90	201.50	0.05	2.8
UW654	201.50	202.50	0.02	1.8
UW654	202.50	203.50	0.03	3.4
UW654	203.50	204.35	0.06	3.1
UW654	204.35	205.00	0.01	2.4
UW654	205.00	205.70	0.01	1.3
UW654	205.70	206.80	0.02	3.3
UW654	206.80	207.35	0.05	7.0
UW654	207.35	208.35	0.02	3.6
UW654	208.35	209.35	0.02	1.7
UW654	209.35	210.10	0.02	3.3
UW654	210.10	210.50	0.02	3.5
UW654	210.50	211.00	0.02	2.5
UW654	211.00	212.00	0.02	2.9
UW654	212.00	213.00	0.02	3.4
UW654	213.00	214.00	0.02	2.9
UW654	214.00	215.00	0.06	4.1
UW654	215.00	216.00	0.03	3.1
UW654	216.00	216.40	0.07	8.3
UW654	216.40	217.40	0.06	6.8
UW654	217.40	218.40	0.04	7.6
UW654	218.40	219.40	0.02	2.8
UW654	219.40	220.40	0.04	4.8
UW654	220.40	221.40	0.04	5.2
UW654	221.40	222.00	0.03	4.2
UW654	222.00	223.00	0.03	4.3
UW654	223.00	224.00	0.02	2.8
UW654	224.00	225.00	0.02	1.9
UW654	225.00	225.80	0.04	3.6
UW654	225.80	226.80	0.02	2.2
UW654	226.80	227.80	0.02	2.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW654	227.80	228.50	0.01	2.4
UW654	228.50	229.35	0.02	3.1
UW654	229.35	230.00	0.01	3.1
UW654	230.00	230.40	6.33	56.3
UW654	233.70	234.70	0.26	5.5
UW654	235.40	236.00	<0.01	1.8
UW654	236.00	237.00	0.04	3.1
UW654	237.00	238.00	0.01	3.0
UW654	238.00	239.00	<0.01	3.0
UW654	239.00	240.00	0.03	2.6
UW654	240.00	241.00	0.02	2.2
UW654	241.00	242.00	0.01	2.6
UW654	242.00	243.00	0.01	2.3
UW654	243.00	244.00	<0.01	1.6
UW654	244.00	245.00	0.01	1.7
UW654	245.00	245.80	0.02	2.7
UW654	245.80	246.10	0.28	31.6
UW654	246.10	247.10	0.02	3.0
UW654	247.10	248.10	<0.01	1.6
UW654	248.10	249.10	0.02	1.4
UW654	249.10	250.10	0.02	2.1
UW654	250.10	251.10	0.01	0.7
UW654	251.10	252.10	0.03	1.7
UW654	252.10	253.10	<0.01	1.1
UW654	253.10	254.10	<0.01	0.7
UW654	254.10	255.10	0.04	1.1
UW654	255.10	256.10	<0.01	0.6
UW654	256.10	257.10	0.01	0.9
UW654	257.10	258.10	0.03	0.9
UW654	258.10	258.55	0.07	3.9
UW654	258.55	259.40	0.02	2.3
UW654	259.40	260.00	<0.01	0.4
UW654	260.00	261.00	<0.01	0.8
UW654	261.00	262.00	<0.01	0.5
UW654	262.00	263.00	0.11	0.4
UW654	263.00	264.00	<0.01	0.3
UW654	264.00	265.00	<0.01	0.8
UW654	265.00	266.00	0.01	1.0
UW654	266.00	267.00	<0.01	0.9
UW654	267.00	268.00	0.02	0.6
UW654	268.00	269.00	0.03	0.4
UW654	269.00	270.00	0.28	87.8
UW654	270.00	271.00	<0.01	0.9
UW654	271.00	271.45	<0.01	0.2
UW654	271.45	272.40	<0.01	1.1
UW654	272.40	272.70	0.04	1.8
UW654	272.70	273.25	0.02	2.1
UW654	273.25	274.25	0.03	2.9
UW654	274.25	275.25	0.05	14.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW654	275.25	276.10	0.04	2.8
UW654	276.10	277.10	<0.01	3.1
UW654	277.10	278.10	0.03	4.0
UW654	278.10	279.10	<0.01	0.8
UW654	279.10	280.10	0.01	1.9
UW654	280.10	281.00	0.02	3.3
UW658	18.00	20.10	<0.01	0.1
UW658	20.10	22.10	<0.01	<0.1
UW658	29.40	30.60	<0.01	<0.1
UW658	32.10	33.10	<0.01	<0.1
UW658	33.60	34.60	0.01	<0.1
UW658	35.00	36.00	<0.01	<0.1
UW658	38.10	38.90	<0.01	<0.1
UW658	77.00	77.50	<0.01	<0.1
UW658	77.50	78.50	<0.01	<0.1
UW658	78.50	79.80	<0.01	0.7
UW658	79.80	81.50	0.01	0.1
UW658	81.50	82.10	<0.01	<0.1
UW658	82.10	83.30	<0.01	0.1
UW658	83.30	84.50	<0.01	<0.1
UW658	84.50	85.70	<0.01	<0.1
UW658	85.70	86.80	<0.01	<0.1
UW658	86.80	87.90	0.01	0.3
UW658	87.90	89.00	<0.01	<0.1
UW658	89.00	90.10	<0.01	<0.1
UW658	90.10	91.00	<0.01	<0.1
UW658	91.00	91.90	<0.01	0.2
UW658	91.90	93.40	<0.01	<0.1
UW658	93.40	94.60	<0.01	<0.1
UW658	94.60	95.00	<0.01	0.2
UW658	95.00	96.50	<0.01	0.2
UW658	96.50	97.60	0.02	0.3
UW658	97.60	98.60	0.02	0.9
UW658	98.60	99.50	0.03	1.0
UW658	99.50	100.60	0.07	2.0
UW658	100.60	101.60	0.06	2.5
UW658	101.60	102.40	1.01	3.3
UW658	102.40	103.30	0.61	2.9
UW658	103.30	104.00	0.04	0.9
UW658	104.00	105.30	0.04	2.0
UW658	105.30	106.30	0.05	0.5
UW658	106.30	107.30	<0.01	0.1
UW658	107.30	108.40	<0.01	<0.1
UW658	108.40	109.50	0.01	0.2
UW658	109.50	110.80	<0.01	0.1
UW658	110.80	111.30	0.03	1.5
UW658	111.30	112.60	0.01	0.3
UW658	112.60	113.80	<0.01	0.2
UW658	113.80	114.80	0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW658	114.80	115.90	0.01	0.3
UW658	115.90	116.50	0.01	0.2
UW658	116.50	117.50	0.01	0.1
UW658	117.50	118.40	<0.01	0.2
UW658	118.40	119.00	<0.01	0.2
UW658	119.00	120.50	0.01	0.2
UW658	120.50	122.00	0.04	0.4
UW658	122.00	123.10	0.02	0.7
UW658	123.10	124.40	2.60	33.7
UW658	124.40	125.70	0.10	1.6
UW658	125.70	126.60	0.18	4.2
UW658	126.60	127.70	0.79	42.3
UW658	127.70	128.80	0.03	1.1
UW658	128.80	130.30	0.01	0.5
UW658	130.30	131.80	<0.01	0.4
UW658	131.80	133.30	0.02	0.2
UW658	133.30	134.80	<0.01	0.5
UW658	134.80	135.90	0.01	0.6
UW658	135.90	136.90	0.02	0.6
UW658	136.90	137.90	0.01	0.4
UW658	137.90	139.30	<0.01	0.4
UW658	139.30	139.70	<0.01	0.4
UW658	139.70	140.80	<0.01	0.3
UW658	140.80	141.70	0.03	0.6
UW658	141.70	143.10	<0.01	0.4
UW658	143.10	144.10	0.02	0.7
UW658	144.10	145.10	0.02	0.6
UW658	145.10	146.10	0.02	0.8
UW658	146.10	146.60	0.02	1.0
UW658	146.60	147.30	0.14	1.8
UW658	147.30	148.40	0.01	1.1
UW658	148.40	149.40	0.01	0.5
UW658	149.40	150.40	0.01	0.6
UW658	150.40	151.60	0.02	0.9
UW658	151.60	152.30	0.02	1.1
UW658	152.30	153.30	0.01	0.8
UW658	153.30	154.20	0.02	0.5
UW658	154.20	155.70	<0.01	0.4
UW658	155.70	157.10	<0.01	0.4
UW658	157.10	157.80	0.02	1.1
UW658	157.80	158.60	<0.01	1.2
UW658	158.60	159.50	<0.01	0.6
UW658	159.50	160.10	0.02	0.6
UW658	160.10	161.20	0.01	0.4
UW658	161.20	162.40	0.02	0.7
UW658	162.40	163.50	0.01	0.6
UW658	163.50	164.10	0.02	1.0
UW658	164.10	165.30	0.01	0.4
UW658	165.30	166.40	0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW658	166.40	167.60	0.01	0.1
UW658	167.60	168.80	0.02	0.3
UW658	168.80	169.60	0.04	0.9
UW658	169.60	170.70	0.02	0.6
UW658	170.70	171.20	0.02	0.6
UW658	171.20	171.90	0.01	0.4
UW658	171.90	172.90	0.02	0.5
UW658	172.90	173.90	0.03	0.6
UW658	173.90	174.60	0.07	3.1
UW658	174.60	175.70	0.73	9.9
UW658	175.70	176.20	0.03	1.7
UW658	176.20	177.30	0.02	0.7
UW658	177.30	178.40	0.02	0.1
UW658	178.40	179.20	0.02	0.7
UW658	179.20	180.20	0.04	1.8
UW658	180.20	180.90	0.03	0.8
UW658	180.90	181.40	0.06	0.4
UW658	181.40	182.90	0.01	0.1
UW658	182.90	183.60	0.01	0.3
UW658	183.60	184.50	0.03	0.7
UW658	184.50	185.20	0.02	0.3
UW658	185.20	186.40	0.01	0.8
UW658	186.90	188.30	<0.01	0.1
UW658	188.30	189.70	0.01	1.0
UW658	189.70	190.80	0.02	2.0
UW658	190.80	192.00	0.02	0.3
UW658	192.00	193.20	0.01	0.1
UW658	193.20	194.20	0.01	<0.1
UW658	194.20	195.40	0.02	<0.1
UW658	195.40	196.00	0.02	0.1
UW658	196.00	197.20	0.02	0.1
UW658	197.20	198.20	0.03	0.4
UW658	198.20	198.90	0.03	0.1
UW658	198.90	199.70	0.01	0.2
UW658	199.70	200.20	0.01	0.5
UW658	200.20	201.40	0.01	0.8
UW658	201.40	202.50	0.02	0.9
UW658	202.50	203.60	0.02	0.4
UW658	203.60	204.80	0.02	0.4
UW658	204.80	205.70	0.01	0.9
UW658	205.70	206.60	0.01	1.1
UW658	206.60	207.90	<0.01	0.7
UW658	207.90	209.20	<0.01	1.6
UW658	209.20	209.80	0.01	1.1
UW658	209.80	211.00	0.02	0.7
UW658	211.00	212.20	0.02	1.2
UW658	212.20	213.40	0.01	1.1
UW658	213.40	214.50	0.02	1.5
UW658	214.50	214.80	17.30	235.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW658	214.80	215.40	0.02	1.9
UW658	215.40	216.60	0.02	1.1
UW658	216.60	217.80	0.02	2.8
UW658	217.80	218.30	0.04	4.4
UW658	218.30	219.40	0.02	0.5
UW658	219.40	220.70	0.02	0.4
UW658	220.70	222.00	0.02	0.9
UW658	222.00	223.30	0.02	0.6
UW658	223.30	224.20	0.03	0.8
UW658	224.20	224.60	0.04	2.1
UW658	224.60	225.00	0.01	1.4
UW658	225.00	225.40	0.02	1.1
UW658	225.40	226.20	0.01	1.6
UW658	226.20	227.20	0.08	2.1
UW658	227.20	228.70	1.06	12.4
UW658	228.70	229.50	20.20	81.1
UW658	229.50	230.50	6.74	42.7
UW658	230.50	231.00	26.10	106.0
UW658	232.20	232.70	61.90	317.0
UW658	233.20	233.40	6.63	33.7
UW658	233.40	233.80	21.70	111.0
UW658	233.80	234.70	0.07	1.3
UW658	234.70	235.60	0.07	1.3
UW658	235.60	236.40	0.42	8.6
UW658	236.40	237.00	0.03	1.1
UW658	237.00	237.90	0.03	1.7
UW658	237.90	238.70	0.04	1.1
UW658	238.70	239.60	0.14	2.6
UW658	239.60	240.70	0.08	3.6
UW658	240.70	241.50	0.01	1.4
UW658	241.50	242.20	<0.01	0.8
UW658	242.20	243.00	3.47	30.4
UW658	243.00	243.90	0.04	2.5
UW658	243.90	245.20	0.01	1.6
UW658	245.20	246.50	0.01	1.6
UW658	246.50	246.80	<0.01	0.7
UW658	246.80	247.70	<0.01	1.2
UW658	247.70	248.60	0.06	2.4
UW658	248.60	249.10	0.09	2.0
UW658	249.10	250.00	0.02	15.8
UW658	250.00	251.00	0.03	9.8
UW658	251.00	251.40	12.80	21.1
UW658	251.40	252.40	0.29	11.3
UW658	252.40	253.50	0.04	1.5
UW658	253.50	254.60	0.02	1.5
UW658	254.60	255.50	0.37	1.3
UW658	255.50	256.50	0.02	1.1
UW658	256.50	257.50	0.02	0.8
UW658	257.50	258.50	0.02	1.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW658	258.50	259.50	0.02	1.9
UW658	259.50	260.50	0.02	2.3
UW658	260.50	261.50	0.02	1.6
UW658	261.50	262.50	0.02	1.1
UW658	262.50	263.50	0.17	0.8
UW658	263.50	264.50	0.16	0.9
UW658	264.50	265.40	0.04	0.6
UW658	265.40	266.10	0.07	2.0
UW658	266.10	266.45	15.00	14.8
UW658	266.45	267.25	0.05	2.9
UW658	267.65	268.30	1.29	1.4
UW658	268.30	269.30	0.05	0.8
UW658	269.30	269.90	0.05	0.8
UW658	269.90	270.20	10.40	20.8
UW658	270.20	271.20	0.42	2.4
UW658	271.20	272.20	0.17	0.4
UW658	272.20	273.30	0.38	6.5
UW658	273.30	273.90	31.40	61.9
UW658	273.90	274.80	0.15	2.1
UW658	274.80	275.80	1.39	5.0
UW658	275.80	276.80	0.12	0.4
UW658	276.80	277.80	0.04	1.1
UW658	277.80	278.80	0.02	0.5
UW658	278.80	279.80	0.02	0.4
UW658	279.80	280.80	0.01	0.6
UW658	280.80	281.80	0.02	0.6
UW658	281.80	282.80	0.10	0.9
UW658	282.80	283.30	0.02	1.7
UW658	283.30	284.25	0.01	0.4
UW658	284.25	284.60	10.90	51.0
UW658	284.60	285.60	0.03	0.7
UW658	285.60	286.60	<0.01	0.3
UW658	286.60	287.25	0.07	0.7
UW658	287.25	287.90	0.02	0.7
UW658	287.90	288.10	<0.01	0.5
UW658	288.80	289.70	1.76	7.1
UW658	289.70	290.00	5.80	10.3
UW658	290.00	291.10	0.02	0.3
UW658	291.90	292.30	0.53	1.4
UW658	292.30	293.30	<0.01	0.2
UW658	293.30	294.30	0.01	0.4
UW658	294.30	295.30	<0.01	0.3
UW658	295.30	296.10	0.02	0.3
UW658	296.10	297.20	0.03	1.2
UW658	297.20	298.20	<0.01	0.6
UW658	298.20	299.20	3.45	0.9
UW658	299.20	300.00	0.03	0.8
UW658	300.00	301.80	0.07	1.2
UW658	301.80	302.10	2.08	4.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW658	302.75	303.30	0.73	3.8
UW658	303.30	304.20	0.21	2.7
UW658	304.20	305.20	0.05	6.9
UW658	305.20	305.85	1.11	5.1
UW658	305.85	306.90	0.06	3.0
UW658	306.90	307.60	0.19	7.0
UW658	307.60	308.00	0.02	34.4
UW658	308.00	308.50	0.04	18.0
UW658	308.50	309.50	0.03	1.6
UW658	309.50	310.50	0.09	13.5
UW658	310.50	311.20	0.20	47.7
UW658	311.20	312.40	0.26	11.8
UW658	312.40	313.45	0.05	1.9
UW658	313.45	314.00	0.16	1.6
UW658	314.00	314.95	8.09	26.1
UW658	314.95	315.35	0.12	12.0
UW658	315.35	316.00	0.33	0.9
UW658	316.00	317.20	0.05	0.6
UW658	317.20	318.30	0.03	0.2
UW658	318.30	318.60	0.02	0.9
UW658	318.60	319.80	0.02	0.7
UW658	319.80	321.00	0.05	1.7
UW658	321.00	321.70	0.03	1.3
UW658	321.70	322.00	3.62	6.2
UW658	322.00	323.20	0.03	0.8
UW658	323.20	324.40	0.03	0.8
UW658	324.40	325.00	0.03	2.1
UW658	325.00	325.55	0.08	4.6
UW658	325.55	326.75	0.05	2.9
UW658	326.75	328.00	0.12	1.9
UW658	328.00	329.20	0.01	0.7
UW658	329.20	329.70	0.03	0.3
UW658	329.70	330.00	0.06	0.6
UW658	330.00	330.40	0.02	0.5
UW658	330.40	331.60	0.02	0.6
UW658	331.60	332.80	0.01	0.3
UW658	332.80	333.15	0.04	0.5
UW658	333.15	334.00	0.02	0.4
UW658	334.00	335.00	<0.01	0.5
UW658	335.00	335.30	0.05	2.5
UW658	335.30	336.50	0.06	1.4
UW658	336.50	337.70	0.24	1.3
UW658	337.70	338.20	0.24	1.4
UW658	338.20	339.10	0.35	1.9
UW658	339.10	340.00	0.12	1.5
UW658	340.00	340.85	0.02	0.6
UW658	340.85	341.80	0.10	0.4
UW658	341.80	342.70	0.02	0.5
UW658	342.70	343.40	0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW658	343.40	344.25	0.01	0.4
UW658	344.25	344.75	0.04	1.3
UW658	344.75	345.75	0.05	1.7
UW658	345.75	346.60	0.03	1.6
UW658	346.60	347.60	0.02	2.1
UW658	347.60	347.90	0.10	3.5
UW658	347.90	348.40	0.04	4.2
UW658	348.40	348.70	0.04	2.0
UW658	348.70	349.00	0.03	2.4
UW658	349.00	349.80	0.02	3.6
UW658	349.80	350.20	0.02	4.6
UW658	350.20	351.40	0.01	2.0
UW658	351.40	352.60	0.02	2.9
UW658	352.60	353.80	<0.01	2.7
UW658	353.80	355.00	0.03	4.1
UW658	355.00	355.70	0.01	2.6
UW658	355.70	356.30	0.29	4.4
UW658	356.30	356.60	3.24	8.2
UW658	356.60	357.00	0.05	4.2
UW658	357.00	358.10	0.06	6.6
UW658	358.10	358.50	0.74	4.8
UW658	358.50	359.20	0.24	9.2
UW658	359.20	360.45	0.17	12.3
UW658	360.45	361.35	0.10	8.0
UW658	362.35	363.00	1.36	9.5
UW658	363.00	364.20	4.02	11.2
UW658	364.20	364.50	0.03	3.4
UW658	364.50	364.80	20.10	43.1
UW658	364.80	365.20	0.03	2.0
UW658	365.30	365.90	0.02	1.9
UW658	365.90	366.80	0.01	2.2
UW658	366.80	367.35	0.08	12.7
UW658	367.35	367.80	0.08	5.6
UW658	367.80	369.00	0.18	4.3
UW658	369.00	370.20	0.05	3.6
UW658	370.20	371.05	0.02	2.4
UW658	371.05	372.00	0.02	1.7
UW658	372.00	372.35	0.05	2.5
UW658	372.35	373.55	0.02	1.6
UW658	373.55	374.75	<0.01	1.7
UW658	374.75	375.55	0.02	1.7
UW658	375.55	376.70	2.18	7.2
UW658	376.70	377.90	1.62	6.9
UW658	377.90	378.70	0.23	1.7
UW658	378.70	379.50	0.02	2.0
UW658	379.50	380.20	0.03	3.0
UW658	380.20	381.00	<0.01	2.9
UW658	381.00	381.80	0.02	2.1
UW658	385.20	386.30	0.02	2.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW658	386.30	387.50	0.01	3.3
UW658	387.50	388.30	0.12	3.4
UW658	388.30	389.35	0.04	3.9
UW658	389.35	389.80	0.03	3.3
UW658	389.80	391.00	0.03	2.5
UW658	391.00	392.20	0.02	1.7
UW658	392.20	392.80	0.02	5.3
UW658	392.80	393.10	0.55	48.2
UW658	393.10	393.65	0.21	20.9
UW658	393.65	394.85	0.03	3.7
UW658	394.85	396.00	0.03	3.7
UW658	396.00	397.20	0.01	2.6
UW658	397.20	398.40	0.02	1.9
UW658	398.40	399.00	0.02	3.1
UW658	399.00	399.50	0.06	3.0
UW658	399.50	400.15	9.85	11.9
UW658	400.15	400.80	0.61	5.7
UW658	400.80	402.00	0.04	4.5
UW658	402.00	403.20	0.03	3.6
UW658	403.20	404.40	0.03	3.3
UW658	404.40	405.60	<0.01	1.8
UW658	405.60	406.80	0.08	1.6
UW658	406.80	408.00	0.09	1.5
UW658	408.00	408.55	0.11	1.3
UW658	408.55	409.70	0.09	1.1
UW658	409.70	410.90	0.06	2.4
UW658	410.90	412.10	0.10	1.0
UW658	412.10	413.30	0.02	1.1
UW658	413.30	414.20	0.02	1.2
UW658	414.20	414.90	0.07	2.1
UW658	414.90	416.25	10.40	49.2
UW658	416.25	417.00	18.90	94.0
UW658	417.00	418.00	0.05	2.7
UW658	418.00	418.60	0.12	5.0
UW658	418.60	419.70	1.11	5.1
UW658	419.70	420.70	1.70	12.0
UW658	420.70	421.20	0.10	2.4
UW658	421.20	422.40	0.04	2.5
UW658	422.40	423.60	0.02	3.0
UW658	423.60	424.80	0.02	3.0
UW658	424.80	426.00	0.03	3.1
UW658	426.00	427.20	0.03	2.7
UW658	427.20	427.90	0.04	2.6
UW658	427.90	428.65	6.14	20.2
UW658	428.65	430.00	0.02	2.0
UW658	430.00	431.30	0.28	3.5
UW658	431.30	432.50	0.06	2.4
UW658	432.50	433.70	0.01	2.9
UW658	433.70	434.90	0.05	4.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW658	434.90	436.35	1.67	4.3
UW658	436.35	437.30	0.03	2.7
UW658	438.00	439.20	0.11	1.3
UW658	442.10	443.40	0.04	1.9
UW658	443.40	444.60	0.02	2.0
UW658	444.60	445.70	0.01	1.8
UW658	445.70	446.00	0.03	2.8
UW658	446.00	447.20	0.01	2.1
UW658	447.20	447.80	0.02	2.0
UW658	447.80	448.10	1.82	4.1
UW658	448.35	449.30	0.02	3.3
UW658	449.30	449.80	0.98	3.1
UW658	449.80	451.00	0.01	2.3
UW658	451.00	451.60	0.86	2.7
UW658	451.80	453.00	0.03	2.2
UW658	453.00	453.80	0.02	1.7
UW658	453.80	454.45	1.93	5.5
UW658	454.45	455.30	2.29	10.9
UW658	455.30	456.50	0.03	2.8
UW658	456.50	457.60	0.07	7.8
UW658	457.60	458.70	6.14	95.8
UW658	458.70	459.30	6.32	12.1
UW658	459.30	460.50	0.21	12.8
UW658	460.50	461.15	2.80	35.8
UW658	461.15	461.90	0.13	3.6
UW658	462.05	462.40	0.02	1.8
UW658	462.40	463.25	0.03	3.8
UW658	463.25	464.00	0.06	2.6
UW658	464.00	464.90	0.19	10.1
UW658	464.90	465.30	0.02	6.8
UW658	465.30	466.70	0.41	9.5
UW658	466.70	467.20	0.21	4.3
UW658	467.20	468.05	1.28	32.1
UW658	468.05	468.60	2.48	240.0
UW658	468.60	469.65	1.05	16.2
UW658	469.65	469.95	0.06	2.7
UW658	469.95	471.20	11.80	140.0
UW658	471.20	472.05	19.30	394.0
UW658	472.05	473.10	0.04	36.5
UW658	473.10	473.85	0.06	2.7
UW658	473.85	475.00	1.88	6.8
UW658	475.00	476.00	7.33	46.9
UW658	476.30	476.70	2.25	12.4
UW658	477.50	478.00	1.47	11.9
UW658	478.80	480.00	42.90	1010.0
UW658	480.00	481.15	5.80	220.0
UW658	481.15	482.70	34.20	917.0
UW658	482.70	484.40	1.77	84.9
UW658	484.40	485.50	0.04	53.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW658	485.50	486.80	0.04	37.5
UW658	486.80	488.00	0.05	8.8
UW658	488.00	489.30	0.67	15.0
UW658	489.30	491.10	0.02	9.1
UW658	491.90	493.00	0.02	20.7
UW658	493.00	494.00	0.01	8.7
UW658	494.00	494.70	0.04	2.8
UW658	494.70	495.40	0.06	6.9
UW658	495.40	496.70	0.03	3.1
UW659	6.65	7.50	0.02	<0.1
UW659	8.75	9.30	0.02	0.2
UW659	9.80	10.50	0.02	<0.1
UW659	10.50	11.00	<0.01	<0.1
UW659	12.00	13.00	<0.01	<0.1
UW659	13.00	14.00	<0.01	0.2
UW659	14.00	14.60	0.01	0.6
UW659	15.00	15.70	0.01	0.4
UW659	15.70	16.50	0.02	0.1
UW659	16.50	17.10	0.03	0.2
UW659	17.50	18.40	0.01	<0.1
UW659	18.40	19.10	0.02	<0.1
UW659	20.00	21.00	0.02	<0.1
UW659	21.70	22.50	0.01	<0.1
UW659	22.50	23.20	0.02	<0.1
UW659	23.20	24.00	0.02	<0.1
UW659	24.30	25.00	0.01	<0.1
UW659	25.00	26.00	0.02	<0.1
UW659	26.00	27.00	0.02	0.1
UW659	27.00	28.00	0.03	0.3
UW659	28.00	29.00	0.04	0.7
UW659	29.00	30.00	0.03	0.2
UW659	30.00	31.00	0.02	0.3
UW659	31.00	32.00	0.01	0.2
UW659	32.00	33.00	0.02	0.1
UW659	33.00	34.00	0.03	0.5
UW659	34.00	35.00	0.02	0.4
UW659	35.00	36.00	0.02	0.1
UW659	36.00	37.00	0.04	0.2
UW659	37.00	38.00	0.08	0.4
UW659	38.00	39.00	0.04	0.2
UW659	39.00	40.00	0.03	0.1
UW659	40.00	41.00	0.04	0.1
UW659	41.00	42.00	0.04	<0.1
UW659	42.00	43.00	0.04	0.1
UW659	43.00	44.00	0.05	0.1
UW659	44.00	45.00	0.08	0.5
UW659	45.00	46.00	0.05	0.2
UW659	46.00	47.00	0.11	0.7
UW659	47.00	47.50	0.06	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW659	47.50	48.20	0.06	0.9
UW659	48.20	49.20	0.06	1.3
UW659	49.20	50.00	0.04	0.3
UW659	50.00	51.00	0.03	1.3
UW659	51.00	52.00	0.05	2.3
UW659	52.00	53.00	0.03	0.2
UW659	53.00	54.00	0.03	<0.1
UW659	54.00	55.00	0.02	1.2
UW659	55.00	56.00	0.03	1.5
UW659	56.00	57.00	0.03	0.6
UW659	57.00	58.10	0.04	0.7
UW659	58.10	59.10	0.02	0.1
UW659	59.10	60.10	0.01	0.1
UW659	60.10	61.00	0.06	1.5
UW659	61.00	61.50	0.10	0.7
UW659	61.50	62.00	0.02	0.4
UW659	62.00	63.00	<0.01	0.8
UW659	63.00	64.00	0.02	0.7
UW659	64.00	65.00	0.02	0.9
UW659	65.00	66.00	0.06	1.4
UW659	66.00	67.00	<0.01	0.5
UW659	67.00	68.00	<0.01	0.3
UW659	68.00	69.00	<0.01	0.3
UW659	69.00	70.00	<0.01	0.2
UW659	70.00	71.00	<0.01	0.3
UW659	71.00	72.00	0.02	0.6
UW659	72.00	73.00	<0.01	0.4
UW659	73.00	73.50	0.02	1.9
UW659	73.50	74.00	<0.01	0.4
UW659	74.00	75.00	0.02	0.3
UW659	75.00	75.70	0.02	0.7
UW659	75.70	76.00	0.03	0.9
UW659	76.00	76.70	0.02	0.5
UW659	76.70	77.00	0.04	0.7
UW659	77.00	77.90	0.02	0.4
UW659	77.90	78.25	0.05	0.3
UW659	78.25	79.00	0.05	0.2
UW659	79.00	80.00	0.11	0.3
UW659	80.00	80.70	0.04	0.5
UW659	80.70	81.00	2.87	3.5
UW659	81.00	82.00	0.02	0.3
UW659	82.00	83.00	0.01	0.3
UW659	83.00	84.00	0.10	0.8
UW659	84.80	85.50	1.03	7.6
UW659	85.50	86.00	0.05	0.2
UW659	86.00	87.00	0.16	0.3
UW659	87.00	88.00	0.02	0.2
UW659	88.00	89.00	0.02	0.2
UW659	89.00	90.00	<0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW659	90.00	91.00	<0.01	0.3
UW659	91.00	92.00	0.02	0.3
UW659	92.00	92.90	<0.01	0.3
UW659	92.90	94.00	0.01	0.2
UW659	94.00	95.00	<0.01	0.2
UW659	95.00	96.00	0.10	0.8
UW659	96.00	97.00	0.04	0.6
UW659	97.00	98.10	0.04	0.3
UW659	98.10	98.40	0.04	0.4
UW659	98.40	99.00	0.01	0.3
UW659	99.00	100.00	<0.01	0.2
UW659	100.00	101.00	0.02	0.2
UW659	101.00	102.00	0.03	0.5
UW659	102.00	103.00	0.02	0.2
UW659	103.00	104.00	0.01	0.2
UW659	104.00	105.00	0.02	0.3
UW659	105.00	106.10	0.05	1.3
UW659	106.10	106.40	0.30	0.6
UW659	106.40	107.00	0.43	0.5
UW659	107.00	108.00	0.03	0.4
UW659	108.00	108.90	0.04	1.3
UW659	108.90	109.50	0.01	0.5
UW659	109.50	110.20	0.03	1.1
UW659	110.20	110.50	0.02	1.1
UW659	110.50	111.80	0.01	0.4
UW659	111.80	113.00	<0.01	0.2
UW659	113.00	114.00	<0.01	0.4
UW659	114.00	115.00	0.01	0.2
UW659	115.00	116.00	0.01	0.2
UW659	116.00	117.00	0.01	0.2
UW659	117.00	117.90	0.80	1.2
UW659	117.90	119.00	0.48	1.4
UW659	119.00	120.00	<0.01	2.8
UW659	120.00	121.00	0.23	0.8
UW659	121.00	122.00	0.63	1.2
UW659	122.00	122.60	0.26	0.8
UW659	122.60	123.10	0.49	1.1
UW659	123.10	123.40	0.24	1.5
UW659	123.40	124.10	4.37	3.3
UW659	124.10	125.20	7.08	8.0
UW659	125.20	126.00	0.10	1.5
UW659	126.00	127.00	0.03	0.6
UW659	127.00	128.00	0.02	0.4
UW659	128.00	129.00	0.02	0.9
UW659	129.00	130.00	0.04	1.6
UW659	130.00	130.30	0.66	0.8
UW659	130.30	131.30	0.04	6.2
UW659	131.30	132.00	0.02	2.9
UW659	132.00	132.60	0.02	2.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW659	132.60	133.50	0.08	2.5
UW659	133.50	134.60	4.57	6.5
UW659	134.60	135.50	1.21	1.3
UW659	135.50	136.10	0.06	1.3
UW659	136.10	137.00	0.03	9.7
UW659	137.00	138.10	0.02	7.5
UW659	138.10	138.50	0.10	5.2
UW659	138.50	139.40	0.01	0.2
UW659	139.40	140.50	<0.01	1.3
UW659	140.50	141.10	<0.01	6.2
UW659	141.10	142.30	0.04	2.5
UW659	142.30	143.50	0.02	1.8
UW659	143.50	144.70	<0.01	0.7
UW659	144.70	145.90	0.04	0.7
UW659	145.90	147.10	0.04	1.3
UW659	147.10	147.50	7.81	4.6
UW659	147.50	148.70	0.15	1.0
UW659	148.70	149.50	3.28	2.7
UW659	149.50	150.90	0.31	1.1
UW659	150.90	152.10	0.09	1.1
UW659	152.10	153.10	0.03	2.4
UW659	153.10	154.30	0.30	1.6
UW659	154.30	155.20	5.09	16.3
UW659	155.20	155.70	0.50	3.6
UW659	155.70	156.20	21.80	135.0
UW659	156.50	157.50	0.19	3.4
UW659	157.50	158.00	0.56	2.2
UW659	158.00	159.40	0.16	2.0
UW659	159.40	160.60	0.11	3.7
UW659	160.60	161.80	0.09	5.8
UW659	161.80	163.00	4.45	45.0
UW659	163.00	163.50	0.22	1.1
UW659	163.50	164.30	0.13	4.8
UW659	164.30	165.90	0.58	58.9
UW659	165.90	166.70	0.17	3.4
UW659	166.70	167.50	0.54	2.5
UW659	167.50	168.90	1.61	7.9
UW659	169.20	170.10	0.23	3.6
UW659	170.10	171.10	0.15	3.0
UW659	171.10	172.25	0.57	3.1
UW659	172.25	173.00	0.19	2.8
UW659	173.00	173.50	0.20	3.0
UW659	173.50	174.10	0.16	9.8
UW659	174.10	174.40	0.50	66.1
UW659	174.40	175.40	0.83	2.6
UW659	175.40	176.10	0.57	2.5
UW659	176.10	177.00	0.22	3.2
UW659	177.00	177.80	0.13	11.3
UW659	177.80	178.30	0.15	13.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW659	178.30	179.20	0.58	20.2
UW659	179.20	179.60	0.04	1.2
UW659	179.60	180.90	1.22	3.6
UW659	180.90	182.10	6.29	26.5
UW659	182.10	182.75	11.90	43.8
UW659	182.75	183.50	11.50	28.7
UW659	183.50	184.50	0.51	1.7
UW659	185.60	186.20	13.40	45.6
UW659	186.20	186.90	0.03	25.2
UW659	186.90	187.60	0.77	33.0
UW659	187.60	188.20	0.69	86.2
UW659	188.20	188.80	0.34	12.4
UW659	188.80	189.45	0.11	8.8
UW659	189.45	190.50	0.11	6.1
UW659	190.50	191.10	1.81	81.5
UW659	191.10	192.20	0.05	2.1
UW659	192.20	193.15	0.02	1.5
UW659	193.15	194.30	0.01	0.5
UW659	194.30	195.40	0.01	0.7
UW659	195.40	196.30	0.12	35.7
UW659	196.30	197.10	2.45	31.3
UW659	197.10	198.30	0.04	8.8
UW659	198.30	199.50	0.04	3.5
UW659	199.50	200.30	0.02	15.6
UW659	200.30	201.25	0.05	10.6
UW659	201.25	202.30	<0.01	0.9
UW659	202.30	203.20	0.01	0.6
UW659	203.20	204.40	0.01	0.5
UW659	204.40	205.60	0.01	0.4
UW659	205.60	206.60	0.02	0.9
UW659	206.60	207.80	0.02	1.6
UW659	207.80	209.00	0.02	1.2
UW659	209.00	210.10	<0.01	0.5
UW659	210.10	211.30	0.01	0.9
UW659	211.30	212.50	0.02	1.7
UW659	212.50	213.25	0.02	1.2
UW659	213.25	214.50	0.25	5.0
UW659	214.50	215.50	0.03	4.2
UW659	215.50	216.50	<0.01	4.0
UW659	216.50	217.50	<0.01	6.4
UW659	217.50	218.00	0.39	2.2
UW659	218.00	218.75	0.78	2.0
UW659	218.75	220.00	<0.01	1.9
UW659	220.00	221.00	0.01	0.9
UW659	221.00	222.00	0.01	2.0
UW659	222.00	223.20	0.11	7.1
UW659	223.20	223.50	0.02	1.1
UW659	223.50	224.70	<0.01	7.6
UW659	224.70	225.90	0.01	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW659	225.90	227.00	0.01	7.0
UW659	227.00	228.00	<0.01	1.4
UW659	228.00	229.20	0.03	1.1
UW659	229.20	230.30	0.01	2.9
UW659	230.30	231.50	0.01	0.7
UW659	231.50	232.50	0.01	0.5
UW659	232.50	233.00	0.12	3.3
UW659	233.00	233.65	0.02	2.6
UW659	233.65	234.50	0.02	1.8
UW659	234.50	235.50	0.03	0.9
UW660	16.40	17.60	0.06	0.4
UW660	17.60	18.60	0.05	2.2
UW660	18.60	19.60	0.08	0.9
UW660	19.60	21.00	0.06	0.6
UW660	21.00	21.60	0.02	0.3
UW660	21.60	23.00	0.02	0.2
UW660	23.00	23.50	0.03	0.3
UW660	23.50	24.60	0.02	0.2
UW660	24.60	25.50	0.02	0.3
UW660	25.50	26.10	0.02	0.5
UW660	26.10	26.90	0.03	0.3
UW660	26.90	27.50	0.02	0.6
UW660	27.50	28.30	0.01	0.2
UW660	28.30	29.20	0.01	0.2
UW660	29.20	30.50	0.03	0.2
UW660	30.50	31.40	0.02	<0.1
UW660	31.40	32.10	0.04	<0.1
UW660	32.10	33.00	0.07	<0.1
UW660	33.00	34.00	0.05	<0.1
UW660	34.00	35.00	0.08	<0.1
UW660	35.00	35.90	0.06	0.3
UW660	35.90	36.60	0.03	<0.1
UW660	36.60	37.20	0.01	<0.1
UW660	37.20	38.10	0.02	<0.1
UW660	38.10	38.70	0.01	<0.1
UW660	38.70	39.60	0.01	0.1
UW660	39.60	41.10	0.01	<0.1
UW660	41.20	42.00	0.02	0.2
UW660	42.00	42.90	0.02	0.2
UW660	42.90	44.10	0.02	<0.1
UW660	44.10	44.80	0.02	0.5
UW660	44.80	45.70	0.03	0.7
UW660	45.70	46.70	0.03	0.3
UW660	46.70	47.40	0.02	0.3
UW660	47.40	48.40	0.04	0.3
UW660	48.40	49.90	0.03	0.2
UW660	49.90	50.80	0.03	0.1
UW660	50.80	51.50	0.03	0.2
UW660	51.50	52.20	0.03	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW660	52.20	53.00	0.02	0.1
UW660	53.10	54.10	0.02	<0.1
UW660	54.10	55.10	0.02	<0.1
UW660	55.10	56.10	0.03	0.2
UW660	56.10	57.10	0.03	0.3
UW660	57.10	58.10	0.01	0.2
UW660	58.10	58.60	0.02	0.2
UW660	58.60	59.10	0.01	<0.1
UW660	59.10	59.80	0.02	<0.1
UW660	59.80	60.50	0.01	<0.1
UW660	60.50	61.10	0.01	0.2
UW660	61.10	62.10	0.01	0.1
UW660	62.10	63.00	0.09	0.1
UW660	63.00	63.60	0.03	0.1
UW660	64.10	64.70	0.99	1.1
UW660	64.70	65.10	0.03	0.2
UW660	65.10	66.00	0.02	<0.1
UW660	66.00	67.00	0.04	<0.1
UW660	67.00	68.00	0.45	0.3
UW660	68.00	68.60	0.02	<0.1
UW660	68.60	69.60	0.01	<0.1
UW660	69.60	71.10	0.01	0.1
UW660	71.10	72.00	0.02	<0.1
UW660	72.00	73.00	0.01	<0.1
UW660	73.00	74.00	0.01	0.2
UW660	74.00	75.00	<0.01	0.1
UW660	75.00	76.00	<0.01	<0.1
UW660	76.00	77.00	0.01	<0.1
UW660	77.00	78.00	0.01	<0.1
UW660	78.00	78.60	0.03	0.1
UW660	78.60	80.10	0.03	<0.1
UW660	80.10	81.00	0.02	<0.1
UW660	81.00	81.60	0.02	0.1
UW660	81.60	83.10	0.06	0.2
UW660	83.10	84.30	0.02	0.1
UW660	84.30	85.20	0.03	<0.1
UW660	85.20	86.00	0.02	0.1
UW660	86.00	87.00	0.03	0.2
UW660	87.00	87.90	0.02	0.3
UW660	87.90	88.90	0.05	0.2
UW660	88.90	89.90	0.02	0.2
UW660	89.90	90.90	<0.01	0.4
UW660	90.90	91.60	0.01	0.1
UW660	91.60	92.60	0.03	<0.1
UW660	92.60	93.40	0.01	0.1
UW660	93.40	94.40	0.05	0.2
UW660	94.40	95.10	29.50	47.8
UW660	95.10	95.40	2.70	7.3
UW660	95.40	96.00	0.09	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW660	96.00	96.60	0.11	0.5
UW660	96.60	97.50	12.50	10.3
UW660	97.50	98.10	0.32	1.0
UW660	98.10	99.00	0.07	0.6
UW660	99.00	99.60	0.08	0.9
UW660	99.60	100.00	0.05	0.6
UW660	100.00	100.60	0.05	0.7
UW660	100.60	101.50	0.03	0.3
UW660	101.50	102.50	0.05	0.3
UW660	102.50	103.50	0.04	0.1
UW660	103.50	104.10	0.03	0.3
UW660	104.10	105.00	0.02	0.3
UW660	105.00	106.00	0.04	0.8
UW660	106.00	107.00	0.04	0.5
UW660	107.00	108.00	0.14	1.2
UW660	108.00	109.00	0.04	0.4
UW660	109.00	110.00	0.03	0.6
UW660	110.00	110.60	0.04	0.7
UW660	110.60	111.10	0.08	0.6
UW660	111.10	112.10	0.04	0.6
UW660	112.10	113.10	0.03	0.6
UW660	113.10	116.10	0.03	0.4
UW660	116.10	117.90	0.02	0.6
UW660	117.90	119.10	0.29	1.8
UW660	119.10	120.10	0.03	1.6
UW660	120.10	120.80	0.03	1.1
UW660	120.80	122.10	0.11	1.6
UW660	122.10	124.90	7.20	5.9
UW660	124.90	126.50	8.26	20.9
UW660	126.50	127.40	0.09	1.1
UW660	127.40	128.10	0.06	1.1
UW660	128.10	129.60	0.11	1.2
UW660	129.60	131.10	2.51	4.1
UW660	131.10	132.20	0.20	1.5
UW660	132.20	133.40	0.07	1.2
UW660	133.40	133.90	0.06	1.0
UW660	133.90	135.10	0.07	1.2
UW660	135.10	135.70	0.09	1.6
UW660	135.70	136.60	0.07	1.3
UW660	136.60	137.50	0.16	1.5
UW660	137.50	139.00	0.12	2.4
UW660	139.00	139.70	1.75	16.3
UW660	139.70	140.80	0.06	1.0
UW660	140.80	141.90	0.11	2.4
UW660	141.90	142.50	0.29	3.5
UW660	142.50	143.00	1.87	4.3
UW660	143.00	143.70	0.08	1.8
UW660	143.70	144.40	0.18	2.1
UW660	144.40	145.00	0.63	2.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW660	145.00	146.00	0.12	2.4
UW660	146.00	146.35	0.89	3.1
UW660	146.35	147.60	0.31	2.8
UW660	147.60	148.00	1.81	4.5
UW660	148.00	149.10	0.31	2.5
UW660	149.10	150.10	0.35	2.9
UW660	150.10	151.00	0.11	2.0
UW660	151.00	152.10	0.18	1.7
UW660	152.10	153.00	0.06	2.2
UW660	153.00	153.70	0.06	1.5
UW660	153.70	154.10	0.30	2.8
UW660	154.10	155.10	0.16	2.5
UW660	155.10	155.70	1.20	3.5
UW660	155.70	156.40	3.46	6.6
UW660	156.40	157.00	4.45	5.8
UW660	157.00	157.50	2.36	3.9
UW660	157.50	158.00	2.57	4.1
UW660	158.00	158.50	0.62	4.6
UW660	158.50	159.20	41.80	31.4
UW660	159.20	159.70	0.35	3.5
UW660	159.70	160.90	0.78	2.9
UW660	160.90	161.80	9.95	14.9
UW660	161.80	162.50	6.13	8.9
UW660	162.50	163.60	2.59	4.8
UW660	163.60	164.40	2.27	4.4
UW660	164.40	165.00	4.76	11.5
UW660	165.00	166.10	0.16	5.4
UW660	166.10	167.10	5.02	7.8
UW660	167.10	167.90	2.70	4.5
UW660	167.90	168.60	5.00	11.4
UW660	168.60	169.00	0.97	3.6
UW660	169.00	170.10	0.17	3.2
UW660	170.10	171.30	6.20	5.9
UW660	171.30	172.20	5.65	5.9
UW660	172.20	173.20	8.20	8.0
UW660	173.20	174.40	3.01	5.1
UW660	174.40	175.00	0.93	3.2
UW660	175.00	175.60	16.60	13.5
UW660	175.60	176.40	3.75	5.7
UW660	176.40	177.10	0.94	12.0
UW660	177.10	177.80	0.43	2.7
UW660	177.80	178.60	2.35	6.1
UW660	178.60	179.70	0.53	5.3
UW660	179.70	181.10	1.03	3.6
UW660	181.10	181.80	0.93	3.1
UW660	181.80	182.70	0.20	3.3
UW660	182.70	183.30	0.31	2.4
UW660	183.30	184.20	0.15	20.4
UW660	184.20	185.20	0.49	2.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW660	185.20	186.00	0.17	1.8
UW660	186.00	186.70	0.23	2.5
UW660	186.70	187.00	0.18	10.6
UW660	187.00	187.70	0.50	3.7
UW660	187.70	188.90	0.23	3.4
UW660	188.90	189.90	0.13	1.5
UW660	189.90	190.50	0.03	5.8
UW660	190.50	191.70	0.01	54.0
UW660	191.70	192.60	0.13	3.9
UW660	192.60	194.10	0.11	3.3
UW660	194.10	194.70	0.02	0.4
UW660	194.70	195.50	<0.01	0.4
UW660	195.50	196.60	<0.01	0.3
UW660	196.60	197.80	<0.01	0.3
UW660	197.80	199.00	0.01	0.1
UW660	199.00	200.10	<0.01	0.2
UW664	8.10	9.00	0.02	0.1
UW664	9.00	10.20	0.04	<0.1
UW664	10.20	11.40	0.02	<0.1
UW664	11.40	12.60	0.02	<0.1
UW664	12.60	13.80	0.01	0.1
UW664	13.80	15.00	<0.01	<0.1
UW664	15.00	16.10	0.04	0.1
UW664	16.10	17.10	0.02	0.1
UW664	17.10	17.90	0.01	0.3
UW664	17.90	19.20	0.02	0.2
UW664	19.20	20.40	0.03	0.3
UW664	20.40	21.60	0.04	<0.1
UW664	21.60	22.80	0.04	0.4
UW664	22.80	24.00	0.03	<0.1
UW664	24.00	25.20	0.04	<0.1
UW664	25.20	26.40	0.04	<0.1
UW664	26.40	27.90	0.06	<0.1
UW664	27.90	29.10	0.02	0.1
UW664	29.10	29.70	0.02	<0.1
UW664	29.70	30.90	0.04	<0.1
UW664	30.90	32.40	0.02	<0.1
UW664	32.40	33.90	<0.01	<0.1
UW664	33.90	35.40	0.02	<0.1
UW664	35.40	36.90	0.04	<0.1
UW664	36.90	38.20	0.03	0.2
UW664	38.20	39.80	0.08	0.9
UW664	39.80	40.60	0.02	0.2
UW664	40.60	41.40	0.02	0.1
UW664	41.40	42.90	0.05	0.2
UW664	42.90	44.20	0.06	<0.1
UW664	44.20	45.80	0.05	0.1
UW664	45.80	47.40	0.11	0.1
UW664	47.40	48.90	0.03	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW664	48.90	50.40	0.06	4.5
UW664	50.40	51.90	0.05	0.8
UW664	51.90	53.40	0.05	2.1
UW664	53.40	54.90	0.04	2.1
UW664	54.90	56.40	0.04	0.5
UW664	56.40	57.90	0.03	0.2
UW664	57.90	59.40	0.28	0.5
UW664	59.40	60.90	0.03	0.3
UW664	60.90	61.90	0.01	0.2
UW664	61.90	62.80	0.03	0.7
UW664	62.80	64.10	0.09	3.0
UW664	64.10	65.40	0.03	0.3
UW664	65.40	66.40	0.07	0.3
UW664	66.40	67.40	0.04	0.4
UW664	67.40	68.40	0.02	0.3
UW664	68.40	69.40	0.01	<0.1
UW664	69.40	70.40	0.01	0.2
UW664	70.40	71.60	0.03	0.1
UW664	71.60	72.90	0.02	0.2
UW664	72.90	73.70	0.01	<0.1
UW664	73.70	74.60	0.01	<0.1
UW664	74.60	75.90	0.91	0.9
UW664	75.90	77.40	0.01	0.2
UW664	77.40	78.50	1.05	1.7
UW664	78.50	79.50	0.01	0.1
UW664	79.50	80.40	0.05	0.1
UW664	80.40	81.40	0.02	<0.1
UW664	81.40	82.40	0.01	0.2
UW664	82.40	83.60	0.01	<0.1
UW664	83.60	84.90	<0.01	<0.1
UW664	84.90	85.90	0.01	<0.1
UW664	85.90	87.40	0.02	0.2
UW664	87.40	88.60	0.02	0.1
UW664	88.60	89.30	0.02	<0.1
UW664	89.30	90.30	0.02	<0.1
UW664	90.30	91.30	0.07	<0.1
UW664	91.30	92.60	<0.01	0.5
UW664	92.60	93.90	<0.01	0.2
UW664	93.90	94.40	0.76	0.8
UW664	94.40	95.60	0.02	0.2
UW664	95.60	96.80	0.02	0.1
UW664	96.80	97.90	0.02	<0.1
UW664	97.90	98.40	0.02	<0.1
UW664	98.40	99.10	<0.01	<0.1
UW664	99.10	100.10	<0.01	0.2
UW664	100.10	101.10	0.02	0.4
UW664	101.10	102.30	0.19	0.6
UW664	102.30	103.50	0.03	0.3
UW664	103.50	104.50	<0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW664	104.50	105.50	0.03	0.1
UW664	105.50	106.50	0.03	0.3
UW664	106.50	107.50	0.02	0.3
UW664	107.50	108.50	0.03	0.4
UW664	108.50	109.50	0.04	0.3
UW664	109.50	110.40	0.14	0.8
UW664	111.60	112.00	7.19	10.9
UW664	112.00	112.70	1.59	4.5
UW664	112.70	113.40	0.25	1.3
UW664	113.40	114.40	0.04	1.0
UW664	114.40	115.60	0.06	0.7
UW664	115.60	116.60	0.08	1.8
UW664	116.60	117.40	27.40	46.8
UW664	117.40	118.50	0.14	2.4
UW664	118.50	119.90	0.16	1.5
UW664	119.90	121.20	0.02	1.1
UW664	121.20	122.50	0.06	0.9
UW664	122.50	123.90	0.46	1.2
UW664	123.90	124.30	0.26	1.8
UW664	124.30	125.10	1.91	2.3
UW664	125.10	126.30	0.04	0.7
UW664	126.30	127.00	0.02	0.8
UW664	127.00	127.80	0.05	1.1
UW664	127.80	128.40	0.03	1.0
UW664	128.40	129.00	0.64	1.1
UW664	129.00	129.90	0.04	0.7
UW664	129.90	131.00	0.05	0.6
UW664	131.00	132.00	0.03	0.5
UW664	132.00	133.00	0.03	0.6
UW664	133.00	133.90	0.23	0.7
UW664	133.90	134.90	1.57	2.5
UW664	134.90	136.00	0.11	1.2
UW664	136.00	137.00	0.04	0.8
UW664	137.00	138.00	0.03	1.1
UW664	138.00	139.10	0.94	2.0
UW664	139.10	140.20	3.51	4.0
UW664	140.70	141.60	0.02	1.3
UW664	141.60	142.30	0.10	1.0
UW664	142.30	142.80	0.48	3.8
UW664	142.80	143.80	3.13	12.1
UW664	143.80	144.80	3.28	19.3
UW664	144.80	145.80	1.55	6.5
UW664	145.80	146.80	0.84	3.1
UW664	146.80	147.80	0.24	1.8
UW664	147.80	148.80	0.16	1.3
UW664	148.80	149.80	1.79	6.7
UW664	149.80	150.80	1.55	4.0
UW664	150.80	152.00	0.10	1.9
UW664	152.00	153.00	0.06	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW664	153.00	153.90	0.08	1.5
UW664	153.90	154.70	0.45	2.1
UW664	154.70	155.40	1.44	2.8
UW664	155.40	156.90	0.22	1.7
UW664	156.90	158.40	0.16	1.2
UW664	158.40	159.40	0.29	1.4
UW664	159.40	160.20	9.12	8.3
UW664	160.20	161.40	0.22	1.2
UW664	161.40	161.90	0.09	1.2
UW664	161.90	162.40	0.82	2.5
UW664	162.40	163.40	0.26	1.8
UW664	163.40	164.40	0.04	1.5
UW664	164.40	165.20	0.12	1.7
UW664	165.20	166.40	0.89	2.2
UW664	166.40	167.30	0.76	3.6
UW664	167.30	168.30	4.07	6.7
UW664	168.30	169.20	1.13	2.9
UW664	169.20	169.90	1.97	5.4
UW664	169.90	170.40	0.42	2.8
UW664	170.40	171.40	0.48	2.8
UW664	171.40	172.30	1.08	2.3
UW664	172.30	173.60	0.84	4.8
UW664	173.60	174.60	1.60	4.0
UW664	174.60	175.60	0.39	6.0
UW664	175.60	176.40	1.09	5.9
UW664	176.40	177.30	0.90	3.1
UW664	177.30	178.20	0.13	3.5
UW664	178.20	179.10	0.02	3.2
UW664	179.10	180.10	0.02	0.5
UW664	180.10	181.10	0.05	14.9
UW664	181.10	182.30	0.05	18.3
UW664	182.30	183.10	0.04	25.2
UW664	183.10	184.20	3.38	18.7
UW664	184.20	184.60	0.11	4.6
UW664	184.60	185.60	2.57	14.8
UW664	185.60	186.60	0.02	4.7
UW664	186.60	187.60	0.01	0.5
UW664	187.60	188.80	0.05	5.3
UW664	188.80	190.10	0.01	2.0
UW664	190.10	191.40	0.01	0.8
UW664	191.40	192.60	<0.01	0.8
UW664	192.60	193.80	0.01	0.8
UW664	193.80	194.90	0.13	2.8
UW664	194.90	195.90	1.41	9.6
UW664	195.90	196.90	0.45	2.4
UW664	196.90	197.70	0.04	0.7
UW664	197.70	198.60	0.04	1.1
UW664	198.60	199.60	0.01	1.1
UW664	199.60	200.10	0.04	1.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW664	200.10	201.00	<0.01	0.7
UW664	201.00	201.80	0.01	0.7
UW664	201.80	202.60	0.06	6.2
UW664	202.60	203.40	0.01	3.3
UW664	203.40	204.40	0.01	1.4
UW664	204.40	204.80	0.06	1.6
UW664	205.40	206.40	0.59	1.6
UW664	206.90	207.20	0.09	1.3
UW664	207.20	208.20	0.03	1.2
UW664	208.20	209.20	0.02	0.7
UW664	209.20	210.10	0.02	4.5
UW664	210.10	210.90	0.03	0.9
UW664	210.90	212.00	0.14	3.3
UW664	212.00	212.40	3.20	38.7
UW664	212.40	213.80	0.04	2.4
UW664	213.80	214.10	0.27	1.5
UW664	214.10	214.90	0.03	1.8
UW664	214.90	215.60	0.03	1.4
UW664	215.60	216.60	0.03	1.4
UW664	216.60	217.70	0.03	1.0
UW664	217.70	218.70	0.02	0.6
UW664	218.70	219.30	0.02	0.6
UW664	219.30	220.50	0.03	0.5
UW664	220.50	221.50	0.02	0.6
UW664	221.50	222.70	0.02	0.7
UW664	222.70	223.80	0.04	0.7
UW664	223.80	224.10	0.03	0.7
UW664	224.10	225.10	0.01	0.6
UW664	225.10	226.40	<0.01	1.2
UW664	226.40	227.40	<0.01	0.7
UW665	26.00	27.00	0.01	0.2
UW665	74.00	75.00	0.01	0.3
UW665	75.00	76.00	0.01	0.6
UW665	76.00	77.00	0.01	0.2
UW665	77.00	78.00	<0.01	<0.1
UW665	78.00	79.00	<0.01	<0.1
UW665	79.00	80.00	<0.01	<0.1
UW665	80.00	81.00	<0.01	0.1
UW665	81.00	82.00	<0.01	<0.1
UW665	82.00	83.00	<0.01	0.2
UW665	83.00	84.00	<0.01	0.1
UW665	84.00	85.00	<0.01	<0.1
UW665	85.00	86.00	<0.01	0.2
UW665	86.00	87.00	<0.01	0.1
UW665	87.00	88.00	<0.01	<0.1
UW665	88.00	89.00	0.02	<0.1
UW665	89.00	90.00	0.01	0.2
UW665	90.00	91.10	0.04	0.1
UW665	91.10	92.10	0.02	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW665	92.10	93.10	<0.01	0.2
UW665	93.10	94.00	<0.01	<0.1
UW665	94.00	95.00	0.03	0.7
UW665	95.00	96.00	0.04	0.8
UW665	96.00	97.00	0.03	0.7
UW665	97.00	98.00	0.02	0.5
UW665	98.00	98.80	0.02	0.4
UW665	98.80	99.50	0.04	1.2
UW665	99.50	100.10	0.03	0.6
UW665	100.10	101.10	0.04	1.1
UW665	101.10	102.00	<0.01	0.3
UW665	102.00	103.00	<0.01	0.1
UW665	103.00	104.00	<0.01	0.2
UW665	104.00	105.10	0.01	0.3
UW665	105.10	105.60	0.02	0.7
UW665	105.60	106.20	0.01	0.7
UW665	106.20	107.00	0.03	1.7
UW665	107.00	108.00	0.03	1.7
UW665	108.00	109.00	0.02	0.6
UW665	109.00	110.00	0.02	0.5
UW665	110.00	111.10	0.03	1.5
UW665	111.10	112.00	0.05	1.5
UW665	112.00	113.00	0.05	2.9
UW665	113.00	113.60	0.03	0.8
UW665	113.60	114.00	0.09	43.6
UW665	114.00	114.60	0.53	118.0
UW665	114.60	115.10	0.18	6.0
UW665	115.10	115.90	1.47	23.6
UW665	115.90	116.60	0.29	1.3
UW665	116.60	117.20	0.22	3.7
UW665	117.20	118.00	0.08	2.9
UW665	118.00	119.00	0.02	1.0
UW665	119.00	120.00	0.03	1.6
UW665	120.00	121.00	0.01	0.5
UW665	121.00	121.70	0.01	0.4
UW665	121.70	122.00	0.02	1.5
UW665	122.00	123.00	0.02	1.2
UW665	123.00	123.50	0.02	0.3
UW665	123.50	124.00	<0.01	<0.1
UW665	124.00	125.00	<0.01	<0.1
UW665	125.00	126.00	<0.01	0.1
UW665	126.00	127.00	0.01	0.3
UW665	127.00	128.00	0.01	0.2
UW665	128.00	129.10	<0.01	0.1
UW665	129.10	130.20	<0.01	<0.1
UW665	130.20	131.00	0.01	0.1
UW665	131.00	132.00	0.02	0.3
UW665	132.00	133.00	0.02	0.2
UW665	133.00	134.00	0.08	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW665	134.00	135.00	0.04	0.6
UW665	135.00	136.00	0.14	1.5
UW665	136.00	137.00	0.02	0.4
UW665	137.00	138.00	0.02	0.3
UW665	138.00	139.00	0.02	0.3
UW665	139.00	140.00	0.01	0.2
UW665	140.00	141.00	0.01	0.7
UW665	141.00	141.90	0.03	1.6
UW665	141.90	142.50	1.07	9.4
UW665	142.50	143.00	0.03	5.0
UW665	143.00	144.00	0.12	1.9
UW665	144.00	144.40	1.68	9.0
UW665	144.40	145.00	0.08	2.6
UW665	145.00	145.90	0.04	2.5
UW665	145.90	146.40	0.02	0.5
UW665	146.40	147.00	0.01	0.4
UW665	147.00	148.00	<0.01	0.3
UW665	148.00	149.00	0.02	0.5
UW665	149.00	150.00	0.03	0.8
UW665	150.00	151.00	0.02	0.5
UW665	151.00	152.00	<0.01	0.4
UW665	152.00	152.90	<0.01	0.6
UW665	152.90	154.00	0.02	0.9
UW665	154.00	155.00	0.02	0.3
UW665	155.00	156.00	0.03	1.6
UW665	156.00	156.80	1.24	10.3
UW665	156.80	157.20	0.06	5.9
UW665	157.20	158.00	0.06	2.9
UW665	158.00	159.00	0.03	1.9
UW665	159.00	159.90	0.02	1.1
UW665	159.90	161.00	0.05	3.2
UW665	161.00	162.00	0.04	1.9
UW665	162.00	162.30	0.06	1.3
UW665	162.30	163.10	0.04	34.1
UW665	163.10	163.50	20.30	202.0
UW665	163.50	164.20	8.04	101.0
UW665	164.20	165.00	0.09	2.1
UW665	165.00	166.00	0.03	1.1
UW665	166.00	167.00	0.04	0.8
UW665	167.00	168.00	0.02	0.5
UW665	168.00	169.00	0.04	0.4
UW665	169.00	170.00	0.06	1.4
UW665	170.00	171.00	0.02	1.2
UW665	171.00	172.00	0.14	0.7
UW665	172.00	173.00	0.32	4.9
UW665	173.00	173.50	4.25	28.1
UW665	173.50	174.00	0.53	16.8
UW665	174.00	175.00	0.03	1.3
UW665	175.00	175.60	0.03	1.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW665	175.60	176.00	0.37	0.7
UW665	176.00	177.00	0.12	0.6
UW665	177.00	177.40	<0.01	0.4
UW665	177.40	178.00	0.07	1.2
UW665	178.00	179.00	0.03	11.4
UW665	179.00	180.00	0.62	8.4
UW665	180.00	181.00	0.02	2.4
UW665	181.00	181.50	0.05	1.8
UW665	181.50	182.40	0.14	5.8
UW665	182.40	183.00	0.15	126.0
UW665	183.00	184.00	0.15	2.5
UW665	184.00	185.00	0.02	2.3
UW665	185.00	185.90	0.04	1.2
UW665	185.90	186.70	0.03	1.2
UW665	186.70	187.20	0.11	1.3
UW665	187.20	188.00	0.01	0.4
UW665	188.00	188.70	0.04	0.2
UW665	188.70	189.00	0.09	1.4
UW665	189.00	190.00	0.03	0.9
UW665	190.00	190.50	0.10	1.9
UW665	190.50	191.00	0.06	1.5
UW665	191.00	192.00	0.03	1.2
UW665	192.00	193.00	0.03	1.6
UW665	193.00	194.00	0.01	0.9
UW665	194.00	194.80	0.03	0.9
UW665	194.80	196.00	0.02	0.3
UW665	196.00	197.00	0.02	0.6
UW665	197.00	198.00	0.02	0.4
UW665	198.00	199.00	0.01	0.3
UW665	199.00	200.00	0.01	0.1
UW665	200.00	201.00	0.02	0.2
UW665	201.00	202.00	0.02	<0.1
UW665	202.00	203.00	0.03	0.2
UW665	203.00	204.00	0.02	0.1
UW665	204.00	205.00	0.01	0.3
UW665	205.00	205.80	0.02	0.9
UW665	205.80	206.60	3.21	41.2
UW665	206.60	207.00	0.07	38.5
UW665	207.00	208.00	0.02	1.9
UW665	208.00	208.60	0.04	20.2
UW665	208.60	209.60	19.90	84.9
UW665	209.60	210.00	0.06	3.7
UW665	210.00	211.00	0.04	0.6
UW665	211.00	212.00	0.07	0.9
UW665	212.00	213.00	0.01	0.7
UW665	213.00	213.30	0.02	10.0
UW665	213.30	214.30	0.07	13.6
UW665	214.30	214.90	16.60	60.3
UW665	214.90	216.00	0.06	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW665	216.00	217.00	0.03	0.4
UW665	217.00	218.00	0.02	0.8
UW665	218.00	219.00	0.01	0.3
UW665	219.00	219.50	0.02	0.4
UW665	219.50	220.00	0.18	1.6
UW665	220.00	221.00	0.02	0.3
UW665	221.00	222.00	0.02	0.6
UW665	222.00	223.00	0.02	0.3
UW665	223.00	224.00	0.01	0.3
UW665	224.00	225.00	0.01	0.3
UW665	225.00	226.00	0.03	0.5
UW665	226.00	226.60	0.03	2.8
UW665	226.60	227.30	11.90	30.0
UW665	227.30	228.00	0.01	0.9
UW665	228.00	229.00	0.02	1.0
UW665	229.00	230.00	0.03	1.1
UW665	230.00	231.00	0.02	0.7
UW665	231.00	232.00	0.02	0.3
UW665	232.00	232.90	0.09	1.1
UW665	232.90	234.00	7.41	38.2
UW665	234.00	235.00	0.21	2.0
UW665	235.00	236.00	0.13	1.1
UW665	236.00	237.00	0.08	1.1
UW665	237.00	238.00	0.15	2.1
UW665	238.00	239.00	0.04	2.4
UW665	239.00	240.00	0.04	2.3
UW665	240.00	240.40	0.42	5.7
UW665	240.40	241.50	0.02	2.2
UW665	241.50	242.30	0.98	6.6
UW665	242.30	243.00	0.02	3.8
UW665	243.00	243.80	<0.01	0.6
UW665	243.80	244.20	0.45	1.3
UW665	244.20	245.00	0.02	0.4
UW665	245.00	246.00	0.06	1.5
UW665	246.00	247.00	0.06	1.6
UW665	247.00	248.00	0.02	1.7
UW665	248.00	249.00	0.01	0.5
UW665	249.00	250.00	0.01	2.6
UW665	250.00	250.40	0.02	3.9
UW665	250.40	250.90	4.34	5.6
UW665	250.90	252.10	0.02	3.7
UW665	252.10	252.50	0.36	2.7
UW665	252.50	253.00	0.03	1.2
UW665	253.00	254.00	0.02	0.4
UW665	254.00	255.00	0.13	0.8
UW665	255.00	256.00	0.13	1.0
UW665	256.00	257.00	0.02	2.5
UW665	257.00	258.00	0.02	5.2
UW665	258.00	259.00	0.05	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW665	259.00	260.10	0.04	5.5
UW665	260.10	261.30	0.07	4.3
UW665	261.30	262.00	0.13	1.3
UW665	262.00	263.00	0.19	1.1
UW665	263.00	263.90	0.04	1.0
UW665	263.90	264.70	0.03	21.3
UW665	264.70	265.90	0.03	1.2
UW665	265.90	266.90	0.07	0.9
UW665	266.90	268.00	0.04	2.4
UW665	268.00	268.30	4.46	4.1
UW665	268.30	268.80	0.15	4.2
UW665	268.80	269.20	1.05	1.9
UW665	269.20	270.30	0.06	0.8
UW665	275.50	276.60	0.10	1.3
UW665	276.60	277.50	<0.01	0.4
UW665	277.50	278.00	0.03	1.2
UW665	278.00	279.00	0.04	0.9
UW665	279.00	280.00	0.02	1.6
UW665	280.00	280.60	0.05	1.3
UW665	280.60	281.20	0.02	0.6
UW665	281.20	282.20	4.45	13.9
UW665	282.20	283.00	0.78	12.6
UW665	283.60	284.00	0.10	2.9
UW665	284.00	285.30	0.04	3.5
UW665	285.30	285.90	4.41	5.9
UW665	285.90	286.50	0.64	2.6
UW665	286.50	287.00	0.03	0.9
UW665	287.00	288.00	0.04	1.9
UW665	288.00	289.00	0.02	0.5
UW665	289.00	290.00	0.03	0.4
UW665	290.00	291.00	0.02	0.2
UW665	291.00	292.00	0.02	0.5
UW665	292.00	292.50	3.02	6.5
UW665	292.50	293.00	0.06	14.7
UW665	293.00	294.00	0.07	6.5
UW665	294.00	295.00	0.03	1.9
UW665	295.00	296.00	0.02	1.4
UW665	296.00	297.00	0.03	2.5
UW665	297.00	298.00	0.02	1.1
UW665	298.00	298.60	4.84	10.0
UW665	298.60	299.00	0.02	1.5
UW665	299.00	300.00	0.02	1.0
UW665	300.00	301.10	0.01	2.5
UW665	301.10	301.50	12.80	14.0
UW665	301.50	303.10	5.63	9.9
UW665	303.10	304.00	0.02	8.0
UW665	304.00	305.00	<0.01	0.9
UW665	305.00	306.00	0.03	1.0
UW665	306.00	307.00	0.10	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW665	307.00	307.70	0.02	0.4
UW665	307.70	308.90	0.03	1.2
UW665	308.90	310.00	0.03	2.3
UW665	310.00	311.00	0.04	1.8
UW665	311.00	312.00	0.02	3.1
UW665	312.00	313.00	0.04	2.6
UW665	313.00	314.00	0.03	2.0
UW665	314.00	315.00	0.02	1.2
UW665	315.00	315.50	0.04	1.2
UW665	315.50	316.00	0.73	3.6
UW665	316.00	316.60	2.76	4.9
UW665	316.60	317.00	0.02	2.1
UW665	317.00	318.00	0.03	2.6
UW665	318.00	319.00	0.19	6.6
UW665	319.00	320.00	0.04	2.0
UW665	320.00	321.00	0.02	1.6
UW665	321.00	322.00	<0.01	1.4
UW665	322.00	323.00	0.02	3.1
UW665	323.00	323.50	0.02	1.1
UW665	323.50	324.00	0.05	0.8
UW665	324.00	325.00	0.12	0.9
UW665	325.00	326.00	0.01	1.1
UW665	326.00	327.00	<0.01	1.4
UW665	327.00	328.00	<0.01	1.2
UW665	328.00	328.70	0.02	3.2
UW665	328.70	329.90	0.08	4.3
UW665	329.90	330.40	0.01	2.8
UW665	330.40	331.00	0.03	8.3
UW665	331.00	332.00	0.02	3.4
UW665	332.00	332.60	<0.01	1.8
UW665	332.60	333.00	<0.01	5.1
UW665	333.00	333.90	0.02	4.0
UW665	333.90	334.40	1.99	5.3
UW665	334.40	335.00	0.07	8.9
UW665	335.00	335.70	0.02	4.2
UW665	335.70	336.00	0.17	4.0
UW665	336.00	336.70	0.04	4.9
UW665	336.70	337.60	0.01	2.8
UW665	337.60	338.50	0.05	3.5
UW665	338.50	339.00	0.04	4.1
UW665	339.00	340.00	0.06	3.5
UW665	340.00	341.00	0.04	3.0
UW665	341.00	342.00	0.02	2.6
UW665	342.00	343.00	0.01	2.0
UW665	343.00	344.00	0.01	1.8
UW665	344.00	345.00	0.02	2.6
UW665	345.00	346.00	<0.01	2.0
UW665	346.00	346.60	0.03	1.9
UW665	346.80	347.80	0.02	2.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW665	348.50	349.30	2.36	4.4
UW665	349.30	350.00	0.03	2.5
UW665	350.00	350.90	0.01	2.1
UW665	350.90	351.20	0.25	6.3
UW665	351.20	352.00	0.02	2.0
UW665	352.00	353.00	0.01	2.0
UW665	353.00	353.40	0.01	1.6
UW665	353.40	354.00	<0.01	1.6
UW665	354.00	355.00	0.01	1.7
UW665	355.00	356.00	0.03	1.5
UW665	356.00	357.00	0.02	1.2
UW665	357.00	358.00	0.03	2.0
UW665	358.00	359.00	0.02	1.7
UW665	359.00	359.80	0.02	1.9
UW665	359.80	360.50	0.08	2.2
UW665	360.50	361.00	<0.01	1.4
UW665	361.00	362.00	0.01	1.1
UW665	362.00	362.30	0.05	1.3
UW665	362.30	363.00	0.02	1.2
UW665	363.00	364.00	0.02	1.0
UW665	364.00	365.00	0.13	1.3
UW665	365.00	366.00	0.02	1.8
UW665	366.00	367.00	0.02	1.6
UW665	367.00	367.70	0.02	1.2
UW665	367.70	369.00	0.03	1.6
UW665	369.00	370.00	0.09	1.0
UW665	370.00	370.80	0.02	1.1
UW665	370.80	371.90	0.03	2.4
UW665	371.90	373.10	1.23	2.6
UW665	373.10	374.40	0.46	1.9
UW665	375.90	377.40	0.55	6.8
UW665	377.40	378.00	0.07	2.7
UW665	378.00	379.00	0.03	3.9
UW665	379.00	380.00	0.08	9.3
UW665	380.00	381.00	0.03	4.8
UW665	381.00	382.00	0.06	7.2
UW665	382.00	383.00	0.03	5.6
UW665	383.00	384.00	0.06	7.6
UW665	384.00	385.00	0.06	11.7
UW665	385.00	386.00	0.13	6.5
UW665	386.00	386.40	0.05	5.7
UW665	386.40	386.90	0.30	6.9
UW665	386.90	387.70	0.17	21.2
UW665	391.00	392.00	0.01	3.2
UW665	392.00	393.00	0.01	2.4
UW665	393.00	394.00	<0.01	2.3
UW665	394.00	395.00	<0.01	1.6
UW665	395.00	395.70	<0.01	2.6
UW665	395.70	396.00	0.03	3.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW665	396.00	397.00	0.08	2.7
UW665	397.00	398.00	<0.01	1.2
UW665	398.00	399.00	0.01	0.7
UW665	399.00	400.00	0.01	0.7
UW665	400.00	401.00	0.02	1.5
UW665	401.00	402.00	0.01	3.1
UW665	402.00	403.00	0.01	2.8
UW665	403.00	403.70	5.88	9.0
UW665	404.00	404.60	1.80	8.1
UW665	404.60	405.00	<0.01	1.8
UW665	405.00	406.00	0.01	0.9
UW665	406.00	407.00	0.01	1.0
UW665	407.00	407.30	<0.01	0.7
UW665	407.30	408.00	1.55	3.0
UW665	408.00	409.00	0.03	2.0
UW665	409.00	410.00	0.03	2.6
UW665	410.00	411.00	0.02	2.2
UW665	411.00	412.00	0.02	1.8
UW665	412.00	413.00	0.02	1.0
UW665	413.00	414.00	0.01	0.8
UW665	414.00	415.00	0.02	1.4
UW665	415.00	416.00	0.01	1.9
UW665	416.00	417.20	0.03	1.7
UW665	417.20	417.60	0.37	3.2
UW665	417.60	418.00	0.04	3.0
UW665	418.00	419.00	0.01	1.5
UW665	419.00	420.00	0.01	1.8
UW665	420.00	421.00	0.02	1.7
UW665	421.00	422.00	0.01	1.2
UW665	422.00	423.00	0.06	1.1
UW665	423.00	424.00	0.01	1.2
UW665	424.00	425.00	0.01	1.7
UW665	425.00	426.00	0.01	1.5
UW665	426.00	427.00	0.01	1.7
UW665	427.00	427.60	<0.01	1.6
UW665	427.60	428.00	0.08	2.0
UW665	428.00	429.00	0.01	1.6
UW665	429.00	430.00	0.02	1.4
UW665	430.00	431.00	0.01	1.9
UW665	431.00	432.00	0.01	1.1
UW665	432.00	433.10	0.01	1.0
UW665	433.10	433.40	0.07	1.8
UW665	433.40	433.90	<0.01	1.4
UW665	433.90	434.80	0.04	1.6
UW665	434.80	435.90	0.01	0.5
UW665	435.90	437.20	0.06	1.5
UW665	437.20	438.00	0.10	2.1
UW665	438.00	438.80	0.92	4.5
UW665	438.80	440.00	0.01	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW665	440.00	440.50	1.30	7.8
UW665	440.50	441.00	0.03	2.8
UW665	441.00	442.00	0.03	1.3
UW665	442.00	443.00	0.02	2.1
UW665	443.00	443.70	0.02	2.1
UW665	443.70	444.40	0.05	4.3
UW665	444.40	445.30	0.02	2.1
UW665	445.30	446.00	0.02	2.1
UW665	446.00	447.00	0.02	1.6
UW665	447.00	448.00	0.02	1.0
UW665	448.00	449.00	<0.01	0.5
UW665	449.00	450.00	0.01	1.5
UW665	450.00	451.00	0.01	0.8
UW665	451.00	451.50	0.02	5.1
UW665	451.50	452.00	0.02	1.7
UW665	452.00	453.00	0.02	0.7
UW665	453.00	454.00	0.02	0.9
UW665	454.00	455.00	0.01	1.1
UW665	455.00	456.00	0.01	0.4
UW665	456.00	457.00	0.01	0.4
UW665	457.00	458.00	0.05	1.1
UW665	458.00	458.90	0.03	3.7
UW665	458.90	459.40	2.36	12.8
UW665	459.40	460.50	0.02	4.0
UW665	460.50	461.40	0.04	25.7
UW665	461.40	462.00	0.09	8.0
UW665	462.00	463.00	0.19	7.8
UW665	463.00	463.50	0.31	7.5
UW665	464.00	465.10	0.34	9.7
UW665	465.10	466.20	0.27	13.4
UW665	466.20	467.40	0.61	11.9
UW665	467.40	468.30	1.71	20.1
UW665	468.80	469.70	0.17	19.6
UW665	470.00	470.40	0.32	7.8
UW665	471.30	472.40	0.66	16.8
UW665	472.60	473.10	0.16	10.8
UW665	473.70	474.00	0.07	4.2
UW665	474.50	475.00	0.09	21.3
UW665	477.05	477.40	0.05	13.2
UW665	477.40	478.40	0.10	4.5
UW665	480.70	481.10	0.06	1.9
UW665	481.10	482.40	0.05	3.0
UW665	482.40	484.00	0.03	2.8
UW665	484.00	485.40	0.04	3.2
UW665	485.40	486.00	0.03	17.7
UW665	486.00	487.00	0.03	8.6
UW665	487.00	487.90	0.04	2.9
UW665	487.90	488.60	0.03	13.6
UW665	489.10	490.40	0.03	2.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW665	490.40	491.40	0.01	1.2
UW665	491.40	492.40	0.02	2.5
UW665	492.40	493.40	0.04	3.9
UW665	493.40	494.40	2.89	1.7
UW665	494.40	495.50	0.30	1.9
UW665	495.50	496.70	0.03	2.4
UW665	496.70	497.40	0.02	5.8
UW667	62.10	62.80	<0.01	5.1
UW667	62.80	63.80	<0.01	1.8
UW667	63.80	64.80	<0.01	4.6
UW667	64.80	65.30	0.06	9.8
UW667	65.40	66.30	0.02	3.1
UW667	66.30	67.40	0.05	4.6
UW667	67.40	68.20	0.06	3.5
UW667	68.20	68.80	0.03	4.2
UW667	68.80	69.60	0.02	3.6
UW667	69.60	70.30	0.02	2.6
UW667	70.30	71.30	0.08	10.5
UW667	71.30	72.00	0.07	4.0
UW667	72.00	73.40	0.12	7.5
UW667	74.00	75.00	0.20	3.6
UW667	75.00	76.10	0.78	21.5
UW667	76.10	76.50	0.40	17.8
UW667	76.50	77.20	0.07	11.8
UW667	77.20	78.00	0.26	7.4
UW667	78.00	79.00	0.05	2.6
UW667	79.00	80.00	0.02	2.2
UW667	80.00	81.00	0.02	2.4
UW667	81.00	82.00	0.02	2.3
UW667	82.00	83.00	<0.01	1.6
UW667	83.00	83.70	0.08	4.1
UW667	83.70	84.60	0.01	2.5
UW667	84.90	85.60	0.03	2.5
UW667	86.10	87.10	0.03	4.7
UW667	87.10	87.90	0.02	6.4
UW667	87.90	88.50	0.17	16.5
UW667	88.50	89.50	0.18	9.4
UW667	89.50	89.80	0.04	7.3
UW667	89.80	90.80	0.25	9.2
UW667	90.80	91.80	0.07	4.6
UW667	91.80	92.80	0.01	1.8
UW667	92.80	93.80	0.04	0.8
UW667	93.80	94.80	0.02	1.2
UW667	94.80	95.80	0.02	3.1
UW667	95.80	96.30	0.02	2.0
UW667	98.50	98.80	0.11	0.9
UW667	98.80	99.20	0.04	1.7
UW667	99.90	100.20	0.04	1.8
UW667	109.00	109.30	0.03	4.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW667	110.00	110.30	0.05	7.0
UW667	114.00	114.30	0.04	0.3
UW667	129.30	129.70	0.15	0.8
UW667	131.70	132.00	0.06	4.4
UW667	132.00	132.50	0.02	2.6
UW667	134.80	135.50	0.55	3.3
UW667	139.50	139.80	0.06	2.2
UW667	144.20	145.15	0.18	4.0
UW667	148.10	148.40	0.02	2.0
UW667	148.40	149.40	0.03	2.9
UW667	149.40	149.90	0.03	2.6
UW667	149.90	150.20	0.07	1.9
UW667	166.70	167.50	0.05	3.8
UW667	167.50	168.60	0.04	1.8
UW667	168.60	169.80	0.38	17.7
UW667	169.80	170.60	0.05	1.9
UW667	170.60	171.60	0.06	2.4
UW667	171.60	172.20	0.15	4.1
UW667	177.60	178.50	0.34	4.5
UW667	178.50	179.50	0.05	1.7
UW667	179.50	180.60	0.41	13.3
UW667	187.20	187.60	0.07	1.4
UW667	187.60	188.00	9.63	44.4
UW667	188.00	189.00	0.04	1.0
UW667	206.40	206.90	0.04	1.7
UW667	217.70	218.00	0.01	0.4
UW667	261.60	261.90	0.01	1.7
UW667	264.90	265.20	0.03	0.9
UW667	268.60	269.50	0.01	1.2
UW667	269.50	270.30	<0.01	0.5
UW667	271.50	271.80	0.03	2.0
UW667	280.75	281.20	<0.01	1.1
UW667	281.20	282.20	<0.01	0.7
UW667	282.20	283.20	0.01	0.6
UW667	283.20	284.20	<0.01	0.5
UW667	287.90	288.30	<0.01	1.1
UW667	296.00	296.30	0.01	0.9
UW667	297.20	298.10	<0.01	0.9
UW667	298.10	299.00	<0.01	0.8
UW667	299.00	299.90	<0.01	0.7
UW667	299.90	300.60	<0.01	0.8
UW667	300.60	301.70	0.09	1.5
UW667	301.70	302.30	<0.01	0.4
UW667	302.30	302.70	0.01	0.6
UW667	310.00	311.20	0.01	0.4
UW667	311.20	312.20	<0.01	0.6
UW667	312.20	313.40	<0.01	0.6
UW667	313.40	314.40	0.02	0.6
UW667	314.40	315.50	0.01	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW667	315.50	316.60	<0.01	0.6
UW667	316.60	317.00	<0.01	0.9
UW667	317.00	317.80	<0.01	1.3
UW667	317.80	318.20	0.31	4.1
UW667	318.20	318.70	20.90	206.0
UW667	318.70	319.20	0.10	13.6
UW667	319.20	320.00	0.03	2.4
UW667	320.00	320.50	0.27	16.1
UW667	320.50	321.70	0.03	1.1
UW667	321.70	322.90	0.02	0.5
UW667	322.90	324.00	<0.01	0.9
UW667	324.00	325.00	0.02	1.3
UW667	325.00	325.90	0.01	0.9
UW667	325.90	326.50	0.03	0.3
UW667	326.50	327.30	0.49	5.9
UW667	327.30	328.30	0.02	2.0
UW667	328.30	329.20	0.16	4.5
UW667	329.20	329.80	0.32	<0.1
UW667	330.50	331.20	0.06	2.9
UW667	331.20	331.90	0.03	0.8
UW667	331.90	332.90	0.01	0.6
UW667	332.90	334.00	0.01	0.8
UW667	334.00	334.90	<0.01	0.6
UW667	334.90	335.20	0.01	1.1
UW667	335.20	336.40	0.02	0.7
UW667	336.40	337.50	0.02	0.3
UW667	337.50	338.60	<0.01	0.3
UW667	338.60	338.90	0.02	0.7
UW667	338.90	340.00	0.01	0.5
UW667	340.00	341.10	<0.01	0.3
UW667	341.10	342.00	0.01	0.6
UW669	8.60	9.30	<0.01	0.2
UW669	9.80	10.20	<0.01	0.2
UW669	10.20	10.80	0.06	0.1
UW669	11.20	11.60	<0.01	0.1
UW669	11.60	12.30	<0.01	<0.1
UW669	12.30	13.30	<0.01	0.1
UW669	13.30	14.30	<0.01	0.1
UW669	14.30	15.30	0.01	0.3
UW669	21.30	22.00	0.01	2.9
UW669	22.00	22.70	0.02	0.5
UW669	22.70	23.60	0.02	0.5
UW669	23.60	24.30	0.02	0.2
UW669	24.30	25.00	0.01	0.2
UW669	25.00	26.10	<0.01	0.1
UW669	26.10	27.30	0.02	<0.1
UW669	27.30	28.30	0.02	0.1
UW669	28.30	29.30	0.03	<0.1
UW669	29.30	30.30	0.04	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW669	30.30	31.30	0.04	<0.1
UW669	31.30	32.30	0.08	<0.1
UW669	32.30	33.30	0.19	<0.1
UW669	33.30	34.30	0.06	0.2
UW669	34.30	35.30	0.04	0.1
UW669	35.30	36.30	0.04	<0.1
UW669	36.30	37.20	0.05	0.1
UW669	37.20	38.00	0.04	<0.1
UW669	38.00	38.70	0.02	<0.1
UW669	38.70	39.30	0.01	0.1
UW669	39.30	40.00	0.02	<0.1
UW669	40.00	40.80	<0.01	<0.1
UW669	40.80	41.40	0.03	0.1
UW669	41.40	42.40	0.02	0.1
UW669	42.40	43.50	0.01	<0.1
UW669	43.50	44.30	0.01	<0.1
UW669	44.30	45.30	0.02	<0.1
UW669	45.30	46.00	0.02	<0.1
UW669	46.00	47.00	0.02	<0.1
UW669	47.00	48.30	0.01	0.1
UW669	48.30	49.00	0.02	0.3
UW669	49.00	49.80	0.03	0.5
UW669	49.80	50.60	0.01	<0.1
UW669	50.60	51.60	0.02	<0.1
UW669	51.60	52.80	0.01	<0.1
UW669	52.80	53.90	0.02	0.2
UW669	53.90	54.90	0.02	0.1
UW669	54.90	55.40	0.02	0.2
UW669	55.40	56.30	<0.01	<0.1
UW669	56.30	57.30	<0.01	<0.1
UW669	57.30	58.30	<0.01	<0.1
UW669	58.30	59.50	0.01	<0.1
UW669	59.50	60.50	0.01	<0.1
UW669	60.50	61.50	<0.01	<0.1
UW669	61.50	62.30	<0.01	<0.1
UW669	62.30	63.30	0.01	<0.1
UW669	63.30	64.30	<0.01	<0.1
UW669	64.30	65.30	<0.01	<0.1
UW669	65.30	66.30	<0.01	<0.1
UW669	66.30	67.30	0.01	<0.1
UW669	67.30	67.90	<0.01	<0.1
UW669	68.10	68.50	1.25	1.1
UW669	68.50	69.80	0.07	0.4
UW669	70.40	70.80	<0.01	0.2
UW669	71.30	71.80	0.01	<0.1
UW669	71.80	72.70	0.03	0.1
UW669	72.70	73.60	0.17	0.1
UW669	73.60	74.60	0.41	0.2
UW669	74.60	75.60	0.01	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW669	75.60	76.60	0.01	<0.1
UW669	76.60	77.60	0.72	<0.1
UW669	77.60	78.30	1.43	0.1
UW669	78.30	79.10	0.05	0.1
UW669	79.10	79.80	0.04	<0.1
UW669	79.80	80.80	0.02	<0.1
UW669	80.80	81.80	0.02	<0.1
UW669	81.80	82.80	0.04	<0.1
UW669	82.80	83.80	0.12	<0.1
UW669	83.80	84.80	0.03	<0.1
UW669	84.80	85.80	0.02	0.1
UW669	92.20	92.50	0.61	1.0
UW669	92.50	93.30	0.38	0.8
UW669	93.30	94.40	10.30	22.8
UW669	94.40	95.10	7.33	20.9
UW669	95.10	95.40	15.20	45.8
UW669	95.70	96.60	0.70	4.0
UW669	98.40	98.90	0.27	1.6
UW669	98.90	99.80	0.08	0.2
UW669	99.80	100.80	0.06	0.3
UW669	100.80	101.50	0.02	0.3
UW669	101.50	102.30	0.02	0.2
UW669	102.70	104.10	0.01	0.3
UW669	104.10	104.60	0.02	0.4
UW669	104.60	105.40	0.04	0.7
UW669	105.40	106.20	0.01	0.3
UW669	106.20	106.90	0.02	0.4
UW669	107.50	107.90	0.19	0.6
UW669	107.90	108.30	3.29	12.0
UW669	108.60	109.10	1.69	11.5
UW669	109.10	109.80	0.04	0.3
UW669	109.80	110.70	0.01	0.4
UW669	110.70	111.20	0.05	0.5
UW669	111.30	112.30	0.02	0.3
UW669	112.30	113.30	0.06	0.4
UW669	113.30	114.30	0.04	0.5
UW669	114.70	115.80	0.07	0.4
UW669	116.30	117.00	0.05	0.4
UW669	117.00	118.20	0.16	0.5
UW669	118.20	119.10	0.07	0.5
UW669	119.10	120.10	0.06	0.4
UW669	120.10	121.10	0.23	0.8
UW669	121.10	122.20	0.08	0.4
UW669	122.70	123.30	0.03	0.4
UW669	123.30	124.00	0.06	0.6
UW669	124.00	124.80	0.24	0.7
UW669	124.80	125.40	1.43	1.7
UW669	125.40	126.30	0.05	0.7
UW669	126.30	127.60	0.23	1.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW669	127.60	128.40	8.24	19.8
UW669	129.10	130.30	0.07	0.8
UW669	130.30	131.50	1.77	2.3
UW669	131.50	132.10	8.92	20.8
UW669	132.10	133.20	0.43	3.6
UW669	133.20	134.40	0.25	2.1
UW669	134.40	135.30	2.47	8.3
UW669	135.30	135.90	2.02	3.4
UW669	135.90	137.10	1.64	3.3
UW669	137.10	138.30	0.14	1.3
UW669	138.30	139.80	0.63	1.6
UW669	140.00	140.50	13.40	21.2
UW669	140.50	141.30	0.24	1.3
UW669	141.30	142.50	4.51	6.0
UW669	142.50	143.80	0.69	1.8
UW669	143.80	145.00	0.74	1.2
UW669	145.00	145.90	0.30	1.6
UW669	145.90	146.40	20.90	17.8
UW669	146.40	147.30	0.86	1.7
UW669	147.30	148.50	1.01	3.8
UW669	148.50	149.40	1.39	2.8
UW669	149.40	150.90	3.77	4.3
UW669	151.50	152.10	0.42	1.9
UW669	152.10	152.40	1.52	10.5
UW669	152.40	153.30	2.16	4.4
UW669	153.30	154.30	4.94	18.9
UW669	154.30	155.30	3.98	9.2
UW669	155.30	155.70	1.66	4.7
UW669	155.70	156.50	8.47	20.8
UW669	156.50	157.20	5.53	17.0
UW669	157.20	157.70	14.70	11.9
UW669	157.70	158.80	0.44	3.4
UW669	159.20	159.50	0.78	3.2
UW669	159.50	160.60	0.04	2.3
UW669	160.60	161.30	1.14	5.1
UW669	161.30	162.10	2.64	6.5
UW669	162.10	162.50	1.72	6.8
UW669	162.50	163.60	0.18	3.1
UW669	163.60	164.80	1.28	4.2
UW669	165.70	166.40	3.33	8.5
UW669	166.40	166.80	2.07	6.1
UW669	166.80	167.60	1.33	5.1
UW669	167.90	168.60	0.96	5.9
UW669	168.90	169.90	0.13	2.3
UW669	169.90	170.50	0.18	1.3
UW669	170.50	171.30	1.12	2.5
UW669	171.30	172.00	1.16	1.5
UW669	172.00	172.70	0.91	3.9
UW669	172.70	173.60	1.17	5.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW669	173.60	174.50	0.92	5.4
UW669	174.50	175.40	0.60	6.0
UW669	175.40	176.10	0.49	3.3
UW669	176.30	176.90	0.13	1.2
UW669	176.90	177.30	0.15	1.6
UW669	177.30	178.20	0.88	2.5
UW669	178.20	178.80	9.99	7.6
UW669	178.80	179.40	10.80	9.5
UW669	179.40	180.00	0.86	3.8
UW669	180.00	180.80	1.00	4.8
UW669	181.10	181.70	1.42	4.3
UW669	182.25	183.00	2.04	5.9
UW669	183.30	183.80	13.00	10.7
UW669	183.80	184.70	14.60	12.4
UW669	184.70	185.30	6.21	7.1
UW669	185.30	186.30	2.71	3.2
UW669	186.30	186.70	1.20	6.1
UW669	187.00	187.90	2.94	5.8
UW669	187.90	188.70	0.68	3.3
UW669	188.70	189.20	0.69	5.9
UW669	189.20	190.00	0.44	4.0
UW669	190.30	191.40	0.23	3.3
UW669	192.10	192.60	0.14	3.3
UW669	193.00	193.80	0.67	3.6
UW669	194.20	194.50	0.88	4.3
UW669	194.70	196.00	0.37	6.2
UW669	196.00	197.00	3.75	25.2
UW669	197.00	197.80	4.41	8.4
UW669	198.10	198.50	2.27	5.6
UW669	198.80	200.20	0.13	4.1
UW669	200.20	200.80	0.11	4.1
UW669	200.80	201.30	5.50	14.2
UW669	201.30	202.30	5.96	7.6
UW669	202.30	203.00	1.86	5.3
UW669	203.30	204.60	0.38	2.6
UW669	204.60	205.20	0.23	2.0
UW669	205.20	206.20	0.22	2.4
UW669	206.20	207.30	0.06	2.5
UW669	207.30	208.10	0.04	2.4
UW669	208.10	208.70	0.10	1.7
UW669	208.70	209.70	0.06	1.6
UW669	209.70	210.80	0.02	1.1
UW669	210.80	211.80	0.02	1.0
UW669	211.80	212.30	0.16	1.0
UW669	212.30	213.50	0.04	1.1
UW669	213.50	214.70	0.02	1.7
UW669	214.70	215.90	0.02	1.6
UW669	215.90	217.00	0.03	0.6
UW669	217.00	218.20	0.02	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW669	218.20	219.20	0.08	0.7
UW669	219.20	220.40	0.25	1.0
UW669	220.40	220.90	0.16	1.2
UW669	220.90	222.10	0.11	1.6
UW669	222.10	223.00	0.04	2.0
UW669	223.00	223.90	0.06	1.6
UW669	223.90	225.10	0.09	1.1
UW669	225.10	226.10	0.03	1.5
UW669	226.10	227.10	0.06	1.2
UW669	227.30	227.80	1.30	3.6
UW669	228.40	229.30	0.09	1.6
UW669	229.70	230.90	0.04	1.1
UW669	230.90	232.00	0.09	0.8
UW669	232.00	233.20	0.19	0.9
UW669	233.20	234.40	0.04	1.2
UW669	234.40	235.60	0.04	5.0
UW669	235.60	236.80	0.03	2.1
UW669	236.80	237.70	0.07	2.4
UW669	237.70	238.50	0.03	2.7
UW669	238.50	239.60	0.42	3.4
UW669	239.60	240.30	0.11	2.5
UW669	240.30	241.00	0.03	5.2
UW669	241.00	241.40	0.12	2.6
UW669	241.40	242.60	0.04	6.5
UW669	242.60	243.15	1.72	4.6
UW669	243.15	244.10	0.13	7.1
UW669	244.10	245.20	0.03	3.2
UW669	245.20	245.70	1.20	35.4
UW669	245.70	246.10	0.19	21.3
UW669	246.10	247.00	0.03	4.3
UW669	247.00	247.70	4.58	6.0
UW669	247.70	248.30	0.42	2.1
UW669	248.30	249.30	0.03	2.6
UW669	249.30	250.50	0.14	2.4
UW669	250.50	251.00	0.03	6.0
UW669	251.00	252.00	0.03	17.6
UW669	252.00	253.00	0.06	1.5
UW669	253.00	254.20	0.02	1.2
UW669	254.20	255.20	0.02	1.0
UW669	255.20	256.20	0.02	0.7
UW669	256.20	257.30	0.02	2.2
UW669	257.30	258.00	0.03	4.2
UW669	258.00	259.20	0.02	7.1
UW669	259.20	260.10	0.03	5.6
UW669	260.10	261.30	0.01	0.7
UW669	261.30	262.50	0.02	0.5
UW669	262.50	263.20	0.01	0.3
UW671	122.40	123.10	<0.01	0.2
UW671	123.10	124.00	0.03	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW671	124.00	125.00	0.07	0.8
UW671	125.00	125.50	<0.01	0.6
UW671	128.90	129.40	<0.01	0.4
UW671	140.00	140.40	0.02	2.6
UW671	147.00	147.90	<0.01	0.3
UW671	147.90	148.50	0.05	2.4
UW671	148.50	148.90	0.10	4.7
UW671	148.90	149.30	0.03	3.9
UW671	149.30	150.20	0.27	5.5
UW671	150.20	151.00	1.15	32.0
UW671	151.00	152.00	0.26	8.9
UW671	152.00	152.60	0.02	0.5
UW671	152.60	153.00	0.32	8.0
UW671	153.00	154.00	0.09	4.3
UW671	154.00	155.00	0.12	9.3
UW671	164.90	165.30	0.08	1.4
UW671	168.70	169.00	0.02	1.1
UW671	169.00	170.00	0.01	1.6
UW671	170.00	171.00	<0.01	0.4
UW671	175.60	176.10	0.01	0.4
UW671	176.10	177.20	<0.01	0.5
UW671	177.20	178.10	<0.01	0.8
UW671	178.10	178.60	<0.01	0.7
UW671	178.60	179.00	<0.01	0.6
UW671	182.00	182.50	<0.01	0.9
UW671	182.50	183.00	<0.01	0.9
UW671	195.90	196.70	0.02	3.8
UW671	196.70	197.40	0.03	6.7
UW671	197.40	198.00	0.16	11.7
UW671	198.00	199.00	0.04	5.7
UW671	199.00	200.00	0.04	5.3
UW671	200.00	201.00	0.02	4.2
UW671	201.00	202.00	0.02	0.8
UW671	202.00	203.10	0.07	2.2
UW671	203.10	203.70	0.02	1.0
UW671	203.70	205.00	24.90	158.0
UW671	205.00	206.00	0.03	3.9
UW671	206.00	207.00	0.03	2.5
UW671	207.00	208.00	0.14	1.5
UW671	208.00	209.00	0.01	0.4
UW671	209.00	210.00	0.02	1.3
UW671	210.00	211.00	<0.01	0.8
UW671	211.00	212.00	0.51	4.7
UW671	212.00	213.00	<0.01	0.5
UW671	213.00	214.00	0.02	0.7
UW671	214.00	214.90	0.03	1.2
UW671	214.90	215.50	0.05	1.4
UW671	215.50	216.50	46.80	136.0
UW671	216.50	217.70	27.30	70.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW671	217.70	218.00	0.02	1.7
UW671	218.00	219.00	<0.01	1.3
UW671	219.00	220.00	<0.01	1.0
UW671	220.00	221.00	0.03	6.7
UW671	221.00	222.00	0.02	2.0
UW671	222.00	223.00	0.04	5.8
UW671	223.00	224.00	0.02	2.5
UW671	224.00	225.00	0.01	0.8
UW671	225.00	226.00	0.02	1.9
UW671	226.00	227.00	0.02	1.6
UW671	227.00	228.00	0.02	2.6
UW671	228.00	229.00	0.03	1.9
UW671	229.00	230.00	0.02	1.0
UW671	230.00	231.00	<0.01	1.6
UW671	231.00	232.00	0.02	1.6
UW671	232.00	233.00	0.03	5.3
UW671	233.00	234.00	0.02	2.9
UW671	234.00	235.00	0.02	2.7
UW671	235.00	236.00	0.04	2.0
UW671	236.00	237.00	0.01	1.1
UW671	237.00	238.00	0.02	2.1
UW671	238.00	239.00	<0.01	0.9
UW671	239.00	240.00	<0.01	1.0
UW671	240.00	241.00	0.03	1.5
UW671	241.00	242.00	<0.01	2.3
UW673	169.80	171.00	<0.01	<0.1
UW673	171.00	171.60	<0.01	0.1
UW673	171.60	172.80	<0.01	<0.1
UW673	172.80	174.10	<0.01	<0.1
UW673	174.10	175.10	<0.01	<0.1
UW673	175.10	176.30	<0.01	<0.1
UW673	176.30	177.50	<0.01	<0.1
UW673	177.50	178.70	<0.01	<0.1
UW673	178.70	179.90	<0.01	<0.1
UW673	179.90	181.10	<0.01	0.2
UW673	181.10	181.60	<0.01	<0.1
UW673	181.60	182.00	<0.01	<0.1
UW673	182.00	183.20	<0.01	<0.1
UW673	183.20	184.00	<0.01	<0.1
UW673	184.00	184.50	<0.01	<0.1
UW673	184.50	185.70	<0.01	<0.1
UW673	185.70	186.90	<0.01	<0.1
UW673	186.90	187.60	<0.01	<0.1
UW673	187.60	188.80	0.01	<0.1
UW673	188.80	190.00	<0.01	0.2
UW673	190.00	191.20	0.01	<0.1
UW673	191.20	192.40	<0.01	<0.1
UW673	192.40	193.30	0.01	<0.1
UW673	193.30	193.60	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW673	193.60	194.30	<0.01	<0.1
UW673	194.70	195.10	<0.01	<0.1
UW673	195.50	196.70	<0.01	0.2
UW673	196.70	197.90	<0.01	<0.1
UW673	197.90	199.10	<0.01	<0.1
UW673	199.10	200.30	<0.01	<0.1
UW673	200.30	201.50	<0.01	<0.1
UW673	201.50	202.90	<0.01	0.1
UW673	203.90	205.20	<0.01	<0.1